

Correct Lubrication for the William Penn

THE MOTORSHIP, William Penn, is the first vessel equipped with Diesel engines to be launched by the United States Shipping Board.

The installation consists of 2 Burmeister & Wain 4 cycle 6 cylinder engines of 2250 I. H. P. When the selection of lubricants came up for decision, the recommendation of the engine builders was followed—and Gargoyle D.T.E. Oils were ordered and used.

Not only Diesel engine builders, but motorship owners and engineers the world over recognize the merits of these high-grade oils and vote almost unanimously for their use.

On its trip around the world which started September 3rd, the William Penn can promptly secure supplies of Gargoyle D. T. E. Oils, as needed, from regularly equipped service and supply stations at over 250 leading ports.

GARGOYLE

Marine Oils

A grade for each type of service

VACUUM OIL COMPANY *Specialists in the manufacture of high-grade lubricants for every class of machinery. Obtainable everywhere in the world.* **NEW YORK, U.S.A.**

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines For the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHIN CHINA	2500
BAYONNE	1500
COOLCHA	3300
SOLITARE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BAKOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

700 INTERSTATE BLDG.
Kansas City, Mo.

815 SHELDON BLDG.
San Francisco, Calif.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

412 BISBEE BLDG.
Jacksonville, Fla.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Diesel-Engine Generating Sets for Motorships

The equipment pictured above represents the generating units for the American Hawaiian S.S. Co.'s new Motorships. Each set consists of a Cramp B. & W. Engine coupled to a Diehl Electric Generator of the open Heavy-Duty Type. Diehl Generators are arranged for forced-feed lubrication.

DIEHL MFG. CO., ELIZABETH, N. J., U. S. A.

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American Hawaiian Steamship Co.
American Ship and Commerce Navigation Corporation

General Agents: Hamburg-American Line

Hamburg
Joint Services with
Hamburg-American Line
From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans
Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

North Africa and Levant
New York to Oran, Algiers, Tunis, Bona, Philippeville, Ceuta, Bizerta, Malta (Valetta), Alexandria, Smyrna and Beirut

Dutch East Indies
New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Intercoastal Service
With Steamers of the
American-Hawaiian S. S. Co.
New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

Branch Office: 40 Central St., Boston | Western Freight Office: 327 So. LaSalle St., Chicago | Western Passenger Office: 156 No. LaSalle St., Chicago | Branch Office: Bourse Bldg., Philadelphia

General Pacific Coast Agents, Williams, Dimond & Co., 310 Sansome St., San Francisco

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Wi

OIL DIESEL TYPE

A DIESEL DRIVEN TUG-BOAT

The Abitibi Power & Paper Co., Ltd., had a towing problem, they had to move their paper pulp logs about 25 miles up the Abitibi River in Canada and they wanted to do it as cheaply and as dependably as possible.

Ralph Winslow designed an 82 ft. by 19 ft. 8 in. by 9 ft. tug (illustrated below) and specified as the power plant a six cylinder Model W-24A Winton Oil Engine developing 300 H.P. This Tug Boat has the capacity of towing a boom containing approximately 3500 cords of wood, and it does its job consistently, dependably and efficiently.

Low operating costs, both for crew and fuel, plus compact installation, plus day in and day out dependability, make a Winton Oil Engine an ideal power plant for Tug Boats in general. Write for full descriptive literature pertaining to Winton Diesel Oil Engines.



WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church Street
Washington, D. C.—R. L. Fryer, 817 Albee Bldg. *Seattle*—H. W. Starrett,

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES

AN IMPORTANT ANNOUNCEMENT

It is a fact that commercial vessels employing obsolete methods of propulsion cannot to-day compete with ships driven with Diesel or Diesel-Electric Drive.

The Winton Engine Works have, from the outset, sponsored both types of Diesel Drive for varying conditions of service. We have available an immense amount of extremely valuable data which is unqualifiedly at the disposal of Ship Owners and Builders.

The facilities of the Winton Factory are of such a nature that we are prepared, especially at this time, to enter into and promptly complete contracts on a basis more favorable than this Industry has heretofore known.

Our Engineering Department is at YOUR disposal to assist you in working out details of re-powering existing vessels or laying out new installations.



CLEVELAND, OHIO, U. S. A.

Sunset Engine Co.

San Francisco—F. G. Bryant, 593 Market Street
Jacksonville—D. J. Carrison & Co.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

The "Northland Pioneer"

Length	100 ft.
Beam	20 ft.
Draft	4 ft. 8 in.

2-75 H.P. Dodge Heavy Oil Engines





Nov. 8, 1921.

Empire Engineering & Supply Co. Ltd.,
C. P. R. Building,
Edmonton, Alta.

Gentlemen:-

In reference to your request for information regarding the operation of the twin 75 H.P. Dodge Heavy Oil Engines, with which our new boat the Northland Pioneer was equipped at Fort Smith this Spring, we may say that these engines proved in service all you claimed for them.

On the voyage down from Fort Smith to the oil well near Fort Norman, we used kerosene, but as we did not wish to operate the engines at full speed immediately, no records of fuel consumption were kept.

At Fort Norman we took on crude oil from the Fort Norman Well, and while this oil was extremely dirty, the engines operated quite satisfactorily. Records kept on the return trip from Fort Norman showed a fuel consumption of .43 lbs. of fuel per B. H.P. Hour, which is less than the guarantee, and remarkable when compared with the fuel consumption of gasoline engines of a similar size on our other boats.

We can strongly recommend Dodge Engines for work in the north where conditions as you know require a simple, hardy, and economical engine. As a matter of fact, even if crude oil were not available in the north, and it was necessary to bring in kerosene or fuel oil for these engines, the fuel economy is such that the saving would pay for the engines in a short time.

Yours sincerely,

NORTHERN TRADING COMPANY,

Per. Roy Marsh Mgr.

RN/HM

1800 miles without trouble: fine record made by first oil powered vessel to make trip to Ft. Norman Oil Fields.

Loaded to the water line with casings, derrick timbers and machinery, through severe storms and difficult channels—1800 miles in all is the record of the successful trip from Ft. Smith to Ft. Norman, Canadian oil fields made by the "Northland Pioneer."

Read the engineer's story carefully. Note the fact that the two 75 H. P. engines operated successfully on the return trip using crude oil direct from the wells.

There was no time lost in taking on fuel wood —no valuable cargo space used for storage.

The record of the "Northland Pioneer" is not an unusual one for boats equipped with Dodge Heavy Oil Engines. Their sturdy simplicity—absence of trouble giving parts such as carburetors, switches, igniters, etc., fuel economy—ease of operation and low attendance costs adapts them to every class of work craft within range of sizes.

Prompt response will be made to inquiries from responsible dealers.

DODGE

HEAVY OIL ENGINES

12½ H. P. TO 75 H. P.

DODGE SALES AND ENGINEERING COMPANY

MISHAWAKA, INDIANA, U. S. A.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HASLER & COMPANY INC.

NEW YORK, N. Y. NORFOLK, VA. NEWPORT NEWS, VA

STEAMSHIP MANAGERS AND AGENTS

LOADING BROKERS

Bunker and Cargo Coal Suppliers at all HAMPTON ROADS PORTS

WEST RELSAH COAL VIRGINIA

POCAHONTAS AND NEW RIVER

HIGH VOLATILE STEAM AND GAS COALS

ECONOMY EFFICIENCY DESPATCH

Cable and Wireless Address "RELSAH"

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TORSIONAL VIBRATIONS



IN SHAFTS

THIS is what may be occurring hundreds, or thousands of times per minute in your shafts. And just as many reversals of this stress.

Can You Answer These Questions?

1. **At what speed will the trouble arise?**
   Can you anticipate the trouble, possibly obviate it by change in design?
2. **How quickly can Torsional Vibration be eliminated in an already existing shaft?**

It is a well known fact that *dampers*, of existing types, have never given a practical solution—erratic behavior and undependability prevent their being classed as a *positive remedy* for the trouble

But—

There is a Practical Remedy We Have Mastered this Problem

Come to Booth D 212 (4th floor Grand Central Palace) at the NEW YORK AUTOMOBILE SHOW, where we will have an interesting exhibit, and talk it over with our representatives

You owe it to yourself—as well as to your concern—to know the essentials

Let your curiosity lead you to our Booth

WE SOLVE VIBRATION PROBLEMS

Trade Mark Registered

VIBRATION SPECIALTY COMPANY

MANUFACTURERS OF NWA BALANCING MACHINES

HARRISON BUILDING PHILADELPHIA, PA.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL

MECHANICAL-INJECTION DIESEL ENGINE

A REAL SOLUTION OF YOUR POWER PROBLEM

30 YEARS BUILDING ENGINES

MARINE



STATIONARY

165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 AND 6 CYLINDER TYPES 55 TO 350 HORSE-POWER

A POWERFUL, DEPENDABLE AND ECONOMICAL ENGINE, SIMPLE IN OPERATION AND BUILT FOR SERVICE

STOP BURNING UP YOUR PROFITS

DO YOU REALIZE THAT YOU CAN SAVE 90% OF YOUR DISTILLATE BILLS

BY USING OUR DIESEL ENGINES

100 HORSE-POWER FOR 20 CENTS PER HOUR

RUNS ON COMMERCIAL FUEL-OIL (CRUDE-OIL) COSTING $1.58 PER BBL. OF 42 GALS.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY

OAKLAND, CALIFORNIA

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

QUALITY SNAP RINGS — give MAXIMUM POWER



"MORE THAN A MILLION A MONTH"

THE Piston RING COMPANY

107 SANFORD ST. MUSKEGON, MICH.

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines

30 H.P. to 300 H.P. Economical Power for Work Boats





Power from Low Cost Fuel Oils

The "Herbert" has a mighty desirable reputation as a money-maker due in large measure to the excellent operation of her "C-O" engine on low grade fuel oils.

"C-O" marine oil engines have been building up records of economy and dependability year after year. They use the low grade fuel oils most easily obtained—run steadily with perfect regulation in choppy seas—remain cool under the gruelling service of long hauls at low speed under heavy load. They are simple—require little attention. From every angle the "C-O" engine is the profit producing power for workboats.

Fairbanks, Morse & Co.

MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BUNKER FUEL OIL

The vast organization and scope of the Standard Oil Company (New Jersey) make it possible to offer Shipping interests world-wide facilities for bunkering with "STANDARD" Fuel Oil. This service offers opportunities for effecting the decided economies resulting from the use of "STANDARD" Fuel Oil.

Ports at which deliveries can be made through arrangements with the Standard Oil Company (New Jersey), 26 Broadway, N. Y.

UNITED STATES

Atlantic and Gulf Ports

*New York
Boston
*Philadelphia
*Baltimore
*Norfolk
*Charleston
*New Orleans
*Baton Rouge

Pacific Coast Ports

*Seattle
Tacoma
Astoria
*Portland
*San Francisco
*Richmond
*Point Wells
*San Pedro
*San Diego
*Honolulu

CANADA

*Halifax
*Montreal
*Levis (Quebec)
*Vancouver
Prince Rupert

MEXICO

Tampico

PANAMA CANAL

Cristobal
*Balboa

WEST INDIES

Havana
Cienfuegos
Nuevitas
San Juan
Bermuda
Curacao
St. Thomas

SOUTH AMERICA

Rio de Janeiro
Santos
*Buenos Aires
*Campana
Montevideo
Valparaiso
*Talara

AZORES

Ponta Delgada

*Diesel oil also available

UNITED KINGDOM

*Purfleet
*Manchester
*Southampton
*Newcastle-on-Tyne
*Sunderland
*Liverpool
*Brixham
*Hull
*Thames Haven

GERMANY

Hamburg
Nordenham

AFRICA

Bizerta

TURKEY

Constantinople

GREECE

Piraeus

CHINA

Hong Kong Shanghai

JAPAN

Itosaki Nagasaki

STANDARD OIL COMPANY (New Jersey)

26 Broadway, New York

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Diesel-engined Motorships

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E.C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL for MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civita Vecchia
Colombo
Colon (Panama Canal)
Curacao
Gemsah
Genoa
Glasgow
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stockholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at—

Antofagasta
Bordeaux
Cebu
Constantinople
Copenhagen
Dunkirk
Durban
Funchal (Madeira)
Gothenburg
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N. Y., U. S. A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Ingersoll-Rand

Price Oil Engines

With these engines fuel injection is direct and positive. Complete atomization is obtained without the use of compressed air.

The elimination of the high pressure air compressor

- Reduces the floor space required for the power plant.
- Increases the mechanical efficiency of the plant by saving the power required to drive the compressor.
- Cuts down the weight.
- Reduces the possibilities of break-down and the supply of repair parts.
- Avoids troubles incident to the use of high air pressures.
- Makes attendance easier.

Price Marine Oil Engines have many other features which will interest you. Send for descriptive bulletins.

Ingersoll-Rand Company

11 Broadway, New York

Detroit, Mich.	New York, N. Y.	Philadelphia, Pa.
Joplin, Mo.	Knoxville, Tenn.	Denver, Colo.
San Francisco, Cal.	Houghton, Mich.	Boston, Mass.
Salt Lake City, Utah	Cleveland, Ohio	El Paso, Texas
Havana, Cuba	Pittsburgh, Pa.	Dallas, Texas
Butte, Mont.	Birmingham, Ala.	Seattle, Wash.
Juneau, Alaska	Los Angeles, Cal.	St. Louis, Mo.
Duluth, Minn.	New Orleans, La.	Chicago, Ill.
		Scranton, Pa.

PRICE · OIL ENGINES



14MOE

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

America's Opportunity

America has made her start in the construction of sea-going motorships, because it is now recognized that competition in the overseas freight business must be met by ships of higher efficiency. Diesel electric drive increases efficiency in the following manner:

—Fuel consumption one-half that of steam power.
—Less space occupied by machinery.
—Greater operating flexibility.
—Higher propeller efficiency.
—Increased reliability.
—Diesel Electric Drive affords opportunity to convert into profitable cargo carriers many steamers now equipped with wasteful forms of steam drive.

Machinery Arrangement of 2,500 H.P. Diesel Electric Cargo Carrier.



Ask for Descriptive Leaflet 3432.

Westinghouse Electric & Manufacturing Company
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities

WESTINGHOUSE ELECTRIC

Westinghouse

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES IN

PACIFIC DIESEL E

OAKLA

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

ESEL ENGINES

R
E
L
I
A
B
I
L
I
T
Y

D IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

IGINE COMPANY

CALIFORNIA

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

SHARE CAPITAL
100 MILLIONS OF LIRE

ANSALDO-SAN GIORGIO

(LIMITED)

Ex Flat-San Giorgio

Shipyard Muggiano (Spezia)
Offices and Engine Works Turin Via Cuneo 20 Italy



Motor-Ship with two propellers and two reversible Diesel-Engines.

Shipbuilders and Engineers

Construction of Cargo-Boats up to 12,000 Tons d. w. Capacity

FOR

The Italian Emergency Fleet

Standardized Diesel-Engined Motorships of 8,100; 9,000; 12,000 and 15,000 tons d. w. c. now Building at Muggiano-Spezia

Two-Cycle Diesel-Ship Engines of 4,000 b. h. p. Per Shaft

More Than 300 Engines
200,000 b. h. p. Constructed

Submersibles
Torpedo-Boats



One of the Two Marine Diesel-Engines for the Motorship Ansaldo-San Giorgio III.

"Diesel" Engines for Industrial and Maritime Services

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS









1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800

FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City













Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

To Reach the Pacific Coast Field

PACIFIC MOTOR BOAT

The Only Journal Devoted Exclusively to the Marine Internal-Combustion Engine Interests of the Pacific

Established in 1908

Advertising and Subscription Rates on Application

For Further Information

PACIFIC MOTOR BOAT

71 COLUMBIA STREET, SEATTLE, WASH., U. S. A.



Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



Bolinders **NEW TYPE** Engines are ideal as propulsory power for **BARGES.**

Here are the reasons:

NEW INJECTION DEVICE—The fuel injection can be adjusted in such a way that the engine is able to run any length of time even without load or with small load. No resorting to external heating devices.

ELECTRIC STARTING DEVICE—The engine can be started from cold condition within 15 seconds. No danger from lamps or kerosene.

NO AIR COMPRESSOR—Weight and length of engine reduced, carrying capacity and cargo space increased, simplicity of engine increased.

DIRECT REVERSIBLE—No complicated reverse gears liable to break down, no compressed air liable to give out during frequent manoeuvring.

LOW FUEL CONSUMPTION—i. e., low running costs.

SIMPLICITY OF DESIGN—No difficulty to run a **BOLINDERS**, even for engineers with small experience in the handling of engines.

COMPACTNESS OF DESIGN—Larger space available for the cargo.

NO WATER INJECTION—No water tanks; space and carrying capacity saved for useful purposes.

HIGHEST CLASS WORKMANSHIP, VERY BEST MATERIALS USED IN THE ENGINES—Long life of engines, low repair costs, low upkeep.

SIZES: 10—500 B.H.P.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State St., BOSTON, MASS.

BOLINDERS COMPANY
Compostela 47
HAVANA, CUBA

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

BOLINDER'S COMPANY · TRADE MARK · NEW YORK U.S.A.

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

SWEDISH STEEL & IMPORTING CO., Ltd.
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



FALK
HERRINGBONE
MARINE REDUCTION GEARS
ARE USED BY THE UNITED STATES NAVY FOR DEPENDABLE MECHANICAL EFFICIENCY

FALK
HERRINGBONE GEARS



"Libby Main," full powered, twin screw freighter, 2,000 tons deadweight capacity, driven through Falk Reduction Gears. This ship made 63,185 nautical miles in 2½ years. Gears in perfect condition.



"James Timpson," 3,500 ton motorship driven by Diesel Engines through Falk Reduction Gears, which have proved the acme of perfection.

Falk Herringbone Marine Reduction Gears perform to particular advantage in Diesel and semi-Diesel driven ships.

Their ability to deliver a smooth, continuous flow of power reduces vibration and saves ship, engine and gearing.

Falk Gears wear evenly, prevent backlash and stop power losses.

Our engineering department is fully equipped to be of assistance to you on your marine transmission problems.

THE FALK CORPORATION
Milwaukee - - Wisconsin

REPRESENTATIVES

W. O. Beyer, 1007 Park Bldg., Pittsburgh, Pa.
M. P. Fillingham, 50 Church St., New York City.
F. W. Grimwood, Rialto Bldg., San Francisco, Cal.
Vulcan Iron Works, Wilkes-Barre, Pa.
Denver Engineering Works, Denver, Colo.

CANADIAN REPRESENTATIVE

Engineering Equipment Co., Ltd., 619-623 New Birks Bldg., Montreal, Quebec, Canada.

FOREIGN REPRESENTATIVE

Gustav Melms, 8 Rue Taitbout, Paris.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Columbian "C-Y-C"



A 1½ K. W. Lighting Set $595.00

A 1½ K. W. Lighting Set, water cooled, splendidly suited for installation in Ships of all kinds for Direct and Auxiliary Generating purposes.

A light, compact and highly effcient unit which operates on either gasoline or kerosene, self contained, simple to run and extremely economical in service.

All engine parts are interchangeable with Ford parts, which means parts when you need them and anywhere you need them. Their cost is low and their replacements easy.

The engine is a full five horse power and is supplied with a pulley for auxiliary uses of various kinds.

The Generator is especially designed for direct connection to the C-Y-C engine, it is rated at 1½ K. W. (1500 watts) and operates at low temperatures so necessary when installed in a Ship.

A Battery of ample size and well suited to the plant is supplied, a battery which will give long and good service.

The Switchboard is simplicity itself. It carries the starting push button, the fuse to protect the battery and a switch connecting the Generator with the Battery. This switch can be pulled if the engine is required for auxiliary work or when the battery is fully charged.

Write to-day for full details

COLUMBIAN BRONZE CORPORATION

522 FIFTH AVENUE :-: :-: NEW YORK CITY

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MAGNAVOX

WATERTIGHT ANTI-NOISE
MARINE TELEPHONE SYSTEMS
are installed on

270 United States Destroyers
and over

1000 Merchant Vessels

Watertight Anti-Noise Transmitter
Electro-Dynamic Receiver



Destroyer Line Station

It is the consensus of opinion of marine engineers and practical shipbuilders that—*MAGNAVOX* Watertight, Anti-noise Marine Telephones make up the most efficient and reliable marine communication system yet developed for ship work

They can be supplied up to and including 10 stations

What are your requirements?
Will gladly quote you for immediate delivery

THE MAGNAVOX CO.

Oakland, California — New York Office, Room 214, Penn. Terminal Bldg., 7th Ave.
Telephone Worth 9520

Good Books on Marine Heavy-Oil Engines

MARINE DIESEL ENGINES
By John Lamb
Price $3.00
Postage 7 cents extra

DIESEL ENGINE DESIGN
By H. F. P. Purday
Price $7.50
Postage 15 cents extra

STATIONARY AND MARINE DIESEL ENGINES
By A. H. Goldingham
Price $3.00
Postage 10 cents extra

LAND AND MARINE DIESEL ENGINES
By A. P. Chalkley
Price $5.00
Postage 25 cents extra

20th CENTURY GUIDE FOR MARINE ENGINEERS
(With Diesel-Engine Section)
By Ramsay & Rosbloom
Price $3.00
Postage 18 cents extra

MARINE OIL ENGINES
By W. D. Martin
Price $2.50
Including Postage

HOT-BULB OIL ENGINES
By Walter Pollock
Price $10.00
Postage 25 cents extra

LAND AND MARINE DIESEL ENGINES
By Ing. Supino
Price $5.00
Postage 7 cents extra

DIESEL ENGINE DESIGN
By E. Mortimor Rose
Price $3.00
Postage 7 cents extra

MOTORSHIP LOG-BOOK
Designed by H. W. Sumer Co.
Price $3.75
Postage 20 cents extra

SCHIFFS-ÖLMASCHINEN (Ships' Oil-Engines)
By DIPL.-ING. DR. WM. SCHOLZ **(Printed in German)**
Price $1.00
(Including Postage)

AUBERGEWOHNLICKE DRUCK-UND TEMPERATURS-TEIGERUNGEN BEI DIESELMOTOREN
By DR. ING. R. COLELL
Price $0.75 (Including Postage)

COPIES CARRIED IN STOCK

SHORTLY AVAILABLE, COPIES OF

SKIBS-MOTORLÆRE (Ship's-Motor Text-Book)
By AAGE RASMUSSEN **(Printed in Danish)**

282 WEST 25th STREET **MOTORSHIP** NEW YORK CITY, U.S.A.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The U.S. Shipping Board's Only Motorship Is Built on the ISHERWOOD SYSTEM

U. S. Shipping Board's Diesel-driven motorship "WILLIAM PENN" of 17,100 tons loaded displacement, built on the Isherwood longitudinal system

Up to December 31st, 1920, 1,395 vessels representing about 11,962,400 tons dead-weight-carrying-capacity, built and under construction, of which 646 are bulk-oil-carriers representing about 6,172,180 dead-weight-carrying-capacity tons; all built on Isherwood system.

J. W. ISHERWOOD

4 LLOYDS AVENUE, LONDON, E. C. 3; or
17 BATTERY PLACE, NEW YORK, U. S. A.

TRADE W I CO MARK

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports.

WEST INDIA OIL COMPANY

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Worthington has been building internal-combustion engines for a quarter of a century. The latest is the 2,400 horse power marine Diesel shown at the right, built and tested at the Snow Works, Buffalo, N.Y. This engine with auxiliaries made by Worthington makes possible an all-American motorship engine-room with the least division of responsibility.

WORTHINGTON PUMP AND MACHINERY CORPORATION
115 BROADWAY, NEW YORK
Branch Offices in 24 Principal Cities

20" bore x 46" stroke 6 cylinder 4 cycle full Diesel, at 120 R. P. M., 2,400 I. H. P.



WORTHINGTON

Deane Works, *Holyoke, Mass.* Hazleton Works, *Hazleton, Pa.*
Blake & Knowles Works *East Cambridge, Mass.*
Worthington Works *Harrison, N. J.*
Laidlaw Works, *Cincinnati, Ohio* Gas Engine Works, *Cudahy, Wis.*
Power & Mining Works *Cudahy, Wis.*
Snow-Holly Works *Buffalo, N. Y.*

W-54

DEUTSCHE WERFT
HAMBURG, GERMANY
Shipbuilders, Engineers and Boiler-Makers

19 Berths, 140 to 820 feet
2 Berths for Floating Docks
River Frontage, 6,000 feet
6,000 Employees

LICENSEES FOR
BURMEISTER & WAIN DIESEL OIL-ENGINES FOR GERMANY AND ITALY

MOTORSHIPS, CARGO-VESSELS AND OIL TANKERS
LARGE SHOPS FOR REPAIR WORK

CABLES: DEUTSCHWERFT, HAMBURG

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

CRAIG

FOUR-CYCLE DIESEL-TYPE

MARINE OIL ENGINES

JAMES CRAIG ENGINE AND MACHINE WORKS

807 GARFIELD AVENUE JERSEY CITY, N. J., U. S A.

RESERVE SPACE NOW

FOR YOUR ADVERTISEMENT IN THE 1922

MOTORSHIP YEAR BOOK

TO BE PUBLISHED ABOUT JANUARY 15th, 1922

That the 1921 Year-Book was entirely sold-out in six weeks, and that hundreds of copies of the 1922 Edition already have been ordered in advance, should convince advertisers of its wonderful publicity value.

The publishers of "Motorship" stand at the back of this Year-Book and guarantee that it will be more interesting and useful than the excellent 1921 edition, which was the first attempt at a book of this type.

SEND YOUR ORDER NOW AND AVOID DISAPPOINTMENT
TO "PASS IT UP" WILL BE FALSE ECONOMY

MILLER FREEMAN & CO.
Publishers of
MOTORSHIP
282 West 25th Street
New York City

TELEPHONE, WATKINS 9848 CABLES, FREEMOTE, NEW YORK, U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

CUNNINGHAM
ELECTRIC MARINE AUXILIARIES

CUNNINGHAM PATENT ELECTRIC CAPSTAN

The total enclosure of electrical equipment and gearing in their separate compartments is an absolute guarantee against damage by water or mechanical injury.

BUILT IN ALL SIZES

Single and double geared

Builders of Electric and Steam

Anchor Windlasses—Capstans—Cargo Winches—Steering Gears—Mooring Winches—Towing Engines and Hydraulic and Electric Telemotors

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St. New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE & WORKS
7500 Carleton Ave.
Seattle, Wash.

Geo. E. Swett
201 Rialto Bldg.
San Francisco, Cal.
SAN FRANCISCO

When You Buy A-E-CO Auxiliaries

WE BUILD
STEERING GEAR
TELEMOTORS
WINDLASSES
WINCHES
TOWING MACHINE
CAPSTAN
GYPSEYS
CHANDLERY

you get more than a piece of machinery; more than so many pounds of metal; more than a name

You Get Experience

covering sixty years of designing and building marine auxiliaries, culminating in a definite knowledge of what to build and how to build it.

You Get Service

of a character that has no superior. A service that is constantly competing with itself.

You Get Satisfaction

OFFICES
NEW YORK
BOSTON
PHILADELPHIA
CLEVELAND
SAN FRANCISCO
NEW ORLEANS
SEATTLE
VICTORIA, B. C.

ASK FOR CATALOGS

American Engineering Company
Philadelphia

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



—and at the Canaries

"STOPPING at the Canaries" was first popularized 430 years ago by Columbus en route to his discovery of the American continent.

Today 7,000 or more vessels annually touch at the Canary ports of Las Palmas and Santa Cruz—and there they can always secure supplies of Gargoyle Marine Oils.

World distribution is one of the many reasons for the popularity of Gargoyle Marine Oils. At 250 ports all over the world these high-grade, dependable oils are supplied for the Correct Lubrication of the world shipping.

To anyone interested in the subject of Marine Lubrication, we will be glad to send regularly without cost our monthly publication, "The Compass." Each issue contains much valuable practical information.

GARGOYLE

Marine Oils

A grade for each type of service

VACUUM OIL COMPANY *Specialists in the manufacture of high-grade lubricants for every class of machinery. Obtainable everywhere in the world.* NEW YORK, U.S.A.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

700 INTERSTATE BLDG.
Kansas City, Mo.

815 SHELDON BLDG.
San Francisco, Calif.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

412 BISBEE BLDG.
Jacksonville, Fla.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Winter-Proof

Seamen are familiar with the trouble exposed steam piping can cause in winter, and will welcome electric auxiliaries.

In frigid weather, frozen or bursted steam pipes can be prevented only by thorough draining, or by allowing steam to blow through them. These troublesome, wasteful processes are eliminated by electric auxiliaries.

Westinghouse electric auxiliaries are winter-proof, water-tight, simple to operate and to control, and are thoroughly reliable.

Westinghouse Electric & Manufacturing Company
East Pittsburgh, Pa.
Offices in All Principal American Cities
Special Pacific Coast Representatives
Hunt, Mirk & Co., San Francisco
Marine Service Stations in All Principal Ports

Westinghouse
MARINE AUXILIARIES

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Cap'n Allswell says:

"they run 'em uphill in Baltimore!"

TAKE grain freighters, for instance. In Baltimore's where they load the ol' 500-footers till they have to build dikes atop the gunnels to keep the fire dry. It's such an uphill pull the engine thinks the hull's goin' sideways!
No wonder—with grain enough in the hold to load a couple of through freights.

I tell you, it's no fine-haired trick for a ladylike wheel. By the split tail of the holy shark, it takes a GIANT to move a cargo like that—which is why you see Columbian Bronze Propellers on the job there.

You can't beat 'em for hard work. When they turn over, things move. And strength? They say Columbian Bronze 'll stand a breakin' strain of 65,000 pounds to the inch—which I can easily believe, because I've seen 'em go afoul of a rock in a heavy blow and never hang up the boat. Take a hunch from the ol' man: install a Columbian an' all's well!

Send for the

"COLUMBIAN BULLETIN"

It bears out the Cap'n's statements with actual facts and figures, and other information. No charge; ask for Bulletin No. 12.

THE COLUMBIAN BRONZE CORPORATION
522 Fifth Ave., New York City
For New York Sales Only: 44 Third Avenue



Block "L" Main Floor, New York Motor Boat Show

COLUMBIAN *Bronze* PROPELLERS

for every craft afloat

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

QUALITY SNAP RINGS — give MAXIMUM POWER



"MORE THAN A MILLION A MONTH"

THE Piston RING COMPANY

107 SANFORD ST. MUSKEGON, MICH.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Win

OIL DIESEL
TYPE E

A DIESEL DRIVEN TUG-BOAT

The Abitibi Power & Paper Co., Ltd., had a towing problem, they had to move their paper pulp logs about 25 miles up the Abitibi River in Canada and they wanted to do it as cheaply and as dependably as possible.

Ralph Winslow designed an 82 ft. by 19 ft. 8 in. by 9 ft. tug (illustrated below) and specified as the power plant a six cylinder Model W-24A Winton Oil Engine developing 300 H.P. This Tug Boat has the capacity of towing a boom containing approximately 3500 cords of wood, and it does its job consistently, dependably and efficiently.

Low operating costs, both for crew and fuel, plus compact installation, plus day in and day out dependability, make a Wilton Oil Engine an ideal power plant for Tug Boats in general. Write for full descriptive literature pertaining to Winton Diesel Oil Engines.

WINTON ENGINE WORKS

New York—A. G. Griese, Inc., 30 Church Street
Washington, D. C.—R. L. Fryer, 817 Albee Bldg. *Seattle*—H. W. Starrett,

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
9015084660888
e#pd-google

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

ton ENGINES

AN IMPORTANT ANNOUNCEMENT

It is a fact that commercial vessels employing obsolete methods of propulsion cannot today compete with ships driven with Diesel or Diesel-Electric Drive.

The Winton Engine Works have, from the outset, sponsored both types of Diesel Drive for varying conditions of service. We have available an immense amount of extremely valuable data which is unqualifiedly at the disposal of Ship Owners and Builders.

The facilities of the Winton Factory are of such a nature that we are prepared, especially at at this time, to enter into and promptly complete contracts on a basis more favorable than this Industry has heretofore known.

Our Engineering Department is at YOUR disposal to assist you in working out details of re-powering existing vessels or laying out new installations.



CLEVELAND, OHIO, U. S. A.

Sunset Engine Co.

San Francisco—F. G. Bryant, 593 Market Street
New Orleans—A. Baldwin Company

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BUNKER FUEL OIL

The vast organization and scope of the Standard Oil Company (New Jersey) make it possible to offer Shipping interests world-wide facilities for bunkering with "STANDARD" Fuel Oil. This service offers opportunities for effecting the decided economies resulting from the use of "STANDARD" Fuel Oil.

Ports at which deliveries can be made through arrangements with the Standard Oil Company (New Jersey), 26 Broadway, N. Y.

UNITED STATES

Atlantic and Gulf Ports

*New York
Boston
*Philadelphia
*Baltimore
*Norfolk
*Charleston
*New Orleans
*Baton Rouge

Pacific Coast Ports

*Seattle
Tacoma
Astoria
*Portland
*San Francisco
*Richmond
*Point Wells
*San Pedro
*San Diego
*Honolulu

CANADA

*Halifax
*Montreal
*Levis (Quebec)
*Vancouver
Prince Rupert

MEXICO

Tampico

PANAMA CANAL

Cristobal
*Balboa

WEST INDIES

Havana
Cienfuegos
Nuevitas
San Juan
Bermuda
Curacao
St. Thomas

SOUTH AMERICA

Rio de Janeiro
Santos
*Buenos Aires
*Campana
Montevideo
Valparaiso
*Talara

AZORES

Ponta Delgada

*Diesel oil also available

UNITED KINGDOM

*Purfleet
*Manchester
*Southampton
*Newcastle-on-Tyne
*Sunderland
*Liverpool
*Brixham
*Hull
*Thames Haven

GERMANY

*Hamburg
Nordenham

AFRICA

Bizerta

TURKEY

Constantinople

GREECE

Piraeus

CHINA

Hong Kong Shanghai

JAPAN

Itosaki Nagasaki

STANDARD OIL COMPANY (New Jersey)

26 Broadway, New York

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Diesel-engined Motorships

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Curacao
Gemsah
Genoa
Glasgow
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Copenhagen
Dunkirk
Durban
Funchal (Madeira)
Gothenburg
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

A DOLLARS AND CENTS PROPOSITION?

To users of Gas Engines:

All the money you pay for fuel for a gas-engine is burned up, blown out through the exhaust-pipe and lost forever. NOW if you could save *90%* of that money you would not hesitate to do it, would you? You *can* save that *90%* by replacing your gas-engine with our Mechanical-Injection Diesel-engine.

Now it does not take much running each day to burn up the price of our Diesel-engine in your gas-engine.

Our Mechanical-Injection Diesel-engine has about 20% less repair expense than a gas-engine, is easier and more simple to operate than a gas-engine and absolutely dependable.

The actual cost of operation is $0.0032 per horsepower hour with fuel-oil at 6c per gallon and $0.0005 per horsepower hour for lubricating-oil at 50c per gallon. This is equivalent to 37c per hour for 100 horsepower.

Now be fair with yourself and consider this matter. Figure out your *loss* yourself, or send us the power of your engine, time operated each day and the fuel-consumption, and our engineering department will submit reliable figures to you showing the amount of money you can save by putting in our Mechanical-Injection Diesel-engine; furthermore, we will guarantee our statements.

For over 30 years we have been designing and building internal-combustion engines, and air-injection Diesel-engines for eight years. Our air-injection engines are working in all parts of the globe and giving excellent service and satisfaction.

Our Mechanical-Injection Diesel-engine, as the name implies, injects the fuel into the combustion-chamber by mechanical means, where it is ignited by the *heat of compression only, no hot-points, balls, or surfaces of any kind,* and the maximum working-compression is 350 lbs. per square inch. By this means of spraying the fuel-oil into the combustion-chamber we are able to eliminate all the high-pressure air and the expense, repairs, dangers and adjustments incidental to the use of high-pressure air for fuel-injection.

Get in touch with us or one of our representatives at once and determine whether 90% of your gas-engine fuel bills are worth saving.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton,

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS











1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800



FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City















Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FAIRBANKS-MORSE Marine Equipment









"C-O" Marine Oil Engines

"C-O" marine oil engines are maintaining the successful performance records they have built up through years of hard service in over one thousand commercial boat installations—tugs, cargo vessels, lighters, ferries, schooners and workboats of every description. "C-O" engines use low grade fuel oils economically.

Generating Sets

Type "C-O" for motor vessels to operate auxiliaries and lighting. Compact and designed for constant duty.

Pumps

Displacement and Centrifugal motor driven marine types suitable for bilge, fire, oil cargo, and general purposes.

Guaranteed Responsibility

The installation of Fairbanks-Morse engines, generators, motors and pumps on your ship provides complete equipment covered by a definite and undivided responsibility.

Fairbanks, Morse & Co.
MANUFACTURERS CHICAGO

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



Bolinders NEW TYPE Engines are ideal as propulsory power for BARGES.

Here are the reasons:

NEW INJECTION DEVICE—The fuel injection can be adjusted in such a way that the engine is able to run any length of time even without load or with small load. No resorting to external heating devices.

ELECTRIC STARTING DEVICE—The engine can be started from cold condition within 15 seconds. No danger from lamps or kerosene.

NO AIR COMPRESOR—Weight and length of engine reduced, carrying capacity and cargo space increased, simplicity of engine increased.

DIRECT REVERSIBLE—No complicated reverse gears liable to break down, no compressed air liable to give out during frequent manoeuvring.

LOW FUEL CONSUMPTION—i. e., low running costs.

SIMPLICITY OF DESIGN—No difficulty to run a BOLINDERS, even for engineers with small experience in the handling of engines.

COMPACTNESS OF DESIGN—Larger space available for the cargo.

NO WATER INJECTION—No water tanks; space and carrying capacity saved for useful purposes.

HIGHEST CLASS WORKMANSHIP, VERY BEST MATERIALS USED IN THE ENGINES—Long life of engines, low repair costs, low upkeep.

SIZES: 10—500 B.H.P.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

BOLINDERS COMPANY
Compostela 47
HAVANA, CUBA

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

BOLINDER'S COMPANY · J&G · TRADE MARK · NEW YORK U.S.A.

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

SWEDISH STEEL & IMPORTING CO., Ltd.
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Test of Comparison

In most cases any oil engine must compete with steam engine or turbine drive and stand the test of engineering comparison.

Compare the Price Oil Engine with other types of drive from the following three angles:

Cost of prime mover and necessary auxiliaries.
Consumption and cost of fuel and lubrication.
Cost of attendance and upkeep.

Price Oil Engines have direct-injection of fuel without the use of compressed air. The elimination of the high-pressure injection air compressor increases the engine's mechanical efficiency and materially reduces the possibility of breakdown.

Ignition is by heat of compression only—there are no hot bulbs, plates or liners.

The guaranteed fuel oil consumption of Price Engines is 0.45 pounds per brake horse power hour. The guaranteed lubricating oil consumption is one gallon per 4000 brake horse power hours.

The selection of materials and the conservative design and rating of Price Engines insure long life and freedom from breakdown.

PRICE OIL ENGINES

Bulletin 10102 tells the complete story. Send for your copy and subject Price Engines to the test of comparison.

Ingersoll-Rand

11 BROADWAY NEW YORK CITY

OFFICES IN ALL PRINCIPAL CITIES

Butte	El Paso	Knoxville	Cleveland	Philadelphia
Birmingham	Seattle	Scranton	Pittsburgh	San Francisco
Duluth	St. Louis	London	Los Angeles	Salt Lake City
Denver	Chicago	Paris	Detroit	Joplin
Boston	New York	Houghton	New Orleans	Dallas

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

GÖTAVERKEN

GÖTEBORG—SWEDEN



DIESEL-DRIVEN CARGO MOTORSHIP RECENTLY BUILT AND ENGINED BY GÖTAVERKEN.

SHIPBUILDERS, ENGINEERS AND SPECIALISTS IN THE REPAIR OF MOTORSHIPS, STEAMSHIPS AND THEIR RESPECTIVE MACHINERY

TWELVE GÖTAVERKEN-BUILT MOTORSHIPS IN SERVICE, AGGREGATING 99,450 TONS D.W. AND 37,400 I.H.P., ALSO ONE DIESEL-DRIVEN SALVAGE-VESSEL OF 1,250 I.H.P. IF YOUR MOTORSHIPS NEED REPAIR IN EUROPEAN WATERS, SEND THEM TO OUR YARD IN PREFERENCE TO A PLANT THAT HAS HAD LITTLE OR NO EXPERIENCE WITH THE CONSTRUCTION OF HIGH-POWERED DIESEL-ENGINED MOTORSHIPS. WE HAVE BUILT SUCCESSFUL STEEL MOTORSHIPS OF LARGE SIZE UP TO 14 KNOTS SPEED. OUR LARGE FOUNDRY CAN SUPPLY DIESEL-ENGINE CASTINGS TO ORDER.

CONSTRUCTIONAL LICENSEES IN SWEDEN OF THE BURMEISTER & WAIN DIESEL MARINE OIL-ENGINE

DIESEL ENGINE WORKS

SHIPYARD—FOUNDRY

FLOATING DRY-DOCK WITH A LIFTING CAPACITY OF 12,000 TONS

POSTAL AND TELEGRAPHIC ADDRESS

GÖTAVERKEN GÖTEBORG

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
e#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

KRUPP
DIESEL-ENGINES

Marine, Stationary, Four-Cycle, Two-Cycle

High-Speed, Low-Speed, Light-Weight
Heavy-Weight

Direct-Drive Electric-Drive

All Sizes, 45 to 10,000 B.H.P. in One Unit



Motor Tanker "ZOPPOT" 15,700 D.W.T.
Capacity 119,700 Barrels Oil
Mean Light Sea Speed 11.64 Knots
Mean Loaded Sea Speed 10.64 Knots
Daily Fuel Consumption 14 Tons

Uninterrupted Operation 18 Months

AMERICAN KRUPP-SYSTEM DIESEL ENGINE CO.

165 BROADWAY, NEW YORK CITY

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

NOW READY

BOUND VOLUMES OF

JANUARY TO DECEMBER, INCLUSIVE

1921

MOTORSHIP

PRICE $8 Net

DOMESTIC POSTPAID—FOREIGN POSTAGE 50 CENTS EXTRA

ONLY A TOTAL OF 34 VOLUMES AVAILABLE

When sending your order state if the volume is desired with or without advertising

MOTORSHIP

282 West 25th Street
New York City, U. S. A.

CABLES—FREEMOTE, NEW YORK

OFFICES IN
Seattle, Wash.; San Francisco, Cal.
Boston, Mass., and Los Angeles, Cal.

TELEPHONE—WATKINS 9848

See Top of Editorial Page

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

"the long, smooth oil path!"



MULTIWHIRL COOLER

For Cooling Piston and Bearing Oil in Diesel Engines

For the General Cooling of Lubricating Oils

CONSTRUCTION

Oil in shell—cooling water in tubes—entire tube bundle removable.

Helical Baffle—long, smooth oil path—minimum pressure drop.

Tubes expanded into tube plates—no sweated joints.

Outside packed floating head—no expansion strain—no internal joints—impossible for water to leak into oil.

Extreme compactness due to high rate of heat transfer.

Send for Bulletin No. 903

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia, Boston, Hartford, Springfield, Pittsburgh, Cleveland, Toledo, Detroit, Chicago, Minneapolis, St. Louis, New Orleans, Denver, Houston, Fort Worth, Charlotte, San Francisco, Seattle, Los Angeles, Kansas City, Milwaukee

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY



MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY - TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

CRAIG

FOUR-CYCLE DIESEL-TYPE

MARINE OIL ENGINES

JAMES CRAIG ENGINE AND MACHINE WORKS

807 GARFIELD AVENUE JERSEY CITY, N. J., U. S. A.

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Navigation Corporation

General Agents: Hamburg-American Line

Hamburg
Joint Services with
Hamburg-American Line
From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans
Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

North Africa, Malta, Egypt and Syrian Coast Ports

Dutch East Indies
New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Intercoastal Service
Service of the
American-Hawaiian S. S. Co.
New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTAL

PACIFIC DIESEL E

OAKLAND, C

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

IESEL ENGINES



R
E
L
I
A
B
I
L
I
T
Y

) IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

NGINE COMPANY

ALIFORNIA

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue

14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us know your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Whole Engine Room

All the important units of a motorship engine room can now be purchased from one manufacturer —The Worthington Pump and Machinery Corporation.

Main and auxiliary engines, pumps and compressors, all are made by one concern, all can be bought under one contract and responsibility.



Worthington Pump and Machinery Corporation
115 Broadway, New York
Branches in 24 Principal cities

WORTHINGTON

Deane Works, *Holyoke, Mass.*
Blake & Knowles Works *East Cambridge, Mass.*
Worthington Works *Harrison, N. J.*
Hazleton Works, *Hazleton, Pa.*
Laidlaw Works, *Cincinnati, Ohio*
Gas Engine Works, *Cudahy, Wis.*
Power & Mining Works *Cudahy, Wis.*
Snow-Holly Works *Buffalo, N. Y.*

W. 79-4



Write us for full particulars about this practical and economical work boat engine. We will respond immediately to inquiries from accredited dealers desirous of handling these engines in their localities.

The "Maudie" has made a fine record in Jacksonville harbor

The 50 H. P. Dodge Heavy Oil Engine in the "Maudie" was installed eight months ago and has given continuous satisfaction and established a fine record for fuel economy and low upkeep.

Dodge Heavy Oil Engines use the cheaper fuel oils economically and successfully—this means savings in fuel alone that will quickly pay for the engine and assure steady profit for the owner.

Compressed air is used for starting; there are no ignitors, carburetors, electric torches, hot bulb or ball. Fuel is fed by gravity which eliminates complicated pumps. Extreme simplicity of design and rugged construction means low attendance and upkeep costs.

DODGE
Heavy Oil Engines

Marine and Stationary **12½ H. P. to 75 H. P.**

Dodge Sales and Engineering Company
Mishawaka, Indiana, U. S. A.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ENTERPRISE
Full-Diesel Engines



BUILT IN SIZES 75 H.P. TO 200 H.P., INCLUSIVE

Better Than a Gas Engine—

This new Diesel has all the control, slow down and simplicity of the distallate or gas engine and none of the problems of electric ignition and carburetion. Is 40% heavier, more rugged in construction and will burn cleanly and efficiently oil ranging from 14° to 26° gravity.

Better Than a "Semi-Diesel"—

As compared to engines of the semi-Diesel or surface ignition types the Enterprise Diesel will burn much heavier fuels, burn them more cleanly; is more positive in action; more flexible, and, being of the 4-cycle type, is more economically and better lubricated. The exhaust can be piped through side of boat. Not only does it burn oil of lower gravity, but is more economical in consumption of this oil.

And Has New Diesel Features—

As compared with engines of the air-injection Diesel type, the Enterprise possesses all the desirable features in the way of thorough fuel combustion; ability to burn fuels of heavy gravity; economy of lubrication and economy of fuel consumption without the use of high pressure air compressor. For its operation this engine requires no pressures to exceed 150 lbs. outside the cylinders.

We confidently believe this to be the engine boat operators have been long waiting for

ENTERPRISE ENGINE COMPANY

Southern Pacific Bldg., 20-24 Steuart St., San Francisco, California

Northern Distributors.....H. G. McLAUGHLIN CO., 809 Railroad Ave., Seattle, Wash.
Eastern Distributors.....SEXTON MOTOR CO., 30 Church St., New York, N. Y.
Southern Distributors.....MENGE MARINE HDWE. & SUP. CO., New Orleans, La.
Southern California.....GAERTNER & KELLY, San Pedro, Cal.
British Columbia.....VANCOUVER SHIPYARDS, LTD., Vancouver, B. C.
Alaska Distributors.....CHAS. G. WARNER CO., Juneau, Alaska.

RESERVE SPACE NOW
FOR YOUR ADVERTISEMENT IN THE
1922
MOTORSHIP YEAR BOOK
TO BE PUBLISHED VERY SHORTLY

That the 1921 Year-Book was entirely sold-out in six weeks, and that hundreds of copies of the 1922 Edition already have been ordered in advance, should convince advertisers of its wonderful publicity value.

The publishers of "Motorship" stand at the back of this Year-Book and guarantee that it will be more interesting and useful than the excellent 1921 edition, which was the first attempt at a book of this type.

SEND YOUR ORDER NOW AND AVOID DISAPPOINTMENT
TO "PASS IT UP" WILL BE FALSE ECONOMY

MILLER FREEMAN & CO.
Publishers of
MOTORSHIP
282 West 25th Street
New York City

TELEPHONE, WATKINS 9848 CABLES, FREEMOTE, NEW YORK, U. S. A.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ELECTRIC WINCH



Standard Type for Motorships

"The ease of operation and speed was considerably better than the average steam winch."

"Particularly fast on lighthook, both raising and lowering."

"Remarkably free of trouble."

(Comments from October Motorship article on operation of M. S. William Penn)

Details Gladly Furnished

AMERICAN ENGINEERING COMPANY

PHILADELPHIA, PA.

CUNNINGHAM

ELECTRIC MARINE AUXILIARIES

CUNNINGHAM PATENT ELECTRIC CAPSTAN

The total enclosure of electrical equipment and gearing in their separate compartments is an absolute guarantee against damage by water or mechanical injury.

BUILT IN ALL SIZES

Single and double geared

Builders of Electric and Steam

Anchor Windlasses—Capstans—Cargo Winches—Steering Gears—Mooring Winches—Towing Engines and Hydraulic and Electric Telemotors

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE & WORKS
7500 Carleton Ave.
Seattle, Wash.

Geo. E. Swett
201 Rialto Bldg.
San Francisco, Cal.
SAN FRANCISCO

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information



Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY
107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)

"MORE GALLONS PER HORSE POWER"



Save Weight and Space!

The electric unit shown above is delivering 75 gallons of lubricating oil per minute against a 20 foot head on board the U.S.S. California. The complete pumping unit with motor weighs only 700 pounds and occupies only 7.6 square feet of floor space. The larger capacity you need, the more dead weight and floor space proportionately we can save.

NORTHERN ROTARY PUMPS
"MORE GALLONS PER HORSE POWER"

The Northern Rotary Pump is especially suited for handling heavy liquids under high pressures.

Write for facts

NORTHERN FIRE APPARATUS CO.
MINNEAPOLIS, MINNESOTA. U.S.A.

"MORE GALLONS PER HORSE POWER"

Just Published—A Book You Need

"ECONOMICS OF PETROLEUM"

By Joseph E. Pogue

Price $6.00 Domestic Postpaid
Foreign Postage 20 cents extra



Written by a man who has had years of experience with the U. S. Geological Survey and the Smithsonian Institution; also, as Assistant-Director of the Bureau of Oil Conservation, and Industrial Engineer and Economist of one of the largest oil corporations in the world.

Contains a wide range of information of vast importance. For instance, the Trend of Oil-field Development and Oil Production, Economic Organization, Petroleum Prices, Petroleum By-Products, Motor-Fuel Problem, and Mexico as a Source of Petroleum, are a few of the subjects discussed.

Send for a Copy Now

MOTORSHIP
282 West 25th Street
NEW YORK CITY
U. S. A.

Werft und Reederei

Editor: Dr. Ing. E. Foerster, Hamburg

The Official German Magazine for Shipping & Shipbuilding Industries

Representing the

GERMAN INSTITUTION OF NAVAL ARCHITECTS

the Standards Committee and the Archive for the World's Shipbuilding and Shipping Literature

Reading this magazine you know all

that is of interest for you, concerning chiefly German Shipbuilding and Seafaring.

Subscribers receive two numbers monthly for the price of Two Dollars yearly

JULIUS SPRINGER, Publisher
In Berlin W. 9, Linkstrasse 23-24, Germany

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Kahlenberg

MARINE OIL ENGINES

(HEAVY DUTY)



AIR REVERSING TYPE

Positive Governor Control from No Load to Full Load.
Variable speed instantly obtainable from just "turning over" to wide open.
Operates on any of the crude fuel oils or kerosene.
Absolutely reliable. Fuel consumption .55 lbs per H. P. hour.

Sizes 15 to 200 H. P.

KAHLENBERG Stationary Oil-engines are used for auxiliary power on board ships.

Two distinct advantages of all "Kahlenberg" Engines are:
1—They are directly reversible from full speed ahead to full speed astern without stopping. Thus you have two ways to manoeuvre, by using the reversing gear; or, reversing the engine.
2—You can advance or retard the time of fuel injection (while running full speed in either direction) to any part of the stroke, or wherever, in the opinion of the operator, the engine runs best on the particular kind of fuel he is using.

Write for our literature stating your requirements fully.

KAHLENBERG BROS. & CO.
MANUFACTURERS
1707 12th St. Two Rivers, Wis., U. S. A.

DIESEL ENGINES REPAIRED

OUR facilities include large Machine and Forge Shops, Foundries, Docks and all other necessary equipment to rush repairs on Diesel Engines.

A complete plant with an efficient force.

America's Leading Marine Diesel Engine Builders

THE NEW LONDON SHIP & ENGINE CO.
Plant located on New London Harbor
GROTON, CONN., U. S. A.

West Coast Representative
Mr. C. G. COKER
402 Exposition Bldg., San Francisco, California

READY SHORTLY

Papers to be read before the North East Coast Institution of Engineers and Shipbuilders, England:—

"DIESEL ENGINE FLEXIBILITY"

By W. S. BURN, M. Sc.

"THE USE OF COMPRESSED AIR IN DIESEL-ENGINED SHIPS"

By WILLIAM REAVELL

"RUNNING COSTS OF DIESEL-ENGINED SHIPS"

By T. MADSEN

"DIESEL ENGINE DESIGN"

By PAUL BELYAVIN
(Formerly Diesel Engine Expert to the Imperial Russian Navy.)

SPON AND CHAMBERLAIN
"N" DEPT.
123 LIBERTY STREET
NEW YORK

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee Quick Delivery

Send for Quotations



The Denver Siren

Successfully Operated

On Any Diesel Engined Motorship

or Internal-Combustion Engine Driven Vessel

—ready at all times for instant use as a signal, in place of the compressed air or steam whistle—in fogs, etc., can be used continuously without exhaustion, if desired—also used for code or number signals.

Electrical, motor driven—no steam or compressed air required—can be mounted on mast or any convenient place and operated from the wheelhouse or two or more points if desired.

Ask for the "Denver Siren Bulletin." It's Free.



The Hendrie & Bolthoff Mfg. and Supply Co.

DENVER, COLORADO

EASTERN AGENTS
The Woodhouse Mfg. Co.
64 W. Broadway, New York

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"



Over 1700 BRUNSWICK machines aboard ship

BRUNSWICK REFRIGERATING CO.
410-480 JERSEY AVE., NEW BRUNSWICK, N. J.

FROUDE DYNAMOMETERS

For Testing Rotary Prime Movers



Reversible Froude Dynamometer
Recently Furnished to

UNITED STATES NAVY YARD
NEW YORK, N. Y.

The capacity range of this Dynamometer includes from 500 to 4000 B. H. P. at from 300 to 500 R.P.M. It is employed for testing Submarine Diesel Engines.

C. H. WHEELER Mfg. Co.

PHILADELPHIA, PA.

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE KITCHEN REVERSING RUDDER

U. S. Patent 1,186,210—1916

The 300 practical installations on Motorships, Tugs, Barges, Yachts, etc., have fully demonstrated that these Rudders give a maneuvring ability *superior* to that as obtained by the best *electric drive*.
Why *complicate* your propelling unit when you can *simplify* it?
No reversing or slowing down of engine necessary, engine and propeller *ahead* only.
Vessel maneuvered by remote control from bridge without reference to engine room.
No ship too large, no boat too small for Kitchen's Reversing Rudders.
Hand Operated Gear up to 460 B.H.P. Electric or Hydraulic Power Gear up to or over 2,000 B.H.P.

Literature and Particulars from

SOLE LICENSEES AND MANUFACTURERS

THE McNAB COMPANY **BRIDGEPORT, CONNECTICUT**

Rossell & Thayer, Forrest Building, Philadelphia, Pa.
Ford & Geirrine, Merchants Exchange Building, San Francisco, Calif.

or

Sole Licensees for British Columbia: Yarrows, Ltd., Victoria, B. C.

MARINE LUBRICATION PERFECTED

BORNE SCRYMSER COMPANY MARINE W TRADE MARK TYPE NEW YORK

FOR

CYLINDERS AND BEARINGS

ASPINALL'S PATENT GOVERNOR
FOR
INTERNAL-COMBUSTION OIL-ENGINES

PREVENTS RACING



SAVES FUEL

Adopted By the Leading Builders at Home and Abroad
Fitted to a large Number of Ocean Going Motor Vessels

For Full Particulars Apply to

ASPINALL'S PATENT GOVERNOR CO.
10 STRAND STREET, LIVERPOOL
Telegrams—"VELO," LIVERPOOL
Telephones—BANK { 3731 / 4484

Agents in U. S. America
PLANT RUBBER & ASBESTOS WORKS
537 Brannan Street, San Francisco

JOHN PLATT & CO.
2 Rector Street, New York

The M.S. "POLSTJERNAN" Fitted with one 200 b.h.p. BERGSUND" Oil-Engine

"BERGSUND"
CRUDE OIL ENGINES

FROM 5 b.h.p. UP TO 600 b.h.p.

DIRECT REVERSING

BERGSUNDS MEKANISKA VERKSTADS A.B.

Shipbuilders and Engineers

STOCKHOLM **SWEDEN**

Cable Address: BERGSUND, STOCKHOLM

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Economy In The Motorship

TODAY is always putting yesterday on trial. The saving of fuel is our great argument in favor of the motorship, because it permits of larger cargo space, fewer idle days in port, and greater efficiency in operation.

The Merchant Shipbuilding Corporation recently launched two 11,000 d.w.t. motorships, the CALIFORNIAN and MISSOURIAN. The construction of these ships is acknowledged by shipbuilding experts as of the very best.

Ask us to bid on the following:

SHIP CONSTRUCTION

Designs ready for Tankers of 10,000 d.w.t.
All kinds of Ships up to 15,000 d.w.t.
Motorships 11,500 d.w.t. with Diesel Engines.
Conversion of Steamships to Diesel Motor ships with Direct or Electric Drive.
Repairs and Reconditioning of Ships.

MERCHANT
SHIPBUILDING CORPORATION
Chester, Pa., or 39 Broadway, New York

SHIPBUILDERS

FOR

IRON BARK
GUM
HEAVY OAK
LIGNUM VITAE

CONSULT THE

EHRLICH-HARRISON COMPANY

HARDWOOD SPECIALTIES

35 HANFORD ST.
SEATTLE, WASH.



Diesel-Engine Generating Sets for Motorships

The equipment pictured above represents the generating units for the American Hawaiian S.S. Co.'s new Motorships. Each set consists of a Cramp B. & W. Engine coupled to a Diehl Electric Generator of the open Heavy-Duty Type. Diehl Generators are arranged for forced-feed lubrication.

DIEHL MFG. CO., ELIZABETH, N. J., U. S. A.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

—and at Cape Town

AMBITIOUS plans are being made here to take care of a largely increased volume of shipping.

No matter how many motorships may call at Cape Town, Correct Lubricating Oils can be supplied for every engine need.

Gargoyle D. T. E. Oils give unusual results on Diesel type engines. They minimize abrasion and corrosion. They resist emulsification. They separate readily from water and other impurities.

There are in fact some motorships which, after several years, still use the original charge of D. T. E. Oils with little "make-up" added.

Send for the booklet "Gargoyle D. T. E. Oils." It contains valuable information on the various uses of these oils as related to the lubrication of Diesel type engines.

GARGOYLE

Marine Oils

A grade for each type of service

VACUUM OIL COMPANY *Specialists in the manufacture of high-grade lubricants for every class of machinery. Obtainable everywhere in the world.* **NEW YORK, U.S.A.**

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

MARINE OIL ENGINES

Specially designed for Mercantile-Marine use. Rugged, Rigid, Simple and Accessible. No Injection—Air Compressor. Rating conservative and quoted in Brake Horse-Power. Guaranteed for continuous running. The design embodies the experience of Marine Engines totalling half-a-million horse-power.

Works: Barrow-in-Furness, England

Head Offices: Vickers House, Broadway, London, S. W. I.

New York Office: 2550 Woolworth Building, 233 Broadway

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

700 INTERSTATE BLDG.
Kansas City, Mo.

815 SHELDON BLDG.
San Francisco, Calif.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

412 BISBEE BLDG.
Jacksonville, Fla.

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google

A Few Words by Our Business Department to Marine Equipment Manufacturers

Contrasting with the present unprecedented slump in *steam*-driven cargo-ship construction (which offers few near-future prospects) the merchant motorship and oil-engined work-boat industries today have brighter indications than at any previous period.

One of "Motorship's" advertisers manufacturing deck-equipment reports that during a recent month bona-fide enquiries for equipment totalling $1,117,000 were received.

Reference to the Editorial section of this and the last few numbers of "Motorship," shows a number of domestic contracts just placed, and many more nearly ready to be signed. But there is almost a dearth of steam-freighter orders.

According to Lloyd's report just issued the number of motorships launched during 1921 shows an excess of 116,645 tons gross (186,000 tons dead-weight) over 1920, but turbine-steamship construction showed a drop of 630,000 tons gross during the same period.

This means that Marine-Equipment Manufacturers must turn to the Diesel and Diesel-electric motorship and oil-engine work-boat fields for their main market both now and during the next few years.

ADVERTISE IN THE ONLY MAGAZINE DEVOTED EXCLUSIVELY TO THESE ACTIVE MARKETS

MOTORSHIP

282 West 25th Street, New York City, U. S. A.

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HARLAND & WOLFF LTD

Shipbuilding and Engineering Works

BELFAST ◎ GLASGOW ◎ GREENOCK

M. S. "Glenogle"
Deadweight Capacity
12,300 Tons



Built for the Glen Line

Diesel Engine Works, FINNIESTON & SCOTSTOUN, GLASGOW

Repair Works, LIVERPOOL AND SOUTHAMPTON

London Office, 1a Cockspur St., S. W.

LAST CALL FOR YOUR

ADVERTISEMENT IN THE

1922

MOTORSHIP YEAR BOOK

The editorial section of this valuable work is practically completed, and printing of the Year Book will be commenced shortly after issuance of the March number of *Motorship*. There is just time to reserve space for your advertisement. Telephone or telegraph now.

That the 1921 Year-Book was entirely sold-out in six weeks, and that hundreds of copies of the 1922 Edition already have been ordered in advance, should convince advertisers of its wonderful publicity value.

The publishers of "Motorship" stand at the back of this Year-Book and guarantee that it will be more interesting and useful than the excellent 1921 edition, which was the first attempt at a book of this type.

SEND YOUR ORDER NOW AND AVOID DISAPPOINTMENT
TO "PASS IT UP" WILL BE FALSE ECONOMY

MILLER FREEMAN & CO.
Publishers of
MOTORSHIP
282 West 25th Street
New York City

TELEPHONE, WATKINS 9848 CABLES, FREEMOTE, NEW YORK, U. S. A.

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



SEND FOR IT

The new Winton Oil Engine Catalog will be sent to any naval architect, ship builder or ship owner who requests it on his own letter head. We want every buyer of oil engines to have one.

WINTON ENGINE WORKS,

***New York*—A. G. Griese, Inc., 30 Church St.** ***Seattle*—H. W. Starrett, Sunset Engine Co.**
***Washington, D. C.*—R. L. Fryer, 817 Albee Bldg.**

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Winton

OIL DIESEL TYPE ENGINES

WINTON Oil Engines are built in four sizes and in power ranges from 125 to 450 H. P. Of the full Diesel type, these engines are distinctly and thoroughly American, substantial, highly developed, a finished product in every detail.

WINTON OIL ENGINES
are manufactured in the following sizes:

Model	Bore	Stroke	Power	No. Cylinders
54	7½"	11"	125 H. P.	Six
35	11"	14"	225 H. P.	Six
24	13"	18"	300 H. P.	Six
40	13"	18"	450 H. P.	Eight



CLEVELAND, OHIO, U. S. A.

San Francisco—F. G. Bryant, 593 Market St.
Jacksonville—D. J. Garrison & Co.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google

FALK
HERRINGBONE GEARS

The Diesel-powered ship industry has long recognized the practical superiority of Falk Herringbone Reduction Gears.

This type of power transmission has proved particularly adaptable and highly efficient in Motorships because of its ability to deliver a smooth, continuous flow of power devoid of back-lash and minus the irregularities which mark the more common types of gears.

For rehabilitation work, as well as new installations, Falk Herringbone Gear Units are recommended by leading marine engineers.

Our engineering department will be glad to furnish you with such general or specific information as you may desire.

THE FALK CORPORATION

REPRESENTATIVES

W. O. Beyer, 1007 Park Bldg., Pittsburgh, Pa.
M. P. Fillingham, 50 Church St., New York City.
F. W. Grimwood, Rialto Bldg., San Francisco, Cal.
Vulcan Iron Works, Wilkes-Barre, Pa.
Denver Engineering Works, Denver, Colo.

CANADIAN REPRESENTATIVE

Engineering Equipment Co., Ltd., 619-623 New Birks Bldg., Montreal, Quebec, Canada.

FOREIGN REPRESENTATIVE

Gustav Melms, 3 Rue Taitbout, Paris.



The "James Timson," another of the Diesel-driven freighters with Falk Herringbone Gears

FALK
HERRINGBONE
MARINE REDUCTION GEARS
ARE USED BY THE UNITED STATES NAVY FOR DEPENDABLE MECHANICAL EFFICIENCY



"Libby Maine," full powered twin-screw freighter equipped with Falk Reduction Gears. This ship is driven by twin-Dow Diesel Engines, 320 S.H.P. each at 420 R.P.M., propellers at 100 R.P.M. Made 63,185 nautical miles in 2½ years. Gears in perfect condition

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WILLIAM

BEARDMORE

AND COMPANY LIMITED



PATENT VALVE GEAR

EXHAUST VALVE TROUBLES ELIMINATED

PATENT CYLINDER HEAD AND COOLING ARRANGEMENTS



Embodies the latest and most approved Diesel Engine practice

Extract from "The Engineer." November 11th, 1921.

"The Beardmore-Tosi Engine marks a distinct advance in four-cycle engine construction."

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Results of 100 Hours' Trial

Average B. H. P.	1,276
Mechanical efficiency, per cent.	77
Average I. H. P.	1,646
Revolutions per minute	124
Mean pressure on B. H. P. basis, lb. per sq. inch	75.5
Fuel consumption, lb. per P. H. P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. F.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average	125
Piston cooling water, outlet temperature deg. Fah., average	130
Blast air pressure, lb. per square inch.	1,000

NAVAL CONSTRUCTION WORKS

DALMUIR NEAR **GLASGOW**

Full Particulars, Catalogues ——— **on request**

Cable Address: "Beardmore, Glasgow." Codes: Liebers; Western Union, Bentley's: A1, A B C 5th Edition

LONDON, 36 VICTORIA ST., S. W. 2

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS

MARINE TRANSPORTATION CO.
HARBOR AND SOUND EXPRESS SERVICE
44 SOUTH STREET
NEW YORK

December 29, 1921.

Mr. Adolf Morner, President,
Bolinders Co., Inc.,
30 Church Street,
New York City.

Dear Sir:

As it is now eight months since we have had the 100 H. P. Bolinder Engine installed in our cargo boat "AURORA", we feel it our duty to let you know how well pleased we are with the performance of your engine.

Since its installation we have not expended a dollar for labor or replacement of parts. However, as much as we appreciate the very high quality of the material and the excellent workmanship of your motor, we feel that the outstanding feature is undoubtedly the low fuel consumption, the cost of which does not exceed thirty cents per hour at the present price of five cents per gallon for high grade oil.

Our boat is now engaged in freighting between New York and Nantucket, a run of 220 miles in the roughest kind of sea, which we accomplish in about twenty-five hours. This run we would not attempt in the winter season did we not have an engine on which we could absolutely depend, as our vessel is not equipped with any sails whatever.

In conclusion, permit us to express to you personally, and to your staff, our appreciation of your many courtesies, and the very valuable assistance rendered during the time our vessel was under construction.

Very truly yours,

MARINE TRANSPORTATION COMPANY.

H. W. Nordell

Pres.

HWN:AAJ



The testimonial reproduced above is one among many on our files.
The vessels show a few of the latest BOLINDER installations.

WHERE SIMPLICITY, ECONOMY and RELIABILITY ARE REQUIRED BOLINDER ENGINES WILL DO THE WORK TO FULLEST SATISFACTION.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

BOLINDERS COMPANY
Compostela 47
HAVANA, CUBA

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

BOLINDER'S COMPANY · J K G · TRADE MARK · NEW YORK U.S.A.

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

SWEDISH STEEL & IMPORTING CO., Ltd.
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN







Marine Lighting

From the complete line of Westinghouse Turbine and Engine-Driven lighting sets, any requirement of passenger or cargo-carrier service can be satisfactorily met.

The chief characteristics of Westinghouse Lighting Equipment are, in the order of their importance—Reliability, Economy and Compactness.

Westinghouse Electric & Manufacturing Company
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities
Special Pacific Coast Representatives
Hunt, Mirk & Company
San Francisco

Westinghouse
MARINE AUXILIARIES

Generated on 2024-09-13 15:13 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BUNKER FUEL OIL

The vast organization and scope of the Standard Oil Company (New Jersey) make it possible to offer Shipping interests world-wide facilities for bunkering with "STANDARD" Fuel Oil. This service offers opportunities for effecting the decided economies resulting from the use of "STANDARD" Fuel Oil.

Ports at which deliveries can be made through arrangements with the Standard Oil Company (New Jersey), 26 Broadway, N. Y.

UNITED STATES

Atlantic and Gulf Ports

*New York
Boston
*Philadelphia
*Baltimore
*Norfolk
*Charleston
*New Orleans
*Baton Rouge

Pacific Coast Ports

*Seattle
Tacoma
Astoria
*Portland
*San Francisco
*Richmond
*Point Wells
*San Pedro
*San Diego
*Honolulu

CANADA

*Halifax
*Montreal
*Levis (Quebec)
*Vancouver
Prince Rupert

MEXICO

Tampico

PANAMA CANAL

Cristobal
*Balboa

WEST INDIES

Havana
Cienfuegos
Nuevitas
San Juan
Bermuda
Curacao
St. Thomas

SOUTH AMERICA

Rio de Janeiro
Santos
*Buenos Aires
*Campana
Montevideo
Valparaiso
*Talara

AZORES

Ponta Delgada

*Diesel oil also available

UNITED KINGDOM

*Purfleet
*Manchester
*Southampton
*Newcastle-on-Tyne
*Sunderland
*Liverpool
*Brixham
*Hull
*Thames Haven

GERMANY

*Hamburg
Nordenham

ITALY

Genoa

AFRICA

Bizerta

TURKEY

Constantinople

GREECE

Piraeus

CHINA

Hong Kong Shanghai

JAPAN

Itosaki Nagasaki

STANDARD OIL COMPANY (New Jersey)

26 Broadway, New York

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Motorship "Fordonian" completes first trip with electric drive



First cargo ship with Diesel engine-electric drive. Her trials exceeded expectations



The "Fordonian's" two generators coupled for test before shipment



Double-armature propulsion motor

View of control room on the "Fordonian"

THE successful operation of the "Fordonian's" new propulsion machinery on her trip to Cuba, makes Diesel engine-electric drive for cargo ships a fact.

Reliability—The "Fordonian" has two Diesel engine generators, either of which furnishes enough power to drive the ship at approximately 80% speed. Her double-armature motor is actually two motors on the one propeller shaft, either of which can take current from either generator.

Flexibility—Electrical control has given the "Fordonian" a flexibility for maneuvering which has exceeded anything possible with her former direct drive. Reversing and speed changes are accomplished by simply turning the handle of a controller in the engine room.

The performance of the "Fordonian" shows the way to more economical propulsion of motorships. For even larger tonnages G-E electric propulsion machinery is available, as well as auxiliary electric power plant equipment and motors and control, all specially built for sea service.

G-E MARINE EQUIPMENT
TO MEET ALL YOUR REQUIREMENTS
Electric Drive for Motorships
Turbine-Electric Drive
Marine Geared Turbines
Electric Drive for Auxiliaries

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

26-38

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders

HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS







1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800





FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City













Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

KRUPP DIESEL ENGINES

THE SHIP



The Krupp Diesel-Engined Tanker "Zoppot"

AVERAGE SEA SPEED - 11.14 KNOTS
DAILY FUEL-CONSUMPTION - 14 TONS

Loaded Displacement	22,000 Tons (about)
Capacity	119,700 Bbls. Oil
Mean Light Speed	11.64 Knots
Mean Loaded Speed	10.64 Knots
Performance to-date	80,000 Nautical Miles
Power	3,400 Shaft Horse Power

ALL TYPES OF DIESEL ENGINES

DIRECT-DRIVE —— ELECTRIC-DRIVE

FOUR-CYCLE, TWO-CYCLE, MARINE & STATIONARY TYPES

45 to 10,000 Shaft Horse-Power Actually Constructed in Single Units

High-Speed, Low-Speed, Light-Weight, and Heavy-Weight Models

AMERICAN KRUPP-SYSTEM DIESEL ENGINE COMPANY

165 BROADWAY, NEW YORK CITY, U. S. A.

THE ENGINE



Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google



THE marine market provided by the people of the western coast of the Americas and the insular countries of the Pacific is one of the greatest in the world. It is a market made possible by geographical barriers and expansive coastal territory, where inter-communication, trade relations and the transaction of the ordinary every day affairs depend upon the motor boat. Trans-Pacific and ocean trade naturally falls to the great steamships and motorships engaged in this service, but the harvest of natural resources, fishing, towing, passenger service, lightering and neighborly exchange depend almost absolutely upon the motorboat.

There are literally thousands upon thousands of motor boats plying the coast sections of this vast territory, operating upon the rivers, in the bays and inlets—100,000 on the Pacific Coast of North America alone.

For 15 years Pacific Motor Boat has served this field—cultivating and broadening trade relations, encouraging the adoption and use of modern equipment, promoting the use of the motor boat for commercial purposes and encouraging yachting for pleasure. The strength and influence of this magazine is a result of strict adherence to its original policy to serve this section and confine its activities to this particular territory.

Many manufacturers have established their trade connections, not only on the Pacific Coast of the United States, but in Pacific and Asiatic territory through their advertising in Pacific Motor Boat, a sample copy of which we will gladly mail upon request.

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines

30 H.P. to 300 H.P. Economical Power for Work Boats



Power from Low Cost Fuel Oils

The "Herbert" has a mighty desirable reputation as a money-maker due in large measure to the excellent operation of her "C-O" engine on low grade fuel oils.

"C-O" marine oil engines have been building up records of economy and dependability year after year. They use the low grade fuel oils most easily obtained—run steadily with perfect regulation in choppy seas—remain cool under the gruelling service of long hauls at low speed under heavy load. They are simple—require little attention. From every angle the "C-O" engine is the profit producing power for workboats.

Fairbanks, Morse & Co.

MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Test of Comparison

In most cases any oil engine must compete with steam engine or turbine drive and stand the test of engineering comparison.

Compare the Price Oil Engine with other types of drive from the following three angles:

Cost of prime mover and necessary auxiliaries.
Consumption and cost of fuel and lubrication.
Cost of attendance and upkeep.

Price Oil Engines have direct-injection of fuel without the use of compressed air. The elimination of the high-pressure injection air compressor increases the engine's mechanical efficiency and materially reduces the possibility of breakdown.

Ignition is by heat of compression only—there are no hot bulbs, plates or liners.

The guaranteed fuel oil consumption of Price Engines is 0.45 pounds per brake horse power hour. The guaranteed lubricating oil consumption is one gallon per 4000 brake horse power hours.

The selection of materials and the conservative design and rating of Price Engines insure long life and freedom from breakdown.

PRICE OIL ENGINES

Bulletin 10102 tells the complete story. Send for your copy and subject Price Engines to the test of comparison.

Ingersoll-Rand

11 BROADWAY NEW YORK CITY

OFFICES IN ALL PRINCIPAL CITIES

Butte	El Paso	Knoxville	Cleveland	Philadelphia
Birmingham	Seattle	Scranton	Pittsburgh	San Francisco
Duluth	St. Louis	London	Los Angeles	Salt Lake City
Denver	Chicago	Paris	Detroit	Joplin
Boston	New York	Houghton	New Orleans	Dallas

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

QUALITY SNAP RINGS

Showing Nordberg Diesel Engine equipped with Quality Snap Rings.

"More Than a Million a Month"



THE Piston RING COMPANY

MUSKEGON, MICH.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Cap'n Allswell on "African Surf Fighters"

At most African ports the water's about on a level with your cigar case, when it's quiet, which ain't often.

Ships have to lay out where it's deep. Natives lighter the cargo. Some of it reaches dock the same day. Some you dredge for.

To beat this, the U. S. Shipping Board put a fine gas tug on each of six African steamers, and it's working out great!

Of course, as each tug tows half a dozen heavy-loaded boats, all a bumpin' and poundin' one another, it offers a problem. You've got to have a quick, powerful pull back of you, always ready, or you'll bring your string of lighters in keel up!

To make sure of results, the Shipping Board engineers built the hulls extra heavy, and put in a mighty fine engine. Then they topped it all off with a Style H 34 inch Columbian Bronze Propeller of 26 inch pitch and a slip of only 16.3%!

All of which explains the recent report that these surf fighters have proved a whale of a success.

Send for Columbian Bulletin No. 12

THE COLUMBIAN BRONZE CORPORATION

522 Fifth Avenue, New York City

For New York Sales Only: 44 Third Avenue



Block "L" Main Floor, New York Motor Boat Show

COLUMBIAN *Bronze* PROPELLERS

for every craft afloat

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D



ECONO

MY

ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INST

PACIFIC DIESEL

OAKLAND,

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ESEL ENGINES



THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

NGINE COMPANY

LIFORNIA

RELIABILITY

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

THE NOBEL-DIESEL CO., LTD.

(SVENSKA AKTIEBOLAGET NOBEL-DIESEL)

LETTERS: NYNÄSHAMN

NYNÄSHAMN, SWEDEN

TELEGRAMS: NOBELDIES STOCKHOLM



TWO-CYCLE DIESEL-ENGINES

FOR ALL PURPOSES UP TO 6000 I. H. P.

IN SIZES 3-, 4-, AND 6-CYL. UNITS

HIGHEST FUEL ECONOMY: 0.4 lb. per S. H. P.-HOUR GUARANTEED.

HIGHEST MECHANICAL EFFICIENCY: 80 per cent.

LIGHT WEIGHT: 220 lbs. per S. H. P. **MINIMUM LENGTH.**

SIMPLICITY and ACCESSIBILITY UNSURPASSED

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

The "Northland Pioneer"
Length 100 ft.
Beam 20 ft.
Draft 4 ft. 8 in.
2-75 H.P. Dodge Heavy Oil Engines





Nov. 8, 1921.

Empire Engineering & Supply Co. Ltd.,
C. P. R. Building,
Edmonton, Alta.

Gentlemen:-

In reference to your request for information regarding the operation of the twin 75 H.P. Dodge Heavy Oil Engines, with which our new boat the Northland Pioneer was equipped at Fort Smith this Spring, we may say that these engines proved in service all you claimed for them.

On the voyage down from Fort Smith to the oil well near Fort Norman, we used kerosene, but as we did not wish to operate the engines at full speed immediately, no records of fuel consumption were kept.

At Fort Norman we took on crude oil from the Fort Norman Well, and while this oil was extremely dirty, the engines operated quite satisfactorily. Records kept on the return trip from Fort Norman showed a fuel consumption of .43 lbs. of fuel per B. H.P. Hour, which is less than the guarantee, and remarkable when compared with the fuel consumption of gasoline engines of a similar size on our other boats.

We can strongly recommend Dodge Engines for work in the north where conditions as you know require a simple, hardy, and economical engine. As a matter of fact, even if crude oil were not available in the north, and it was necessary to bring in kerosene or fuel oil for these engines, the fuel economy is such that the saving would pay for the engines in a short time.

Yours sincerely,

NORTHERN TRADING COMPANY,

Per. Roy Myers
Mgr.

RN/HM

1800 miles without trouble: fine record made by first oil powered vessel to make trip to Ft. Norman Oil Fields.

Loaded to the water line with casings, derrick timbers and machinery, through severe storms and difficult channels—1800 miles in all is the record of the successful trip from Ft. Smith to Ft. Norman, Canadian oil fields made by the "Northland Pioneer."

Read the engineer's story carefully. Note the fact that the two 75 H. P. engines operated successfully on the return trip using crude oil direct from the wells.

There was no time lost in taking on fuel wood—no valuable cargo space used for storage.

The record of the "Northland Pioneer" is not an unusual one for boats equipped with Dodge Heavy Oil Engines. Their sturdy simplicity—absence of trouble giving parts such as carburetors, switches, igniters, etc., fuel economy—ease of operation and low attendance costs adapts them to every class of work craft within range of sizes.

Prompt response will be made to inquiries from responsible dealers.

DODGE

HEAVY OIL ENGINES

12½ H. P. TO 75 H. P.

DODGE SALES AND ENGINEERING COMPANY
MISHAWAKA, INDIANA, U. S. A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Diesel-engined Motorships

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Curacao
Gemsah
Genoa
Glasgow
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Copenhagen
Dunkirk
Durban
Funchal (Madeira)
Gothenburg
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

A DOLLARS AND CENTS PROPOSITION?

To users of Gas Engines:

All the money you pay for fuel for a gas-engine is burned up, blown out through the exhaust-pipe and lost forever. NOW if you could save *90%* of that money you would not hesitate to do it, would you? You *can* save that *90%* by replacing your gas-engine with our Mechanical-Injection Diesel-engine.

Now it does not take much running each day to burn up the price of our Diesel-engine in your gas-engine.

Our Mechanical-Injection Diesel-engine has about 20% less repair expense than a gas-engine, is easier and more simple to operate than a gas-engine and absolutely dependable.

The actual cost of operation is $0.0032 per horsepower hour with fuel-oil at 6c per gallon and $0.0005 per horsepower hour for lubricating-oil at 50c per gallon. This is equivalent to 37c per hour for 100 horsepower.

Now be fair with yourself and consider this matter. Figure out your *loss* yourself, or send us the power of your engine, time operated each day and the fuel-consumption, and our engineering department will submit reliable figures to you showing the amount of money you can save by putting in our Mechanical-Injection Diesel-engine; furthermore, we will guarantee our statements.

For over 30 years we have been designing and building internal-combustion engines, and air-injection Diesel-engines for eight years. Our air-injection engines are working in all parts of the globe and giving excellent service and satisfaction.

Our Mechanical-Injection Diesel-engine, as the name implies, injects the fuel into the combustion-chamber by mechanical means, where it is ignited by the *heat of compression only, no hot-points, balls, or surfaces of any kind,* and the maximum working-compression is 350 lbs. per square inch. By this means of spraying the fuel-oil into the combustion-chamber we are able to eliminate all the high-pressure air and the expense, repairs, dangers and adjustments incidental to the use of high-pressure air for fuel-injection.

Get in touch with us or one of our representatives at once and determine whether 90% of your gas-engine fuel bills are worth saving.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"the long, smooth oil path!"



MULTIWHIRL COOLER

For Cooling Piston and Bearing Oil in Diesel Engines

For the General Cooling of Lubricating Oils

CONSTRUCTION

Oil in shell—cooling water in tubes—entire tube bundle removable.

Helical Baffle—long, smooth oil path—minimum pressure drop.

Tubes expanded into tube plates—no sweated joints.

Outside packed floating head—no expansion strain—no internal joints—impossible for water to leak into oil.

Extreme compactness due to high rate of heat transfer.

Send for Bulletin No. 903

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia, Boston, Hartford, Springfield, Pittsburgh, Cleveland, Toledo, Detroit, Chicago, Minneapolis, St. Louis, New Orleans, Denver, Houston, Fort Worth, Charlotte, San Francisco, Seattle, Los Angeles, Kansas City, Milwaukee

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY

MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY



STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY-TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Navigation Corporation

General Agents: Hamburg-American Line

Hamburg
Joint Services with
Hamburg-American Line
From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans
Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

North Africa and Levant
New York to Tunis, Malta, Alexandria and Syrian Coast Ports

Dutch East Indies
New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Intercoastal Service
Service of the
American-Hawaiian S. S. Co.
New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

The Whole Engine Room

All the important units of a motorship engine room can now be purchased from one manufacturer —The Worthington Pump and Machinery Corporation.

Main and auxiliary engines, pumps and compressors, all are made by one concern, all can be bought under one contract and responsibility.

Worthington Pump and Machinery Corporation
115 Broadway, New York
Branches in 24 Principal cities



WORTHINGTON

Deane Works, *Holyoke, Mass.*
Blake & Knowles Works *East Cambridge, Mass.*
Worthington Works *Harrison, N. J.*
Hazleton Works, *Hazleton, Pa.*
Laidlaw Works, *Cincinnati, Ohio*
Gas Engine Works, *Cudahy, Wis.*
Power & Mining Works *Cudahy, Wis.*
Snow-Holly Works *Buffalo, N. Y.*

W. 79-4

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE GOODS AND THE SERVICE

YOU BUY ONE
YOU GET BOTH

WE BUILD

Steering-gear
Telemotors
Windlasses
Winches
Towing-Machine
Capstan
Gypses
Chandlery

A-E-CO MARINE AUXILIARIES

ARE MADE FOR WORK—AND TO WORK, AND WORK AND WORK

Ask for Catalogs

OFFICES

New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

AMERICAN ENGINEERING COMPANY

PHILADELPHIA

ENTERPRISE
Full-Diesel Engines



Better Than a Gas Engine—

This new Diesel has all the control, slow down and simplicity of the distallate or gas engine and none of the problems of electric ignition and carburetion. Is 40% heavier, more rugged in construction and will burn cleanly and efficiently oil ranging from 14° to 26° gravity.

Better Than a "Semi-Diesel"—

As compared to engines of the semi-Diesel or surface ignition types the Enterprise Diesel will burn much heavier fuels, burn them more cleanly; is more positive in action; more flexible, and, being of the 4-cycle type, is more economically and better lubricated. The exhaust can be piped through side of boat. Not only does it burn oil of lower gravity, but is more economical in consumption of this oil.

And Has New Diesel Features—

As compared with engines of the air-injection Diesel type, the Enterprise possesses all the desirable features in the way of thorough fuel combustion; ability to burn fuels of heavy gravity; economy of lubrication and economy of fuel consumption without the use of high pressure air compressor. For its operation this engine requires no pressures to exceed 150 lbs. outside the cylinders.

BUILT IN SIZES 75 H.P. TO 200 H.P., INCLUSIVE

We confidently believe this to be the engine boat operators have been long waiting for

ENTERPRISE ENGINE COMPANY

Southern Pacific Bldg., 20-24 Steuart St., San Francisco, California

Northern Distributors.....H. G. McLAUGHLIN CO., 809 Railroad Ave., Seattle, Wash.
Eastern Distributors.....SEXTON MOTOR CO., 30 Church St., New York, N. Y.
Southern Distributors.....MENGE MARINE HDWE. & SUP. CO., New Orleans, La.
Southern California.....GAERTNER & KELLY, San Pedro, Cal.
British Columbia.....VANCOUVER SHIPYARDS, LTD., Vancouver, B. C.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015086088888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Kahlenberg

MARINE OIL ENGINES
(HEAVY DUTY)



AIR REVERSING TYPE
Positive Governor Control from No Load to Full Load.
Variable speed instantly obtainable from just "turning over" to wide open.
Operates on any of the crude fuel oils or kerosene.
Absolutely reliable. Fuel consumption .55 lbs per H. P. hour.

Sizes 15 to 200 H. P.

KAHLENBERG Stationary Oil-engines are used for auxiliary power on board ships.

Two distinct advantages of all "Kahlenberg" Engines are:
1—They are directly reversible from full speed ahead to full speed astern without stopping. Thus you have two ways to manoeuvre, by using the reversing gear; or, reversing the engine.
2—You can advance or retard the time of fuel injection (while running full speed in either direction) to any part of the stroke, or wherever, in the opinion of the operator, the engine runs best on the particular kind of fuel he is using.

Write for our literature stating your requirements fully.

KAHLENBERG BROS. & CO.
MANUFACTURERS
1707 12th St. Two Rivers, Wis., U. S. A.

DIESEL ENGINES REPAIRED

OUR facilities include large Machine and Forge Shops, Foundries, Docks and all other necessary equipment to rush repairs on Diesel Engines.

A complete plant with an efficient force.

America's Leading Marine Diesel Engine Builders

THE NEW LONDON SHIP & ENGINE CO.
Plant located on New London Harbor
GROTON, CONN., U. S. A.

West Coast Representative
Mr. C. G. COKER
402 Exposition Bldg., San Francisco, California

READY SHORTLY

Papers to be read before the North East Coast Institution of Engineers and Shipbuilders, England:—

"DIESEL ENGINE FLEXIBILITY"
By W. S. BURN, M. Sc.

"THE USE OF COMPRESSED AIR IN DIESEL-ENGINED SHIPS"
By WILLIAM REAVELL

"RUNNING COSTS OF DIESEL-ENGINED SHIPS"
By T. MADSEN

"DIESEL ENGINE DESIGN"
By PAUL BELYAVIN
(Formerly Diesel Engine Expert to the Imperial Russian Navy.)

SPON AND CHAMBERLAIN
"N" DEPT.
123 LIBERTY STREET
NEW YORK

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Save Tons of Deadweight

The vast saving in deadweight effected by Northern Rotary Pumps over other cargo pumps of the same capacity will surprise you. They economize on space too.

NORTHERN ROTARY PUMPS
"MORE GALLONS PER HORSE POWER"

The ratio of weight to capacity diminishes rapidly as the size increases.

Let us figure on your pumping requirements

NORTHERN FIRE APPARATUS CO.
MINNEAPOLIS, MINNESOTA, U.S.A.

New York Office—51 East 42d Street.
John A. Hense, Mgr. Telephone Vanderbilt 5462

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information



Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY
107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)

MIDVALE CRANK SHAFTS

and

Extra High Speed Tool Steel

ALL Midvale crank shafts 7 inches in diameter and larger are made with the aid of special equipment which insures accuracy and alignment and prompt delivery. For the actual machining operations tools made from Midvale Extra High Speed Steel are used.

Midvale Extra High Speed Tool Steel, as well as other Midvale brands of carbon and alloy tool steels, has been developed by us to meet the exacting requirements of our own shops. We speak from first hand experience in recommending it for use in your shops.

MIDVALE STEEL AND ORDNANCE COMPANY
CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis

Sole Export Representative
CONSOLIDATED STEEL CORPORATION
25 Broadway, New York

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee **Quick Delivery**

Send for Quotations



The Denver Siren

Successfully Operated

On Any Diesel Engined Motorship or Internal-Combustion Engine Driven Vessel

—ready at all times for instant use as a signal, in place of the compressed air or steam whistle—in fogs, etc., can be used continuously without exhaustion, if desired—also used for code or number signals.

Electrical, motor driven—no steam or compressed air required—can be mounted on mast or any convenient place and operated from the wheelhouse or two or more points if desired.

Ask for the "Denver Siren Bulletin." It's Free.

The Hendrie & Bolthoff Mfg. and Supply Co.

DENVER, COLORADO

EASTERN AGENTS
The Woodhouse Mfg. Co.
64 W. Broadway, New York

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"



Over 1700 BRUNSWICK machines aboard ship

BRUNSWICK REFRIGERATING CO.
410-480 JERSEY AVE., NEW BRUNSWICK, N. J.

FROUDE DYNAMOMETERS

For Testing Rotary Prime Movers



Reversible Froude Dynamometer Recently Furnished to

UNITED STATES NAVY YARD NEW YORK, N. Y.

The capacity range of this Dynamometer includes from 500 to 4000 B. H. P. at from 300 to 500 R.P.M. It is employed for testing Submarine Diesel Engines.

C. H. WHEELER Mfg. Co.

PHILADELPHIA, PA.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



BUILDERS OF ALL
TYPES OF VESSELS
EIGHT CONCRETE SHIPWAYS



DRYDOCKING AND
REPAIRS
THREE LARGE WET BASINS

Announcement

Important developments have recently been concluded in connection with the manufacture in this country of Internal Combustion Engines of the Opposed-Piston type, Messrs. William Doxford & Sons, Limited, of Sunderland, England, having completed arrangements with the Sun Shipbuilding Company of Chester, Pennsylvania, U. S. A., for uniting the interests of the American Junkers Patents with the Doxford Patents, which have been the basis of the developments forming the Doxford Opposed-Piston Two-Cycle Oil-Engine, so successfully built by this English firm.

The Sun Shipbuilding Company of Chester, Pa., have already secured the full license in America and its possessions of the Junkers patents, and it will operate both interests in America. An immediate start is to be made at the Chester Works on the construction of a four-cylinder, 3,000 H. P. Single-Screw installation, being a duplicate of the Doxford manufacture, two of which engines are already at sea in the Motorships, "YNGAREN" and "DOMINION MILLER", and which are giving the very finest results in durability, continuous running, and with a remarkable fuel-economy.

This type of engine opens up with the brightest expectations question of installing Single-Screw Diesel-Engines for all types of boats up to very large tonnage.

Hitherto, one of the chief obstacles in the wider adoption of the Diesel-Engine for marine propulsion has been the fact that a Horse-Power of a very low limit could only be dealt with in Single-Screw and the cost of changing the stern and whole interior arrangements of the vessel from a Single-Screw to a Twin-Screw caused the shipowner to hesitate whether he could afford to add to his investment the excessive cost of reconstructing and rearranging the after part of his ship and adapt it to a Twin-Screw.

With this SUN type of engine, its suitability for Single-Screw propulsion is unquestioned, and today cargo-boats of 10,000 tons are operating successfully at speeds of 11 to 12 knots on revolutions ranging from 70 to 80 R. P. M.

These are ideal conditions for efficiency and for adaptability to present steamships and there is every reason to believe that this will open-up and provide a condition that is going to make available a considerable amount of tonnage in which the machinery today is rather more than doubtful.

The Sun Shipbuilding Company, with their unrivaled capacity for building and for extensive repairs and conversion jobs, having changed the methods of propulsion in a number of vessels within the last few years, are now establishing the manufacture of this well-known and high-class engine which will place this country in the lead for developing this type of power and will undoubtedly add an immense value to the American Merchant Marine.

SUN SHIPBUILDING COMPANY

New York Office :
Cunard Building
25 Broadway

Main Office and Shipyard
Chester, Penna.
U. S. A.

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Specially designed for Mercantile-Marine use. Rugged, Rigid, Simple and Accessible. No Injection—Air Compressor. Rating conservative and quoted in Brake Horse-Power. Guaranteed for continuous running. The design embodies the experience of Marine Oil-Engines totalling half-a-million horse-power.

Works: Barrow-in-Furness, England
Head Office: Vickers House, Broadway, London, S. W. I.
New York Office: 2550 Woolworth Building, 233 Broadway

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TWENTY-FIVE SUCCESSFUL MOTORSHIPS HAVE BEEN
ENGINES. TWENTY-THREE FLYING THE AMERICAN
THOUSANDS OF STEAM-VESSELS ARE TIED-UP ON





McINTOSH & SEY




AUBURN, NEW



149 BROADWAY
NEW YORK CITY

412 BISBEE BLDG.
JACKSONVILLE, FLA.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FITTED-OUT WITH McINTOSH & SEYMOUR DIESEL-FLAG AND EVERYONE IN SERVICE TODAY WHILE ACCOUNT OF THEIR EXCESSIVE OPERATING-EXPENSE



MOUR CORPORATION



YORK, U. S. A.

815 SHELDON BLDG.
SAN FRANCISCO, CAL.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



SEND FOR IT

The new Winton Oil Engine Catalog will be sent to any naval architect, ship builder or ship owner who requests it on his own letter head. We want every buyer of oil engines to have one.

WINTON ENGINE WORKS,

***New York*—A. G. Griese, Inc., 30 Church St.** ***Seattle*—H. W. Starrett, Sunset Engine Co.**
***Washington, D. C.*—R. L. Fryer, 817 Albee Bldg.**

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Winton

OIL DIESEL TYPE ENGINES

WINTON Oil Engines are built in four sizes and in power ranges from 125 to 450 H. P. Of the full Diesel type, these engines are distinctly and thoroughly American, substantial, highly developed, a finished product in every detail.

WINTON OIL ENGINES
are manufactured in the following sizes:

Model	Bore	Stroke	Power	No. Cylinders
54	7½"	11"	125 H. P.	Six
35	11"	14"	225 H. P.	Six
24	13"	18"	300 H. P.	Six
40	13"	18"	450 H. P.	Eight



CLEVELAND, OHIO, U. S. A.

***San Francisco*—F. G. Bryant, 593 Market St.**
***Jacksonville*—D. J. Garrison & Co.**

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

NOW ON THE PRESS

The 1922

MOTORSHIP YEAR BOOK

[Copies Will Be Mailed in a Few Days to All Readers Who Have Ordered in Advance]

Price $1.00, Including Postage

LEADING CONTENTS

Review of American Motorship and Oil-Engine Construction During 1921.

The Most Complete Treatise on Tar-Oil Fuel Ever Published.

List of Over 700 Motorships in Service, With Dimensions of both Oil-Engine and Hulls, and Names of Owners, Builders, etc. (Revised and Brought Up to Date.)

List of Marine Oil-Engine Builders of the World (Thoroughly Revised).

Exhaust Piping and Mufflers for Commercial Motor-Craft.

New A. B. S. Rules for Diesel Crankshaft Construction.

Questions and Answers on Operation of Marine Oil-Engines (Revised).

American Bureau Rules for Diesel-Engine Construction.

Lloyds Register Rules for Diesel-Engine Construction.

Conversion Equivalents of Heavy and Light Fuel-Oils.

Specification of Leading American Marine Oil-Engines.

U. S. Steamboat Inspection Dept. Rules for Motorship Engineers' Licenses.

A Typical Motorship Engine-Room Log-Book.

SEND YOUR ORDER NOW AND AVOID DISAPPOINTMENT

MILLER FREEMAN & CO.
Publishers of
MOTORSHIP
282 West 25th Street
New York City

TELEPHONE, WATKINS 9848 CABLES, FREEMOTE, NEW YORK, U. S. A.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



M. S. "Fabia" of the John Chisholm Fisheries Co., Boston, Mass., one of the most economically operated fishing boats.



Mr. Leslie Malloch, chief engineer of the "Fabia," says he would not care to go to sea without the De Laval Purifier shown above.

De Laval Purifier lowers oil consumption and protects engine of Motorship "Fabia"

Since a De Laval Oil Purifier has been made a part of the lubricating system of the "Fabia's" Nelseco 360 hp., 6-cylinder, Diesel type engine, the consumption of crank case oil has been reduced to an average of two gallons per 24 hours of operation. More important is the fact that after operating the Purifier for over a year, during which time no oil was taken out of the system, it was only necessary to remove 0.012-inch shims from four of the crank boxes.

The De Laval Oil Purifier on the "Fabia" is operated all the time her engine is running —which is almost continuously. The 3/16-inch stream of oil that is constantly by-passed through the De Laval yields in 18 hours about one pint of sludge, which is collected in the dirt-holding chamber of the Purifier. That this represents practically all of the sludge generated in the engine was proved when a recent inspection showed the lubricating system to be free from deposits of sludge, dirt or water.

Whether you operate Diesel-driven or turbine-driven vessels, you can save oil and protect their vital parts with the De Laval Oil Purifier. The coupon brings full information. Mail it.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.

Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how De Laval Oil Purifiers improve the operation of ships' engines and lower lubricating costs, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TECHNICAL BOOKS

Obtainable through

"MOTORSHIP"

*MARINE DIESEL ENGINE AND SEMI-DIESEL ENGINE OPERATION AND MANAGEMENT

Price 80 cts. Postpaid

By Eng. Lieut. Harold Atkinson, R.N.V.R.

A pocket-size handbook for the operating engineer. Contains directions for the control and management of fuel-supply, overhauling machinery, lubrication, air-starting system, air-compressors and auxiliary machinery. 48 pages.

MARINE DIESEL ENGINES

Price $3.00 Postage 7 cents extra

By John Lamb

Practical suggestions based on seagoing experience for the operation and maintenance of marine Diesel-engines. A valuable reference book containing complete description of Diesel-engines and auxiliaries, engine store lists, engineers' examinations, etc. 231 pages, 106 illustrations. Pocket size.

MARINE OIL ENGINES

Price $2.50 Including Postage

By W. D. Martin

A valuable book for those interested in Diesel-engines, containing complete description of these engines, with description of various parts.

*STATIONARY AND MARINE DIESEL ENGINES

Price $3.00 Postage 10 cents extra

By A. H. Goldingham

A practical treatise of value to not only the consulting engineer and draughtsman, but to the erecting engineer and operator. Appendix treats of Diesel-engine castings. Very complete technical description of marine and stationary Diesel-engines, with formulæ for their design, installation and operation. 206 pages well illustrated.

*20th CENTURY GUIDE FOR MARINE ENGINEERS (With Diesel-Engine Section)

Price $3.00 Postage 18 cents extra

By Ramsay & Rosbloom

A book written by practical U. S. Navy engineers as a guide to marine engineering practice, about one-half of the book being devoted to internal-combustion engines. Detailed and profusely illustrated descriptions of the principal types and makes of marine Diesel and surface-ignition oil-engines are included, together with instructions and suggestions for operation. 537 pages. Pocket size.

*LAND AND MARINE DIESEL ENGINES

Price $5.00 Postage 7 cents extra

By Ing. Supino

Exceptionally comprehensive and profusely illustrated treatise on Diesel-engines which is generally considered as a standard in Europe. This book covers most completely the design and mechanical details of all types of Diesel and surface-ignition oil-engines and auxiliary equipment. Rules of classification societies are appended. Text illustrations and folded plates. 309 pages.

*AUBERGEWOHNLICHE DRUCK-UND TEMPERATURS TEIGERUNGEN BEI DIESEL-MOTOREN

Price $0.75 (Including Postage)

By Dr. Ing. R. Colell

MOTORSHIP LOG-BOOK

Price $3.75 Postage 20 cents extra

Designed by H. W. Sumner Co.

A valuable book for every operating engineer. Every motorship should be supplied with copies.

DIESEL OR SLOW COMBUSTION OIL ENGINES

Price $4.50 Postage 15 cents extra

By G. J. Wells and A. J. Wallis Taylor

A book covering the theory of design and construction, discussing features of design as applied in current practice.

*HOT-BULB OIL ENGINES

Price $10.00 Postage 25 cents extra

By Walter Pollock

Best work available on the surface-ignition type of oil-engine with extended discussion of various types of vessels suitable for this type. A most complete book on hot-bulb oil-engines, with data on selection, installation and operation of both propelling and auxiliary types. 449 pages, 369 illustrations.

*DIESEL ENGINE DESIGN

Price $7.50 Postage 15 cents extra

By H. F. P. Purday

A book addressed particularly to designers, draughtsmen and others interested in the Diesel-engine from the standpoint of design. Complete technical description of every part of Diesel-engines well illustrated. 301 pages.

*LAND AND MARINE DIESEL ENGINES

Price $5.00 Postage 25 cents extra

By A. P. Chalkley

An introduction by the late Dr. Rudolph Diesel opens this exceedingly comprehensive treatise on the design, construction, testing and installation of the Diesel-engine by one of the best authorities on this type. All the leading makes are described in detail, the text being supplemented by folded plates and diagrams. 385 pages.

DIESEL ENGINE DESIGN

Price $3.00 Postage 7 cents extra

By E. Mortimer Rose.

A book for the designer and draughtsman dealing with the theory of design and the various parts of the Diesel-engine.

*ECONOMICS OF PETROLEUM

Price $6.00 Postage 10 cents extra

By Joseph E. Pogue

This book presents the more important facts relating to petroleum resources, production, distribution and future supply and character. A serviceable book for the engineer, business man and motorship operator. A complete compendium of the oil industry well illustrated with half-tones and diagrams. 375 pages.

SCHIFFS-ÖLMASCHINEN (SHIP'S OIL-ENGINES)

Price $1.00 (Including Domestic Postage)

By Dipl.-Ing. Dr. Wm. Scholz

(Printed in German)

SKIBS-MOTORLAERE (SHIP'S-MOTOR TEXT-BOOK)

Price $4.50 (Including Domestic Postage)

By Aage Rasmussen

(Printed in Danish)

PRACTICE OF LUBRICATION

Price $6.00 Postage 25 cents extra

By T. C. Thompson

Lubrication is of vital importance to every piece of machinery. This book treats of the subject of lubrication in all its applications, with considerable attention given to Diesel-engine lubrication. The proper method as well as the proper lubricant are fully treated. Well illustrated. 610 pages.

MEX FUEL OIL

Price $3.50 Postage 10 cents extra

Anglo-Mexican Petroleum Co.

Contains well illustrated technical articles covering oil specifications, production, refining and transport, description of various oil-burning systems for boilers and a study of oil fuel for all purposes, both stationary and marine. A complete description of various types and makes of Diesel and surface-ignition oil-engines is included.

* IN STOCK.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

BOLINDERS



IN LLOYDS REGISTER OF SHIPPING, latest edition, are included about 1200 motor vessels belonging to 32 nations. The motors have been supplied by about 125 different firms.

An investigation as to the number of motor installations made by each of these firms shows that

BOLINDERS

have carried out three times as many installations as any other firm.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

BENJAMIN HAIGH
O'Reilly 26
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

United States Shipping Board

(Through the United States Shipping Board
Emergency Fleet Corporation)

INVITES OFFERS ON

19 Steel Cargo-Vessels for Installation of Diesel Machinery

ANSALDO-SAN GIORGIO WORKS

OFFER

Full-Diesel Propelling Power-Plants

READY FOR DELIVERY

1,200 SHAFT HORSEPOWER
AND
3,000 SHAFT HORSEPOWER

For Prompt Replacement of the Present Machinery

PURCHASERS!

Request Bids From

Ansaldo-San Giorgio
TURIN ITALY

Ansaldo-San Giorgio MOTORSHIPS Have Covered Over 200,000 Nautical Miles
Ansaldo-San Giorgio MOTORSHIPS Have Run For Over 21,000 Hours

NOTICE!

The Motorship "Ansaldo-San Giorgio II" Will Arrive at New York, Baltimore and Philadelphia Towards the End of February

GO AND SEE THIS MOTORSHIP!

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton,

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS







1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800



FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City











Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Ingersoll-Rand

Price Oil Engines

With these engines fuel injection is direct and positive. Complete atomization is obtained without the use of compressed air.

The elimination of the high pressure air compressor:

Reduces the floor space required for the power plant.

Increases the mechanical efficiency of the plant by saving the power required to drive the compressor.

Cuts down the weight.

Reduces the possibilities of break-down and the supply of repair parts.

Avoids troubles incident to the use of high air pressures.

Makes attendance easier.

Price Marine Oil Engines have many other features which will interest you. Send for descriptive bulletins.

Ingersoll-Rand Company

11 Broadway, New York

Detroit, Mich.
Joplin, Mo.
San Francisco, Cal.
Salt Lake City, Utah
Havana, Cuba
Butte, Mont.
Juneau, Alaska
Duluth, Minn.
New York, N. Y.
Knoxville, Tenn.
Houghton, Mich.
Cleveland, Ohio
Pittsburgh, Pa.
Birmingham, Ala.
Los Angeles, Cal.
New Orleans, La.
Philadelphia, Pa.
Denver, Colo.
Boston, Mass.
El Paso, Texas
Dallas, Texas
Seattle, Wash.
St. Louis, Mo.
Chicago, Ill.
Scranton, Pa.

PRICE OIL ENGINES



14MOE

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

KRUPP
DIESEL-ENGINES

Marine, Stationary, Four-Cycle, Two-Cycle

High-Speed, Low-Speed, Light-Weight
Heavy-Weight

Direct-Drive Electric-Drive

All Sizes, 45 to 10,000 B.H.P. in One Unit



Standard Crosshead Engine, 1250 B.H.P. to 2500 B.H.P.

AMERICAN KRUPP-SYSTEM DIESEL ENGINE CO.

165 BROADWAY, NEW YORK CITY

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Cap'n Allswell says:—

"It takes a Columbian Wheel to stand high speed strain"

"When you're shipping freight in a hurry, time is money. Every hour lost means just so much less profit for the owners. That's why wind jammers went into the discard. It's speed we're after today and we're getting it.

"Some of the engines they're putting into these freighters make 'em plow a furrow through the deep like a man o' war. They turn up from 200 to 300 R.P.M., which means that they must have propellers of bronze to stand the strain and designed to produce maximum speed.

"Take a ***Columbian Bronze Propeller.*** Now there's a propeller that's designed for speed as well as strength. It has just the right balance, pitch and slip to get all the speed there is in any engine. And they are strong. They'll stand up and keep going where a steel or iron one would break and tie up your old freighter.

"You know these Columbian Bronze Propellers are made of Manganese Bronze. They might bend, but they don't break."

Send for Columbian Bulletin No. 12

THE COLUMBIAN BRONZE CORPORATION

522 Fifth Avenue, New York City

For New York City Sales Only: 44 Third Avenue



Columbian Propeller
Manganese Bronze Blades
Semi-Steel Hub and Fairwater
Weight Over 28.000 Lbs.

COLUMBIAN *Bronze* PROPELLERS

for every craft afloat

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Curacao
Gemsah
Genoa
Glasgow
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Copenhagen
Dunkirk
Durban
Funchal (Madeira)
Gothenburg
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 65 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HOW CAN AMERICAN SHIPS

An Expert Analysis of the Problems Facing Our Mercha

By WINTHROP L. MARVIN*

HOW can American ships compete successfully with foreign ships? It is a far-reaching question that is stated in these words, a question that goes right to the root of the life of our present-day merchant marine. For unless American ships can compete successfully with the ships of foreign nations, which still manage to dominate our own overseas carrying, there can be no future for ocean shipbuilding and navigation under the American flag. Therefore this question is one of as direct personal interest to naval architects and marine engineers of all grades and ratings in their pro to the shipowners and manag livelihood and succ ambitious Ameri problem of th Three ma time indu cessful eign o

any compreh of American merce, there construction building became a been convinced that in of the American oversea emphasis has been plac to steam and from wo is true that, in the p ish iron industry was machine shops and ste couraged and strengthen policy of mail shipping subs ined with vigor and p steam services were driven ican shipowners and build mindful of the advantages n hulls as some of the our ocean shipping have steamer Bangor was thoroughly effici between 1850 on the Dela d, go

Factors In the Solution!

"Unless American ships can compete successfully with the ships of foreign nations, which still manage to dominate our own overseas carrying, there can be no future for ocean shipbuilding and navigation under the American flag."

A ship subsidy may ultimately be found necessary to the satisfactory solution of this important problem. And if it is, it seems that this subsidy should be one which will promote a more economical merchant marine and automatically reduce in amount the subsidy required.

Regardless of the course of action finally pursued, Westinghouse Engineers hope to aid in this worthy cause by providing ships of increased efficiency and greater carrying capacity—thus supplying the right groundwork for success.

WESTINGHOUSE ELECTRIC & MANUFACTURING COMPANY
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities

Special Pacific Coast Representatives
HUNT, MIRK & COMPANY
San Francisco

W
WESTINGHOUSE ELECTRIC

Westinghouse

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WILLIAM

BEARDMORE

AND COMPANY LIMITED



PATENT VALVE GEAR

EXHAUST VALVE TROUBLES ELIMINATED

PATENT CYLINDER HEAD AND COOLING ARRANGEMENTS



Embodies the latest and most approved Diesel Engine practice

Extract from "The Engineer," November 11th, 1921.

"The Beardmore-Tosi Engine marks a distinct advance in four-cycle engine construction."

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Results of 100 Hours' Trial

Average B. H. P.	1,276
Mechanical efficiency, per cent	77
Average I. H. P.	1,646
Revolutions per minute	124
Mean pressure on B. H. P. basis, lb. per sq. inch	75.5
Fuel consumption, lb. per P. H. P. per hour	42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. F.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average	125
Piston cooling water, outlet temperature deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

NAVAL CONSTRUCTION WORKS

DALMUIR NEAR GLASGOW

Full Particulars, Catalogues on request

Cable Address: "Beardmore, Glasgow." Codes: Liebers; Western Union, Bentley's: A1, A B C 5th Edition

LONDON, 36 VICTORIA ST., S. W. 1

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FAIRBANKS-MORSE Marine Equipment









"C-O" Marine Oil Engines

"C-O" marine oil engines are maintaining the successful performance records they have built up through years of hard service in over one thousand commercial boat installations—tugs, cargo vessels, lighters, ferries, schooners and workboats of every description. "C-O" engines use low grade fuel oils economically.

Generating Sets

Type "C-O" for motor vessels to operate auxiliaries and lighting. Compact and designed for constant duty.

Pumps

Displacement and Centrifugal motor driven marine types suitable for bilge, fire, oil cargo, and general purposes.

Guaranteed Responsibility

The installation of Fairbanks-Morse engines, generators, motors and pumps on your ship provides complete equipment covered by a definite and undivided responsibility.

FAIRBANKS-MORSE QUALITY F M 100%

Fairbanks, Morse & Co.

MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR DI

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTA

PACIFIC DIESEL
OAKLAND,

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

[ESEL ENGINES



R
E
L
I
A
B
I
L
I
T
Y

D IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

NGINE COMPANY

ALIFORNIA

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

THE NOBEL-DIESEL CO., LTD.

(SVENSKA AKTIEBOLAGET NOBEL-DIESEL)

LETTERS: NYNÄSHAMN

NYNÄSHAMN, SWEDEN

TELEGRAMS: NOBELDIES STOCKHOLM



TWO-CYCLE DIESEL-ENGINES

FOR ALL PURPOSES UP TO 6000 I. H. P.

IN SIZES 3-, 4-, AND 6-CYL. UNITS

HIGHEST FUEL ECONOMY: 0.4 lb. per S. H. P.-HOUR GUARANTEED.
HIGHEST MECHANICAL EFFICIENCY: 80 per cent.
LIGHT WEIGHT: 220 lbs. per S. H. P. MINIMUM LENGTH.

SIMPLICITY and ACCESSIBILITY UNSURPASSED

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.
INSTALLATIONS:	3800 H. P. in 27 units now working. 2500 H. P. in 20 units now on order.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY

OAKLAND, CALIFORNIA

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Navigation Corporation

General Agents: Hamburg-American Line

Hamburg
Joint Services with
Hamburg-American Line
From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans
Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

North Africa and Levant
New York to Tunis, Malta, Alexandria and Syrian Coast Ports

Dutch East Indies
New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Intercoastal Service
Service of the
American-Hawaiian S. S. Co.
New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES
BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

ASPINALL'S PATENT GOVERNOR
FOR
INTERNAL-COMBUSTION OIL-ENGINES

PREVENTS RACING



SAVES FUEL

Adopted By the Leading Builders at Home and Abroad
Fitted to a large Number of Ocean Going Motor Vessels

For Full Particulars Apply to

ASPINALL'S PATENT GOVERNOR CO.
10 STRAND STREET, LIVERPOOL
Telegrams—"VELO," LIVERPOOL
Telephones—BANK { 3731 / 4484

Agents in U. S. America
PLANT RUBBER & ASBESTOS WORKS
537 Brannan Street, San Francisco

JOHN PLATT & CO.
2 Rector Street, New York

MARINE ENGINEER OFFICERS' MAGAZINE

Every Engineer should have his copy monthly.

Become a Subscriber now. 18/- Yearly Subscription.

Contains: Specially written articles on Marine Engineering; Personalities; and a mass of interesting reading matter.

PUBLISHERS

JAMES MUNRO & CO., Ltd.
Marine Engineering and Nautical Publishers
35 & 37 Washington Street **Glasgow**
P. O. Box 105

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"THE SHIPYARD WITH A TRADITION"

FOUNDED 1859



NEW AMERICAN MOTORSHIPS

"CALIFORNIAN" and "MISSOURIAN"

The First
Large All-American Motorships
Designed and Built in their Entirety
in the United States.

Our Quotations Will Interest You.

Send for Our Register of Contracts.

MERCHANT

SHIPBUILDING CORPORATION

Chester, Pa., or 39 Broadway, New York

TBT

THOMAS B. THRIGE

ODENSE

DENMARK

Telegrams
"THRIGE ODENSE."



ELECTRIC
CARGO WINCHES

FURNESS LINES

TO LIVERPOOL
FROM ST. JOHN'S (N. F.) and HALIFAX (N. S.)
(Under Contract with the Canadian Government)
FROM BOSTON (MASS.) and PHILADELPHIA (PA.)
(Furness-Warren Line)
FROM BALTIMORE (Johnston Line)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(Johnston Line—Virginia Service)

TO LONDON
FROM MONTREAL (CAN.) (Canadian Pacific Ocean Services-Furness Line Joint Service)
FROM HALIFAX (N. S.) and ST. JOHN (N. B.) (Under Contract with the Canadian Government)
FROM NEW YORK (N. Y.) and BALTIMORE (MD.)
(Furness Line)
FROM PHILADELPHIA (Furness Philadelphia Transatlantic Line)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(New York-Furness Line)

TO MANCHESTER
FROM MONTREAL (Manchester Liners, Limited) (Summer Service)
FROM HALIFAX (N. S.) and ST. JOHN (N. B.) (Winter Service)
FROM PHILADELPHIA (Manchester Liners, Limited)
FROM BALTIMORE (Furness-Johnston-Manchester Liners Joint Service)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(Furness Manchester Lines)

TO CARDIFF and BRISTOL CHANNEL
FROM NEW YORK

TO NEWCASTLE, LEITHE, DUNDEE and MIDDLESBORO
FROM NEW YORK
FROM PHILADELPHIA
FROM BALTIMORE

TO GLASGOW
FROM BOSTON
FROM PHILADELPHIA

TO HULL
FROM MONTREAL (Summer Service)

TO ANTWERP
FROM MONTREAL (CAN.) (Canadian Pacific Ocean Services-Furness Line Joint Service)

FURNESS-PRINCE LINE
LEVANT and BLACK SEA SERVICE. Alexandria, Salonica, Piraeus, Patras, Beirut, Tripoli, Alexandretta, Constantinople, Bourgas, Constanza, Sulina, Galatz, Braila, etc.

FURNESS BERMUDA LINE
NEW YORK TO BERMUDA
Regular Passenger and Freight Service, Weekly Sailings.

Special attention given to handling and prompt forwarding of flour to all ports.
Direct deliveries from cars through covered piers to steamers.

PRINCE LINE—Regular Services New York to Brazil and River Plate, South African Ports, Straits Settlements, Philippines, China and Japan.

Far East Service: Vladivostok, Yokohama, Kobe, Shanghai, Hong Kong, Manila and Singapore, Aden.

QUEBEC STEAMSHIP COMPANY—Regular Passenger and Freight Services from New York to West India Islands.

TRINIDAD LINE—Regular Passenger and Freight Services from New York to Grenada, Trinidad and Demerara.

LLOYD SABAUDO—Fast Italian Mail Line New York to Naples and Genoa.

SWEDISH-AMERICAN LINE and TRANSATLANTIC S. S. CO. JOINT SERVICE—Express, Freight and Passenger Services, Direct Sailings New York to Gothenburg; and Freight Received for Helsingfors, Finland, also for Other Ports in Sweden and Finland.

For further particulars apply to

FURNESS, WITHY & CO., Ltd.

New York, Furness House, Whitehall Street.
Boston, Mass., 10 State Street.
Philadelphia, Pa., Bourse Bldg.
Baltimore, Md., Furness House, 21 South St.
Newport News, Va.
Norfolk, Va.
Montreal, P. Q., Canada.
Halifax, N. S.
St. John, N. B.
St. John's, N. F.
Sydney, C. B.

OR TO

James P. Robertson, G. W. F. A.
111 W. Jackson Blvd., Chicago, Ill.

F. C. Thompson Co., Ltd.
Royal Bank Building, Toronto, Can.

Private telegraph wires between New York and other offices

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Whole Engine Room

All the important units of a motorship engine room can now be purchased from one manufacturer —The Worthington Pump and Machinery Corporation.

Main and auxiliary engines, pumps and compressors, all are made by one concern, all can be bought under one contract and responsibility.

Worthington Pump and Machinery Corporation
115 Broadway, New York
Branches in 24 Principal cities



WORTHINGTON

Deane Works, *Holyoke, Mass.* Hazleton Works, *Hazleton, Pa.*
Blake & Knowles Works *East Cambridge, Mass.*
Worthington Works *Harrison, N. J.*
Laidlaw Works, *Cincinnati, Ohio* Gas Engine Works, *Cudahy, Wis.*
Power & Mining Works *Cudahy, Wis.*
Snow-Holly Works *Buffalo, N. Y.*

W. 79-4

"COEN" DUPLEX STRAINER

FOR
FUEL AND LUBRICATING
OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



1800
Now In Service
Multiwhirl Cooler

Originally designed in 1916 for cooling lubricating oils in turbine bearings, reduction gears, etc. Now successfully employed for cooling piston and cylinder head oil in Diesel engines.

Bulletin No. 903 will be sent on request

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia
Boston
Hartford
Rochester

Syracuse
Pittsburgh
Cleveland
Denver

Toledo
Detroit
Chicago
Salt Lake City

Minneapolis
St. Louis
New Orleans
Denver

Houston
Fort Worth
Charlotte
San Francisco

Seattle
Los Angeles
Kansas City
Milwaukee



MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ENTERPRISE
Full-Diesel Engines



BUILT IN SIZES 75 H.P. TO 200 H.P., INCLUSIVE

Better Than a Gas Engine—

This new Diesel has all the control, slow down and simplicity of the distallate or gas engine and none of the problems of electric ignition and carburetion. Is 40% heavier, more rugged in construction and will burn cleanly and efficiently oil ranging from 14° to 26° gravity.

Better Than a "Semi-Diesel"—

As compared to engines of the semi-Diesel or surface ignition types the Enterprise Diesel will burn much heavier fuels, burn them more cleanly; is more positive in action; more flexible, and, being of the 4-cycle type, is more economically and better lubricated. The exhaust can be piped through side of boat. Not only does it burn oil of lower gravity, but is more economical in consumption of this oil.

And Has New Diesel Features—

As compared with engines of the air-injection Diesel type, the Enterprise possesses all the desirable features in the way of thorough fuel combustion; ability to burn fuels of heavy gravity; economy of lubrication and economy of fuel consumption without the use of high pressure air compressor. For its operation this engine requires no pressures to exceed 150 lbs. outside the cylinders.

We confidently believe this to be the engine boat operators have been long waiting for

ENTERPRISE ENGINE COMPANY

Southern Pacific Bldg., 20-24 Steuart St., San Francisco, California

Northern Distributors.....H. G. McLAUGHLIN CO., 809 Railroad Ave., Seattle, Wash.
Eastern Distributors.....SEXTON MOTOR CO., 30 Church St., New York, N. Y.
Southern Distributors.....MENGE MARINE HDWE. & SUP. CO., New Orleans, La.
Southern California.....GAERTNER & KELLY, San Pedro, Cal.
British Columbia.....VANCOUVER SHIPYARDS, LTD., Vancouver, B. C.

"THE SHIP'S THE THING"

ITS DESIGN
CONSTRUCTION
AUXILIARIES
FULFILLMENT OF DUTY REQUIREMENTS

REFLECT UPON

THE SHIPBUILDER

WE BUILD
Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypseys
Chandlery

USE

A-E-CO MARINE AUXILIARIES

THEY REFLECT GOOD JUDGMENT

ASK FOR CATALOGS

AMERICAN ENGINEERING COMPANY

PHILADELPHIA, PA.

OFFICES
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Vancouver, B. C.

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY

MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

D W

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY - TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 15:12 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

CUNNINGHAM

ELECTRIC MARINE AUXILIARIES

CUNNINGHAM PATENT ELECTRIC CAPSTAN

The total enclosure of electrical equipment and gearing in their separate compartments is an absolute guarantee against damage by water or mechanical injury.

BUILT IN ALL SIZES

Single and double geared

Builders of Electric and Steam

Anchor Windlasses—Capstans—Cargo Winches—Steering Gears—Mooring Winches—Towing Engines and Hydraulic and Electric Telemotors

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE & WORKS
7500 Carleton Ave.
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, Cal.



Saving Weight And Space

Are two great advantages of installing Northerns on board ship for transferring liquid cargoes.

The Northern has many other features of superiority—high efficiency under high pressures—greater capacity—power economy—longer life and 100% reliability.

NORTHERN ROTARY PUMPS
"MORE GALLONS PER HORSE POWER"

The patented features of the Northern Rotary which make this possible ARE FOUND IN NO OTHER PUMP.

Write for conclusive proof

NORTHERN FIRE APPARATUS CO.
MINNEAPOLIS, MINNESOTA. U.S.A.
New York City Branch, 51 East 42d Street

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information



Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY

107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

An Interesting Booklet You May Have For The Asking



What eliminating Vibration did for "RAINBOW I."

Are Vibrations Destructive?

Torsional Vibrations in Shafts.

Diagrams of vibratory motion.

What it tells about

VIBRATION

Intensely interesting and instructive.
You will find it valuable.

Write for it today

WE SOLVE VIBRATION PROBLEMS

VIBRATION SPECIALTY COMPANY

N. W. Akimoff, President

Harrison Bldg. Philadelphia, Pa.

The New Cory Shaft Direction Indicator and Revolution Counter

A-3419

SHAFT DIRECTION INDICTATOR AND REVOLUTION COUNTER.

A new and better indicator has been developed by the Cory Engineers, and after exhaustive tests under actual conditions it has also received the approval of the Navy Department, and is now available.

This indicator is actuated by a transmitter attached to the shaft, and operates on any desired voltage. It is silent and reliable in operation, and sturdy in construction.

The shaft direction is always visible and the revolutions are counted continuously.

Write today for catalog bulletin No. 11-29-A, a description of Engine Shaft Indicating Systems.

CHAS. CORY & SON, Inc.

MANUFACTURERS AND INSTALLATION ENGINEERS
OF
INTER-SIGNALLING COMMUNICATING, AND LIGHTING EQUIPMENTS.

183-7 VARICK ST. NEW YORK, N. Y.

Out o' Sight— But under your eye

That's your fuel oil tanks when equipped with Pneumercator Tank Gauges.

You can watch tank fillings and prevent overflow and flooded decks. You can check invoices against quantity actually delivered.

You can measure daily or hourly consumption—the gauges maintain a perpetual inventory.

Pneumercator Gauges are *accurate* under all conditions. There is nothing to get out of order. And you read direct in units of depth, weight or volume.

Ask for Bulletin No. 202

Pneumercator Company, Inc.
Sperry Building
40 Flatbush Ave. Ext., Brooklyn, N. Y.

P-149

Trade Mark Reg. U.S. Pat. Off.

Pneumercator Gauges

'Standard for Ships' Oil, Fuel and Ballast Tanks

MARINE LUBRICATION PERFECTED

BORNE SCRYMSER COMPANY
MARINE
TRADE MARK
TYPE
NEW YORK

FOR

CYLINDERS AND BEARINGS

Generated on 2024-09-13 15:12 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Kahlenberg

MARINE OIL ENGINES
(HEAVY DUTY)



AIR REVERSING TYPE
Positive Governor Control from No Load to Full Load.
Variable speed instantly obtainable from just "turning over" to wide open.
Operates on any of the crude fuel oils or kerosene.
Absolutely reliable. Fuel consumption .55 lbs per H. P. hour.

Sizes 15 to 200 H. P.

KAHLENBERG Stationary Oil-engines are used for auxiliary power on board ships.

Two distinct advantages of all "Kahlenberg" Engines are:
1—They are directly reversible from full speed ahead to full speed astern without stopping. Thus you have two ways to manoeuvre, by using the reversing gear; or, reversing the engine.
2—You can advance or retard the time of fuel injection (while running full speed in either direction) to any part of the stroke, or wherever, in the opinion of the operator, the engine runs best on the particular kind of fuel he is using.

Write for our literature stating your requirements fully.

KAHLENBERG BROS. & CO.
MANUFACTURERS
1707 12th St. Two Rivers, Wis., U. S. A.

DIESEL ENGINES REPAIRED

OUR facilities include large Machine and Forge Shops, Foundries, Docks and all other necessary equipment to rush repairs on Diesel Engines.

A complete plant with an efficient force.

America's Leading Marine Diesel Engine Builders

THE NEW LONDON SHIP & ENGINE CO.
Plant located on New London Harbor
GROTON, CONN., U. S. A.

West Coast Representative
Mr. C. G. COKER
402 Exposition Bldg., San Francisco, California

READY SHORTLY

Papers to be read before the North East Coast Institution of Engineers and Shipbuilders, England:—

"DIESEL ENGINE FLEXIBILITY"
By W. S. BURN, M. Sc.

"THE USE OF COMPRESSED AIR IN DIESEL-ENGINED SHIPS"
By WILLIAM REAVELL

"RUNNING COSTS OF DIESEL-ENGINED SHIPS"
By T. MADSEN

"DIESEL ENGINE DESIGN"
By PAUL BELYAVIN
(Formerly Diesel Engine Expert to the Imperial Russian Navy.)

SPON AND CHAMBERLAIN
"N" DEPT.
123 LIBERTY STREET
NEW YORK

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ECONOMY SIMPLICITY RELIABILITY

THREE IN ONE



VOLUND

TWO-CYCLE CRUDE-OIL MOTOR

WORKS AT ⅙ OF OPERATING COST OF ANY GASOLINE MOTOR

WITHOUT WATER INJECTION

350 INSTALLATIONS IN FISHING BOATS, TUGS AND BARGES.

HANDLED BY MEN WITHOUT MECHANICAL TRAINING

CHRISTENSEN & SNETHLAGE

CUNARD BUILDING, NEW YORK CITY

TELEPHONE Bowling Green 3154



SHIPMATE RANGES

Smallest Size — Body, 18¾ inches long

Largest Size — No limit to length

The mate sings out, "To yer lee fore-brace!"
A cry we hear with dread.
We tumble out to brace the yards,
The wind has gone ahead.
But though dead muzzlers thwart our track,
Our sinking hearts will rally,
When living high on bully whack,
With a SHIPMATE in the galley.

Made by

THE STAMFORD FOUNDRY COMPANY

Established 1830 — STAMFORD, CONN.

Pacific Coast Agencies

Holbrook, Merrill & Stetson,
Sixth, Bluxome and Townsend Sts., San Francisco, Cal.
Oregon Marine & Fisheries Supply Company,
105-107 First St., Portland, Oregon
Pacific Net & Twine Company, 1213-1223 Western Ave., Seattle, Wash.
Lipsett, Cunningham & Company, Ltd.....Prince Rupert, B. C.
Canadian Fairbanks-Morse Company....798 Beatty St., Vancouver, B. C.

To Our Readers

WHEN WRITING TO ADVERTISERS

Please State You Saw
Their Product Advertised in

in

"MOTORSHIP" of NEW YORK

By Doing This You Will Greatly
Assist the Growth of This Magazine

Your Courtesy Will Be Appreciated

THOMAS ORCHARD LISLE
Editor

ONLY BY INCORPORATING THE ECONOMICAL AND SUPREMELY EFFICACIOUS

ARCONSTRUCT-HULLFIN COMBINATION

in the Plans of the

DIESEL-ELECTRIC FERRYBOAT

"POUGHKEEPSIE"

was the contract price brought down to the allotted appropriation.

These patented systems when combined in any power driven vessel assure maximum economic efficiency, a potentially helpful factor in solving the problem of

ECONOMIC MARINE TRANSPORTATION

C. V. S. WYCKOFF

Naval Architect ***Consulting Engineer***

SOLE LICENSEE FOR ARCONSTRUCT-HULLFIN PATENT RIGHTS WHEN COMBINED

SAN DIEGO, CALIFORNIA
4959 Muir St., Ocean Beach
Phone Point Loma No. 61

NEW YORK, N. Y.
136 Liberty St., Room No. 624
Phone Rector 3419

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee Quick Delivery

Send for Quotations

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"



Over 1700 BRUNSWICK machines aboard ship

BRUNSWICK REFRIGERATING CO.
410-480 JERSEY AVE., NEW BRUNSWICK, N. J.

PACIFIC MOTORBOAT

The magazine of the owners of Internal-Combustion Engined Vessels on the Pacific Coast.

Read by:

PLEASURE-BOATING ENTHUSIASTICS
WORK-BOAT OPERATORS

TOWING
FISHING
LUMBERING
MINING

"The Pacific Coast has always been recognized as the home of the heavy duty warboat. It still holds this position, but also is rapidly becoming the marine playground for thousands."

MARINE SUPPLIES OF EVERY DESCRIPTION FIND A READY DEMAND IN THIS FIELD

71 Columbia St. Send for advertising rate Seattle, Wash.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Why It Pays To Advertise To-Day

—Buyers are Most Careful in Spending What They Have to Spend! This Makes Them Intensely Interested in Good Advertising.

They Have Need and Time to Make Absolutely Certain That the Best Value is Being Received for Their Investment.

Therefore it Pays to Advertise To-day, and an Advertiser is Sure That His Announcements Will be Thoroughly Read. They Want to Study What You Desire To Tell Them.

But Your Advertising Must Be Convincing and Must Convey Your Own Conviction in the Product You Advertise, Otherwise it is Like a Poor Salesman and Fails to Convince the Potential Purchaser.

Those Who Have Lavishly Slashed Advertising to Cut Down Expenses Are Now Feeling the Depression Much More Than Those Who are Boldly Carrying-On Proper Publicity, and are Doing Their Bit to Further Depress Business.

One Good Order Secured in Twelve Months Will More Than Pay For a Year's Advertising in MOTORSHIP. A Good Advertisement Will Bring Some Orders in the Dullest of Times. If MOTORSHIP Can't Produce Orders — No Magazine Can.

There is Good-Economy, and False-Economy. Avoid the Error of False Economy! Be More Optimistic. Also,—Advertise In—

MOTORSHIP

282 West 25th Street, New York City, U. S. A.

The Magazine That is Read By Discriminating Ship and Work-Boat Owners.

Cable Address—FreeMote, New York Telephone—Watkins 984

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE FULLAGAR ENGINE

IS THE BEST, FOR SEA OR LAND, FOR LIQUID OR GAS FUELS

750 Brake H. P.
250 Revs. P. M.
666 Ft. Piston Speed
100,000 lbs. Weight, without
Fly-Wheel and Generator



750 b.h.p. Fullagar Engine Running the Willans & Robinson Plant at Rugby, England. It Would Require a 16 Cylinder, 4-Cycle Engine of the Same Bore, Stroke and R.P.M. to Equal the Power and Torque of this 2-Cycle, 4-Cylinder, 4-Crank Engine.

A 1300 b.h.p. Fullagar Marine Engine, 125 r.p.m., 520 ft. piston-speed weighs 224,000 lbs. complete with auxiliaries, gratings, starting-gear, etc.
Fuel consumption 0.39 lb. per b.h.p. hour.



THIS IS THE WAY
IT WORKS

WE CLAIM

that the Fullagar Engine, as compared with any other Internal-Combustion Engine in use today has the following

ADVANTAGES

Minimum weight, length and headroom.
Low stresses and bearing pressures.
No cylinder-heads.
No valves or valve-gearing except for fuel and air starting.
No joints under pressure.
Maximum accessibility.
Ideal balancing.
Uniform torque.
Perfect scavenging.
Maximum fuel economy.

Should any reader question any of the above claims write us, and we will write or call upon you. Thus we shall get acquainted with you, and you with the FULLAGAR ENGINE.

Address S. L. G. Knox, Room 2203, 43 Exchange Place, New York City

Cammell Laird & Co., John Brown & Co., Palmer's Shipbuilding Co., David Rowan & Co., Dunsmuir & Jackson, Smith's Dock Co., English Electric Co., Ateliers et Chantiers de Bretagne, and the Kawasaki Dockyard Co.,—nine of the greatest ship and engine builders in the world, employing when going full blast a total of over 200,000 men, HAVE TAKEN FULLAGAR LICENSES and are building Fullagar engines.

DIRECT, ELECTRIC OR GEAR DRIVES

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

It Is Now Ready!

The 1922
MOTORSHIP YEAR BOOK

Handsomely Bound in Blue Cloth
But the Price is the Same as Last year

$1.00 NET PER COPY
Including Postage

LEADING CONTENTS

(Completely Revised, With Many New Features and Articles)

Review of American Motorship and Oil-Engine Construction During 1921 (New Feature).

The Most Complete Treatise on Tar-Oil Fuel Ever Published (New Feature).

List of Over 750 Motorships in Service, With Dimensions of both Oil-Engine and Hulls, and Names of Owners, Builders, etc. (Revised and Brought Up-to-Date.)

List of Marine Oil-Engine Builders of the World (Thoroughly Revised).

Exhaust Piping and Mufflers for Commercial Motor-Craft (New Feature).

New A. B. S. Rules for Diesel Crankshaft Construction (New Feature).

Questions and Answers on Operation of Marine Oil-Engines (Completely Revised).

American Bureau Rules for Diesel-Engine Construction (New Feature).

Lloyds Register Rules for Diesel-Engine Construction.

Conversion Equivalents of Heavy and Light Fuel-Oils (New Feature).

Specification of Leading American Marine Oil-Engines (Revised).

U. S. Steamboat Inspection Dept. Rules for Motorship Engineers' Licenses (New Feature).

A Typical Motorship Engine-Room Log-Book (New Feature)

To MILLER FREEMAN & CO.,
Publishers of "Motorship,"
282 W. 25th St., New York City

Send me by return mail one copy of the 1922 "Year Book" for which I enclose (Bill) (Check) (Money Order) (Draft) for one dollar ($1.00)

Name.....
Street.....
City.....
Country.....

Please Use this Coupon and Save Yourself Time

MILLER, FREEMAN & CO.

Publishers of **MOTORSHIP**

282 West 25th Street, New York City

TELEPHONE, WATKINS 9848
CABLES, FREEMOTE, NEW YORK, U. S. A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



"Built Like a Man's Arm— Not His Head!"

says Cap'n Allswell

"Yep, that's just about the difference between a Columbian Bronze Propeller and an iron wheel. Bronze handles its work with the sinewy give and take of a good right arm. It ***may*** bend a mite, but it seldom breaks.

"You can't say as much for a man's head, no matter how hard it is! Which is why iron propellers cost so infernal much in the end.

"Put a good engine on one end of your shaft and a Columbian Bronze Propeller on t'other and you've got a couple of pals that'll see you through just about anything.

Cap'n Allswell
Columbian
Spokesman

"Columbians are made of high grade manganese bronze. That's the best stuff for strength you can get, and it'll stand salt action and salt air like a bar of gold under acid. Not only that, but every Columbian's designed right, built right and balanced right.

"If you iron wheel fellows'll add your trouble to your broken blades and divide by the years you've been side-stepping bronze, you'll get a picture no artist can paint."

Why not send for Columbian Book No. 12 and get the truth about Columbian Bronze?

THE COLUMBIAN BRONZE CORPORATION

522 Fifth Avenue, New York City

For New York City Sales Only: 44 Third Avenue

COLUMBIAN *Bronze* PROPELLERS

for every craft afloat

Generated on 2024-09-13 15:09 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF
WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE
(Burmeister & Wain System)

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Win

OIL DIESEL TYPE E



Sabalo—An Ocean Going Yacht

"Sabalo," one of the finest examples of Off Shore Cruisers, is now equipt with a pair of Winton Diesel Oil Engines developing 300 H.P. a piece. She is 140′ x 19′ 6″ x 7′ and was built by Geo. Lawley & Son Corp. from designs by Tams & King, and is owned by Mr. Van Lear Black.

Her new power plant gives "Sabalo" a greatly increased cruising radius, marked economy in fuel cost and a dependable power unit which quietly, without vibration, drives this ship at an even cruising speed of 12 knots per hour.

"Sabalo," is but another example of the trend towards Winton Diesel Drive, either direct or electric, for the finer type of Off Shore Cruiser. Practically every new large yacht now under construction is to be Winton equipt.

WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church St. *Seattle*—H. W. Starrett, Sunset Engine Co
Washington, D. C.—R. L. Fryer, 817 Albee Bldg.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES

AN IMPORTANT ANNOUNCEMENT

It is a fact that commercial vessels employing obsolete methods of propulsion cannot to-day compete with ships driven with Diesel or Diesel-Electric Drive.

The Winton Engine Works have, from the outset, sponsored both types of Diesel Drive for varying conditions of service. We have available an immense amount of extremely valuable data which is unqualifiedly at the disposal of Ship Owners and Builders.

The facilities of the Winton Factory are of such a nature that we are prepared, especially at this time, to enter into and promptly complete contracts on a basis more favorable than this Industry has heretofore known.

Our Engineering Department is at YOUR disposal to assist you in working out details of re-powering existing vessels or laying out new installations.



CLEVELAND, OHIO, U. S. A.

San Francisco—F. G. Bryant, 593 Market St.
New Orleans, La.—A. Baldwin & Co.

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS

M.S. "Juno"

M.S. "Lara" M.S. "Hestia"

M.S. "Jules Henry"

M.S. "Salerno"

M.S. "Vulcanus"

M.S. "Sardinia"

M.S. "San Paulo"

M.S. "Artemis"

BOELONGAN NEDERLAND

M.S. "Boelongan" M.S. "Bengkalis"

M.S. "Sebastian"

M.S. "Hermes" M.S. "Selene"

1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800

FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City

M.S. "Sembilan"

SIBERG-NEDERLAND

M.S. "Myer" M.S. "Siberg"

M.S. "Tosca"

M.S. "Loudon"

M.S. "Ares"

M.S. "San Miguel"

M.S. "Emanuel Nobel" M.S. "Elbruz"

M.S. "Athene"

M.S. "Geisha"

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY

NEWPORT NEWS, VIRGINIA

NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY

SHIP BUILDERS AND SHIP REPAIRERS

PLANT LOCATED AT NEWPORT NEWS, VIRGINIA, ON HAMPTON ROADS

THREE LARGE GRAVING DRY DOCKS

Steel, Brass and Iron Foundries, Heavy and Light Forgings, Complete Facilities at One Plant for Doing any Ship Repair Job Quickly

ADDRESS

233 BROADWAY, NEW YORK, OR NEWPORT NEWS, VA.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton,

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Ingersoll-Rand

Price Oil Engines

With these engines fuel injection is direct and positive. Complete atomization is obtained without the use of compressed air.

The elimination of the high pressure air compressor:

Reduces the floor space required for the power plant.

Increases the mechanical efficiency of the plant by saving the power required to drive the compressor.

Cuts down the weight.

Reduces the possibilities of break-down and the supply of repair parts.

Avoids troubles incident to the use of high air pressures.

Makes attendance easier.

Price Marine Oil Engines have many other features which will interest you. Send for descriptive bulletins.

Ingersoll-Rand Company

11 Broadway, New York

Detroit, Mich.	New York, N. Y.	Philadelphia, Pa.
Joplin, Mo.	Knoxville, Tenn.	Denver, Colo.
San Francisco, Cal.	Houghton, Mich.	Boston, Mass.
Salt Lake City, Utah	Cleveland, Ohio	El Paso, Texas
Havana, Cuba	Pittsburgh, Pa.	Dallas, Texas
Butte, Mont.	Birmingham, Ala.	Seattle, Wash.
Juneau, Alaska	Los Angeles, Cal.	St. Louis, Mo.
Duluth, Minn.	New Orleans, La.	Chicago, Ill.
		Scranton, Pa.

PRICE OIL ENGINES



Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

KRUPP
DIESEL-ENGINES

Marine, Stationary, Four-Cycle, Two-Cycle

High-Speed, Low-Speed, Light-Weight
Heavy-Weight

Direct-Drive Electric-Drive

All Sizes, 45 to 10,000 B.H.P. in One Unit



Standard Crosshead Engine, 1250 B.H.P. to 2500 B.H.P.

AMERICAN KRUPP-SYSTEM DIESEL ENGINE CO.

165 BROADWAY, NEW YORK CITY

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Genoa
Glasgow
Gothenburg
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Sea Imposes Special Problems!

Recognizing that marine service conditions and requirements are fundamentally different from any other, the Westinghouse Marine Organization rigidly adheres to the policy of constant study and analysis of marine applications and close co-operation with naval architects, marine engineers and ship owners.

The work of the Westinghouse Marine Organization is exclusively marine.

Westinghouse Electric & Manufacturing Co.
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities
Service Stations in Principal American Ports

Westinghouse

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WILLIAM

BEARDMORE

AND COMPANY LIMITED



Embodies the latest and most approved Diesel Engine practice

Extract from "The Engineer," November 11th, 1921.

"The Beardmore-Tosi Engine marks a distinct advance in four-cycle engine construction."

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

PATENT VALVE GEAR

EXHAUST VALVE TROUBLES ELIMINATED

PATENT CYLINDER HEAD AND COOLING ARRANGEMENTS



Results of 100 Hours' Trial

Average B. H. P.	1,276
Mechanical efficiency, per cent	77
Average I. H. P.	1,646
Revolutions per minute	124
Mean pressure on B. H. P. basis, lb. per sq inch	75.5
Fuel consumption, lb. per P. H. P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. F.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average	125
Piston cooling water, outlet temperature deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

NAVAL CONSTRUCTION WORKS

DALMUIR NEAR GLASGOW

Full Particulars, Catalogues ——————————————— **on request**

Cable Address: "Beardmore, Glasgow." Codes: Liebers; Western Union, Bentley's: A1, A B C 5th Edition

LONDON, 36 VICTORIA ST., S. W. 1

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Built for a Ship's Engine Room



RCM motor for continuous duty and starting switch mounted on the motor



Automatic Control Panel for continuous-duty motor. Its design permits wall, floor or ceiling mounting, and the starting switch can be located wherever desired

You can depend on this motor

NO one questions the importance of a dependable drive for below-deck auxiliaries—machinery vital to the operation of a ship and which must work continuously for weeks, day and night.

Electric drive for these auxiliaries is reliable, but standard land motors and control are out of place on a ship. Electrical equipment exposed to salt air, water and oil spray, drippings from condensation and leaky pipes, and damage by rodents—the every-day conditions aboard ship—requires special protection. The RCM Motor is designed for just such service.

This motor is totally enclosed and self-ventilated, has moisture-proof insulation, special type bearings, special frame and fittings, and is non-corrodible throughout. Its control apparatus has features which make it just as fit for the service.

G-E MARINE EQUIPMENT
TO MEET YOUR REQUIREMENTS
Electric Drive for Motorships
Turbine-Electric Drive
Marine Geared Turbines
Electric Drive for Auxiliaries

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

26-51

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



M/V "Teco"—1 160 B.H.P. Bolinder Engine, 2 Cylinders

The BRITISH COLUMBIA CEMENT COMPANY, LIMITED, of Victoria, B. C., wrote on March 13th, 1922:

"We are the owners of M.S. 'Teco,' powered with a 160 H.P. BOLINDER engine. This vessel has been running steadily for the past three years and has given remarkable satisfaction in every respect. In fact the M.S. 'Teco,' carrying 6,500 sacks of cement at eight knots, has a fuel bill of only .42 of that of our coal-burning S.S. 'Matsqui,' carrying 4,500 sacks at 6.3 knots."

Let ACTUAL RESULTS ONLY govern your decision regarding power plant.

There is no engine equal to the BOLINDER as power for tugs, small freighters and fishing vessels. Our cooperation during installation and operation will secure entire satisfaction.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

BENJAMIN HAIGH
O'Reilly 26
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

BOLINDER'S COMPANY · NEW YORK U.S.A. · J K G TRADE MARK

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



De Laval Purifier restores efficiency of oil after 1000 miles of service in submarine

A pint of sludge centrifuged out of ten quarts of oil taken from the Diesel lubricating system of a submarine after a 1000-mile cruise recently proved to the satisfaction of several engineers what the De Laval Oil Purifier can do with oil in its worst state. Before purification this oil was absolutely unfit for further use and would probably have been pumped overboard. After purification its lubricating qualities were equal to those of brand-new oil.

If the De Laval Purifier can do that on a batch of exceptionally dirty oil, how much must it add to the efficiency of lubrication when operated on the continuous by-pass system as generally recommended?

With this system, a stream of oil is continuously drawn from the bottom of the crank case (or in the case of a steam turbine, from the oil reservoir) and delivered to the De Laval Purifier. Here impurities are instantaneously centrifuged out and the purified oil is returned to the lubricating system.

Thus the oil is constantly kept free from impurities. Wear on bearings is materially reduced; sludge no longer accumulates in the oil grooves and channels of the engine; the necessity for disassembling the unit for manual cleaning is practically eliminated, and the oil need never be taken out of the system.

No engine can give the fullest measure of service unless it is properly lubricated. You'll agree that the most perfect lubrication can be obtained only by the constant use of clean oil. Let us tell you how the De Laval Purifier furnishes that kind of oil for *less* than your present lubricating costs.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.

Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTAL

PACIFIC DIESEL E

OAKLAND,

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ESEL ENGINES



R
E
L
I
A
B
I
L
I
T
Y

ED IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

ALIFORNIA

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FALK
HERRINGBONE GEARS

Diesel and Semi-Diesel ship drives must depend in a large measure upon the reduction gear units to transmit a more even flow of power and to minimize vibration. Falk Herringbone Gears are most admirably adapted to this type of ship because they eliminate vibration and deliver ALL the power which they receive in a smooth, even flow.

Our engineering department has had many years of experience in marine power transmission problems. This department is always at your service.

THE FALK CORPORATION
MILWAUKEE WISCONSIN

REPRESENTATIVES

W. O. Beyer, 1007 Park Bldg., Pittsburgh, Pa.
M. P. Fillingham, 50 Church St., New York City.
F. W. Grimwood, Rialto Bldg., San Francisco, Cal.
Engineering Equipment Co., Ltd., 619-623 New Birks Bldg., Montreal, Quebec, Canada.

FOREIGN REPRESENTATIVES

Gustav Melms, 3 Rue Taitbout, Paris.



Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.
INSTALLATIONS:	3800 H. P. in 27 units now working. 2500 H. P. in 20 units now on order.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TECHNICAL BOOKS

Obtainable through

"MOTORSHIP"

*MARINE DIESEL ENGINE AND SEMI-DIESEL ENGINE OPERATION AND MANAGEMENT

Price 80 cts. Postpaid

By Eng. Lieut. Harold Atkinson, R.N.V.R.

A pocket-size handbook for the operating engineer. Contains directions for the control and management of fuel-supply, overhauling machinery, lubrication, air-starting system, air-compressors and auxiliary machinery. 48 pages.

MARINE DIESEL ENGINES

Price $3.00 Postage 7 cents extra

By John Lamb

Practical suggestions based on seagoing experience for the operation and maintenance of marine Diesel-engines. A valuable reference book containing complete description of Diesel-engines and auxiliaries, engine store lists, engineers' examinations, etc. 231 pages, 106 illustrations. Pocket size.

MARINE OIL ENGINES

Price $2.50 Including Postage

By W. D. Martin

A valuable book for those interested in Diesel-engines, containing complete description of these engines, with description of various parts.

*STATIONARY AND MARINE DIESEL ENGINES

Price $3.00 Postage 10 cents extra

By A. H. Goldingham

A practical treatise of value to not only the consulting engineer and draughtsman, but to the erecting engineer and operator. Appendix treats of Diesel-engine castings. Very complete technical description of marine and stationary Diesel-engines, with formulæ for their design, installation and operation. 206 pages well illustrated.

*20th CENTURY GUIDE FOR MARINE ENGINEERS (With Diesel-Engine Section)

Price $3.00 Postage 18 cents extra

By Ramsay & Rosbloom

A book written by practical U. S. Navy engineers as a guide to marine engineering practice, about one-half of the book being devoted to internal-combustion engines. Detailed and profusely illustrated descriptions of the principal types and makes of marine Diesel and surface-ignition oil-engines are included, together with instructions and suggestions for operation. 537 pages. Pocket size.

*LAND AND MARINE DIESEL ENGINES

Price $5.00 Postage 7 cents extra

By Ing. Supino

Exceptionally comprehensive and profusely illustrated treatise on Diesel-engines which is generally considered as a standard in Europe. This book covers most completely the design and mechanical details of all types of Diesel and surface-ignition oil-engines and auxiliary equipment. Rules of classification societies are appended. Text illustrations and folded plates. 309 pages.

*AUBERGEWOHNLICHE DRUCK-UND TEMPERATURS TEIGERUNGEN BEI DIESEL-MOTOREN

Price $0.75 (Including Postage)

By Dr. Ing. R. Colell

MOTORSHIP LOG-BOOK

Price $3.75 Postage 20 cents extra

Designed by H. W. Sumner Co.

A valuable book for every operating engineer. Every motorship should be supplied with copies.

DIESEL OR SLOW COMBUSTION OIL ENGINES

Price $4.50 Postage 15 cents extra

By G. J. Wells and A. J. Wallis Taylor

A book covering the theory of design and construction, discussing features of design as applied in current practice.

*HOT-BULB OIL ENGINES

Price $10.00 Postage 25 cents extra

By Walter Pollock

Best work available on the surface-ignition type of oil-engine with extended discussion of various types of vessels suitable for this type. A most complete book on hot-bulb oil-engines, with data on selection, installation and operation of both propelling and auxiliary types. 449 pages, 369 illustrations.

*DIESEL ENGINE DESIGN

Price $7.50 Postage 15 cents extra

By H. F. P. Purday

A book addressed particularly to designers, draughtsmen and others interested in the Diesel-engine from the standpoint of design. Complete technical description of every part of Diesel-engines well illustrated. 301 pages.

*LAND AND MARINE DIESEL ENGINES

Price $5.00 Postage 25 cents extra

By A. P. Chalkley

An introduction by the late Dr. Rudolph Diesel opens this exceedingly comprehensive treatise on the design, construction, testing and installation of the Diesel-engine by one of the best authorities on this type. All the leading makes are described in detail, the text being supplemented by folded plates and diagrams. 385 pages.

DIESEL ENGINE DESIGN

Price $3.00 Postage 7 cents extra

By E. Mortimer Rose

A book for the designer and draughtsman dealing with the theory of design and the various parts of the Diesel-engine.

*ECONOMICS OF PETROLEUM

Price $6.00 Postage 10 cents extra

By Joseph E. Pogue

This book presents the more important facts relating to petroleum resources, production, distribution and future supply and character. A serviceable book for the engineer, business man and motorship operator. A complete compendium of the oil industry well illustrated with half-tones and diagrams. 375 pages.

SCHIFFS-ÖLMASCHINEN (SHIP'S OIL-ENGINES)

Price $1.00 (Including Domestic Postage)

By Dipl.-Ing. Dr. Wm. Scholz

(Printed in German)

SKIBS-MOTORLAERE (SHIP'S-MOTOR TEXT-BOOK)

Price $4.50 (Including Domestic Postage)

By Aage Rasmussen

(Printed in Danish)

QUESTIONS AND ANSWERS RELATING TO DIESEL, SEMI-DIESEL AND INTERNAL COMBUSTION ENGINES, ETC.

Price $2.50 Postage 12 cents extra

By John Lamb

A pocket-size book of 209 pages covering the design and operation of Diesel, Semi-Diesel and other types arranged in the form of questions and answers. A valuable work for the student or the steam-engineer who is preparing to operate Diesel-engines.

MEX FUEL OIL

Price $3.50 Postage 10 cents extra

Anglo-Mexican Petroleum Co.

Contains well illustrated technical articles covering oil specifications, production, refining and transport, description of various oil-burning systems for boilers and a study of oil fuel for all purposes, both stationary and marine. A complete description of various types and makes of Diesel and surface-ignition oil-engines is included.

* IN STOCK.

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FURNESS LINES

TO LIVERPOOL
FROM ST. JOHN'S (N. F.) and HALIFAX (N. S.)
(Under Contract with the Canadian Government)
FROM BOSTON (MASS.) and PHILADELPHIA (PA.)
(Furness-Warren Line)
FROM BALTIMORE (Johnston Line)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(Johnston Line—Virginia Service)

TO LONDON
FROM MONTREAL (CAN.) (Canadian Pacific Ocean Services-Furness Line Joint Service)
FROM HALIFAX (N. S.) and ST. JOHN (N. B.) (Under Contract with the Canadian Government)
FROM NEW YORK (N. Y.) and BALTIMORE (MD.)
(Furness Line)
FROM PHILADELPHIA (Furness Philadelphia Transatlantic Line)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(Furness Line)

TO MANCHESTER
FROM MONTREAL (Manchester Liners, Limited) (Summer Service)
FROM HALIFAX (N. S.) and ST. JOHN (N. B.) (Winter Service)
FROM PHILADELPHIA (Manchester Liners, Limited)
FROM BALTIMORE (Furness-Johnston-Manchester Liners Joint Service)
FROM NEWPORT NEWS (VA.) and NORFOLK (VA.)
(Furness Manchester Lines)

TO CARDIFF and BRISTOL CHANNEL
FROM NEW YORK

TO NEWCASTLE, LEITHE, DUNDEE and MIDDLESBORO
FROM NEW YORK
FROM PHILADELPHIA
FROM BALTIMORE

TO GLASGOW
FROM BOSTON
FROM PHILADELPHIA

TO HULL
FROM MONTREAL (Summer Service)

TO ANTWERP
FROM MONTREAL (CAN.) (Canadian Pacific Ocean Services-Furness Line Joint Service)

FURNESS-PRINCE LINE
LEVANT and BLACK SEA SERVICE. Alexandria, Salonica, Piraeus, Patras, Beirut, Tripoli, Alexandretta, Constantinople, Bourgas, Constanza, Sulina, Galatz, Braila, etc.

FURNESS BERMUDA LINE
NEW YORK TO BERMUDA
Regular Passenger and Freight Service, Bi-Weekly Sailings.

Special attention given to handling and prompt forwarding of flour to all ports.
Direct deliveries from cars through covered piers to steamers.

PRINCE LINE—Regular Services New York to Brazil and River Plate, South African Ports, Straits Settlements, Philippines, China and Japan.

Far East Service: Vladivostok, Yokohama, Kobe, Shanghai, Hong Kong, Manila and Singapore, Aden.

QUEBEC STEAMSHIP COMPANY—Regular Passenger and Freight Services from New York to West India Islands.

TRINIDAD LINE—Regular Passenger and Freight Services from New York to Grenada, Trinidad and Demerara.

LLOYD SABAUDO—Fast Italian Mail Line New York to Naples and Genoa.

SWEDISH-AMERICAN LINE and TRANSATLANTIC S. S. CO. JOINT SERVICE—Express, Freight and Passenger Services, Direct Sailings New York to Gothenburg; and Freight Received for Helsingfors, Finland, also for Other Ports in Sweden and Finland.

For further particulars apply to

FURNESS, WITHY & CO., Ltd.

New York, Furness House, Whitehall Street.
Boston, Mass., 10 State Street.
Philadelphia, Pa., Bourse Bldg.
Baltimore, Md., Furness House, 21 South St.
Newport News, Va.
Norfolk, Va.
Montreal, P. Q., Canada.
Halifax, N. S.
St. John, N. B.
St. John's, N. F.
Sydney, C. B.

OR TO

James P. Robertson, G. W. F. A.
111 W. Jackson Blvd., Chicago, Ill.

F. C. Thompson Co., Ltd.
Royal Bank Building, Toronto, Can.

Private telegraph wires between New York and other offices



MIDVALE CRANK SHAFTS

OUR Nicetown plant was the first private plant in this country to receive a government contract for the manufacture of steel forgings for ordnance. Many years of contact with work of this character have developed an organization particularly fitted by experience and with the special equipment required for making heavy forgings of the very highest grade.

We have made a specialty of large crank shafts for marine and other purposes. All shafts larger than 7" in diameter are made with the aid of new machines which insure accuracy of alignment and prompt delivery.

MIDVALE STEEL AND ORDNANCE COMPANY
CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis

SOLE EXPORTER OF OUR COMMERCIAL PRODUCTS CONSTECO CONSOLIDATED STEEL CORPORATION 25 BROADWAY, NEW YORK, U.S.A.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Navigation Corporation

General Agents: Hamburg-American Line

Hamburg
Joint Services with
Hamburg-American Line
From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans
Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

North Africa and Levant
New York to Tunis, Malta, Alexandria and Syrian Coast Ports

Dutch East Indies
New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Intercoastal Service
Service of the
American-Hawaiian S. S. Co.
New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES
BOSTON—40 Central Street CHICAGO—327 So. La Salle Street PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building ROCHESTER—Commercial Building
General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

LA·MARINA
·ITALIANA·
RASSEGNA·DELLE·INDUSTRIE·DEL·MARE
DIRETTA·DA·NAPOLEONE·ALBINI

The most important Italian Maritime Review, and the most powerful propaganda-journal for motorships in Italy.

Issued Monthly—Profusely Illustrated
(Price 5 Dollars Per Year)

Owned and Managed by
***Napoleone Albini*, Naval-Architect and Marine-Engineer**
Late Lieutenant-Colonel Constructors Corp of Italian Royal Navy
Address GENOVA (2) Piazza di Francia 3-14

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



1800
Now In Service
Multiwhirl Cooler

Originally designed in 1916 for cooling lubricating oils in turbine bearings, reduction gears, etc.
Now successfully employed for cooling piston and cylinder head oil in Diesel engines.

Bulletin No. 903 will be sent on request

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia	Syracuse	Toledo	Minneapolis	Houston	Seattle
Boston	Pittsburgh	Detroit	St. Louis	Fort Worth	Los Angeles
Hartford	Cleveland	Chicago	New Orleans	Charlotte	Kansas City
Rochester	Denver	Salt Lake City	Denver	San Francisco	Milwaukee

"COEN" DUPLEX STRAINER

FOR
FUEL AND LUBRICATING
OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Why Install A-E-CO Electric Winches?



A-E-CO winch installed on the M. S. William Penn

Here's Why—

Ease of installation
Quietness
Cleanliness
No leaking steam pipes
Less fuel consumption
Flexibility of control
Speed of operation
Can stand total submersion without damage
Stands freezing weather without damage
Operates continuously in tropical weather without damage
Always instantly ready and reliable

OFFICES
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

A-E-CO superiority is evidenced by the large number of successful installations already made on motorships and steamships.

Details gladly furnished

AMERICAN ENGINEERING COMPANY
PHILADELPHIA, PENNA.

We also build:
Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypses
Chandlery

CUNNINGHAM
ELECTRIC MARINE AUXILIARIES

CUNNINGHAM PATENT ELECTRIC CAPSTAN

The total enclosure of electrical equipment and gearing in their separate compartments is an absolute guarantee against damage by water or mechanical injury.

BUILT IN ALL SIZES

Single and double geared

Builders of Electric and Steam

Anchor Windlasses—Capstans—Cargo Winches—Steering Gears—Mooring Winches—Towing Engines and Hydraulic and Electric Telemotors

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE & WORKS
7500 Carleton Ave.
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, Cal.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Diesel-Engine Generating Sets for Motorships

The equipment pictured above represents the generating units for the American Hawaiian S.S. Co.'s new Motorships. Each set consists of a Cramp B. & W. Engine coupled to a Diehl Electric Generator of the open Heavy-Duty Type. Diehl Generators are arranged for forced-feed lubrication.

DIEHL MFG. CO., ELIZABETH, N. J., U. S. A.

The "Maudie" has made a fine record in Jacksonville harbor

The 50 H. P. Dodge Heavy Oil Engine in the "Maudie" was installed eight months ago and has given continuous satisfaction and established a fine record for fuel economy and low upkeep.

Dodge Heavy Oil Engines use the cheaper fuel oils economically and successfully—this means savings in fuel alone that will quickly pay for the engine and assure steady profit for the owner.

Compressed air is used for starting; there are no ignitors, carburetors, electric torches, hot bulb or ball. Fuel is fed by gravity which eliminates complicated pumps. Extreme simplicity of design and rugged construction means low attendance and upkeep costs.

Write us for full particulars about this practical and economical work boat engine. We will respond immediately to inquiries from accredited dealers desirous of handling these engines in their localities.

DODGE

Heavy Oil Engines

Marine and Stationary **12½ H. P. to 75 H. P.**

Dodge Sales and Engineering Company

Mishawaka, Indiana, U. S. A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY



MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California **New York Office, 370 Seventh Ave.**

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY-TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"



4 Feed Ratchet Oiler



5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue

14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C O MARK



ENTERPRISE
Full-Diesel Engines



Better Than a Gas Engine—

This new Diesel has all the control, slow down and simplicity of the distallate or gas engine and none of the problems of electric ignition and carburetion. Is 40% heavier, more rugged in construction and will burn cleanly and efficiently oil ranging from 14° to 26° gravity.

Better Than a "Semi-Diesel"—

As compared to engines of the semi-Diesel or surface ignition types the Enterprise Diesel will burn much heavier fuels, burn them more cleanly; is more positive in action; more flexible, and, being of the 4-cycle type, is more economically and better lubricated. The exhaust can be piped through side of boat. Not only does it burn oil of lower gravity, but is more economical in consumption of this oil.

And Has New Diesel Features—

As compared with engines of the air-injection Diesel type, the Enterprise possesses all the desirable features in the way of thorough fuel combustion; ability to burn fuels of heavy gravity; economy of lubrication and economy of fuel consumption without the use of high pressure air compressor. For its operation this engine requires no pressures to exceed 150 lbs. outside the cylinders.

BUILT IN SIZES 75 H.P. TO 200 H.P., INCLUSIVE

We confidently believe this to be the engine boat operators have been long waiting for

ENTERPRISE ENGINE COMPANY

Southern Pacific Bldg., 20-24 Steuart St., San Francisco, California

Northern Distributors.....H. G. McLAUGHLIN CO., 809 Railroad Ave., Seattle, Wash.
Eastern Distributors.....SEXTON MOTOR CO., 30 Church St., New York, N. Y.
Southern Distributors.....MENGE MARINE HDWE. & SUP. CO., New Orleans, La.
Southern California.....GAERTNER & KELLY, San Pedro, Cal.
British Columbia.....VANCOUVER SHIPYARDS, LTD., Vancouver, B. C.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ONLY BY INCORPORATING THE ECONOMICAL AND SUPREMELY EFFICACIOUS

ARCONSTRUCT-HULLFIN COMBINATION

in the Plans of the

DIESEL-ELECTRIC FERRYBOAT

"POUGHKEEPSIE"

was the contract price brought down to the allotted appropriation.

These patented systems when combined in any power driven vessel assure maximum economic efficiency, a potentially helpful factor in solving the problem of

ECONOMIC MARINE TRANSPORTATION

C. V. S. WYCKOFF

Naval Architect *Consulting Engineer*

SOLE LICENSEE FOR ARCONSTRUCT-HULLFIN PATENT RIGHTS WHEN COMBINED

SAN DIEGO, CALIFORNIA
4959 Muir St., Ocean Beach
Phone Point Loma No. 61

NEW YORK, N. Y.
136 Liberty St., Room No. 624
Phone Rector 3419

To Our Readers

WHEN WRITING TO ADVERTISERS

Please State You Saw
Their Product Advertised

in

"MOTORSHIP" of NEW YORK

By Doing This You Will Greatly
Assist the Growth of This Magazine

Your Courtesy Will Be Appreciated

NOW READY

Papers to be read before the North East Coast Institution of Engineers and Shipbuilders, England:—

"DIESEL ENGINE FLEXIBILITY", ($1.50)

By W. S. Burn, M.Sc. With Discussion and Author's Reply. Discussion includes contributions by:—

Eng. Commander C. J. Hawkes, R.N. (ret.).
H. A. D. Acland (Still Engine Company).
K. O. Keller (William Doxford & Co. Ltd.).
W. F. Rabbidge (Vickers Ltd.).
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
Harold Moore.
H. T. Tizard.
North British Locomotive Co. Ltd.
J. W. Hobson.
S. J. Lucas (Messrs. Kitson & Co. Ltd.).
Eng.Lt.Com. L. J. Le Mesurier, R.N. (ret.) (Messrs. Sulzer Bros.).
Oswald Wans (Ruston & Hornsby Ltd.).
J. S. Brown.
C. S. Darling.
T. Grime.
A. D. Bruce.

"THE USE OF COMPRESSED AIR IN DIESEL-ENGINED SHIPS" ($0.75)

By William Reavell. With Discussion and Author's Reply. Discussion includes contributions by:—

Harold Thomson.
Eng.Commander C. J. Hawkes, R.N. (ret.).
G. E. Windeler (Mirrlees, Bickerton & Day Ltd.).
H. Ruck-Keene (Chief Engineer Surveyor, Lloyds Registry of Shipping).
James Richardson (William Beardmore & Co. Ltd.).

"SOME PROBLEMS OF MARINE DIESEL ENGINE DESIGN" ($1.50)

By Paul Belyavin (formerly Diesel Engine Expert to the Imperial Russian Navy). With Discussion and Author's Reply. Discussion includes contributions by:—

Harold Thomson.
Eng.Commander C. J. Hawkes, R.N. (ret.).
K. O. Keller (William Doxford & Sons Ltd.).
H. Ruck-Keene.
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
D. M. Shannon (Cammell Laird & Co. Ltd.).

SPON AND CHAMBERLAIN

"N" DEPT.
123 LIBERTY STREET
NEW YORK

Generated on 2024-09-13 14:50 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE KITCHEN REVERSING RUDDER

U. S. Patent 1,186,210—1916

The 300 practical installations on Motorships, Tugs, Barges, Yachts, etc., have fully demonstrated that these Rudders give a maneuvring ability *superior* to that as obtained by the best *electric drive.*

Why *complicate* your propelling unit when you can *simplify* it?

No reversing or slowing down of engine necessary, engine and propeller *ahead* only.

Vessel maneuvered by remote control from bridge without reference to engine room.

No ship too large, no boat too small for Kitchen's Reversing Rudders.

Hand Operated Gear up to 460 B.H.P. Electric or Hydraulic Power Gear up to or over 2,000 B.H.P.

Literature and Particulars from

SOLE LICENSEES AND MANUFACTURERS

THE McNAB COMPANY **BRIDGEPORT, CONNECTICUT**

or

Rossell & Thayer, Forrest Building, Philadelphia, Pa.
Ford & Geirrine, Merchants Exchange Building, San Francisco, Calif.

Sole Licensees for British Columbia: Yarrows, Ltd., Victoria, B. C.

"SCHIFFBAU"

Oldest Official German Publication

for the

Shipbuilding and Maritime Industry

Published Weekly

Editor, Dr. Ing. Carl Schaffran
Berlin N. W. 23

Publishes continuous authoritative News of all Innovations and Progress in German Shipbuilding and Navigation

Subscription Price for 52 numbers in the year Delivered Post Paid **Three Dollars**

(Sample Copy Free of Charge)

Direct Orders to

Publishers of "SCHIFFBAU"
BERLIN, S. W. 68, Neuenburger Strasse 8
GERMANY

Werft und Reederei

Editor: Dr. Ing. E. Foerster, Hamburg

The Official German Magazine for Shipping & Shipbuilding Industries

Representing the

GERMAN INSTITUTION OF NAVAL ARCHITECTS

the Standards Committee and the Archive for the World's Shipbuilding and Shipping Literature

Reading this magazine you know all

that is of interest for you, concerning chiefly German Shipbuilding and Seafaring.

Subscribers receive two numbers monthly for the price of Two Dollars yearly

JULIUS SPRINGER, Publisher
In Berlin W. 9, Linkstrasse 23-24, Germany



The M.S. "POLSTJERNAN" Fitted with one 260 b.h.p. BERGSUND" Oil-Engine

"BERGSUND"
CRUDE OIL ENGINES

FROM 5 b.h.p. UP TO 600 b.h.p.

DIRECT REVERSING

BERGSUNDS MEKANISKA VERKSTADS A.B.

Shipbuilders and Engineers

STOCKHOLM **SWEDEN**

Cable Address: BERGSUND, STOCKHOLM

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The New Cory Shaft Direction Indicator and Revolution Counter

A-3419

SHAFT DIRECTION INDICATOR AND REVOLUTION COUNTER.

A new and better indicator has been developed by the Cory Engineers, and after exhaustive tests under actual conditions it has also received the approval of the Navy Department, and is now available.

This indicator is actuated by a transmitter attached to the shaft, and operates on any desired voltage. It is silent and reliable in operation, and sturdy in construction.

The shaft direction is always visible and the revolutions are counted continuously.

Write today for catalog bulletin No. 11-29-A, a description of Engine Shaft Indicating Systems.

CHAS. CORY & SON, Inc.

MANUFACTURERS AND INSTALLATION ENGINEERS OF INTER-SIGNALLING COMMUNICATING, AND LIGHTING EQUIPMENTS.

183-7 VARICK ST. NEW YORK, N. Y.

Always on Watch!

Whenever you want to know—day or night, in port or at sea—Pneumercator Tank Gauges stand ready to give you instant information as to the contents of your tanks.



You have an absolute and accurate check on your fuel oil—invoiced quantity, daily or hourly consumption, amount on hand. You can watch your tanks and guard against overfilling or flooding of decks.

Hundreds of Pneumercator equipped ships—from liner to tugboat—testify to the reliance placed in this modern method of tank gauging.

Ask for Bulletin No. 202

Pneumercator Company, Inc.

40 Flatbush Ave. Ext., Brooklyn, N. Y.

P-157

Trade Mark Reg. U.S. Pat. Off.

Pneumercator Gauges

Standard for Ships' Oil, Fuel and Ballast Tanks

IF YOU KEEP YOUR FOOT ON THE BRAKE, YOUR CAR CAN'T RUN UP THE HILL, NOR CAN BUSINESS GO AHEAD IF YOU PUT A CURB ON YOUR ADVERTISING OR OTHER SALES EFFORTS.

PUBLICITY CREATES BUSINESS.

IF EVERYONE DOES THEIR SHARE

BUSINESS WILL SOON BE BOOMING

ARE YOU DOING YOUR LITTLE BIT?



BALANCING PROPELLERS
Turbine Rotors and

Eliminating Torsional Vibrations in Shafts are features of our engineering service.

VIBRATION SPECIALTY COMPANY
N. W. Akimoff, *President*

Harrison Bldg. Philadelphia, U. S. A.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

SHIPMATE RANGES

Smallest Size
Body, 18¾ inches long

Largest Size
No limit to length

"Three handled serving-mallets" and "four posters" were sailors' terms for three and four mast ships and barks, and the "hell-box" was the old-time sea-cook's pet name for his stove. The SHIPMATE has lived through these eras and is afloat nowadays in greater numbers than ever. It's the sailorman's range—the old reliable, in fair weather or foul.

Made by

THE STAMFORD FOUNDRY COMPANY

Established 1830 **STAMFORD, CONN.**

Pacific Coast Agencies

Holbrook, Merrill & Stetson.....Sixth, Bluxome and Townsend Sts., San Francisco, Cal.
Oregon Marine & Fisheries Supply Company.....105-107 First St., Portland, Oregon
Pacific Net & Twine Company.....1213-1223 Western Ave., Seattle, Wash.
Lipsett, Cunningham & Company, Ltd.....Prince Rupert, B. C.
Canadian Fairbanks-Morse Company.....798 Beatty St., Vancouver, B. C.

"AVANCE"

CRUDE OIL ENGINES

SIMPLE-RELIABLE-ECONOMICAL

ABOUT 25,000 "AVANCE" ENGINES SOLD ALL OVER THE WORLD



MARINE ENGINES

10-400 B.H.P.

STATIONARY ENGINES

179

There are "AVANCE" engines still running since 1900

DISTRICT
AGENTS
WANTED

ADDRESS FOR LETTERS AND TELEGRAMS

AVANCEMOTORN - STOCKHOLM
SWEDEN

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee **Quick Delivery**

Send for Quotations

ECONOMY **SIMPLICITY** **RELIABILITY**

THREE IN ONE



VOLUND

TWO-CYCLE CRUDE-OIL MOTOR

WORKS AT ⅙ OF OPERATING COST OF ANY GASOLINE MOTOR

WITHOUT WATER INJECTION

350 INSTALLATIONS IN FISHING BOATS, TUGS AND BARGES.

HANDLED BY MEN WITHOUT MECHANICAL TRAINING

CHRISTENSEN & SNETHLAGE

CUNARD BUILDING, NEW YORK CITY

TELEPHONE Bowling Green 3154

Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BUILDERS OF ALL
TYPES OF VESSELS

SUN SHIPB
DIESEL

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from
UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

700 INTERSTATE BLDG.
Kansas City, Mo.

815 SHELDON BLDG.
San Francisco, Calif.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

412 BISBEE BLDG.
Jacksonville, Fla.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Specially designed for Mercantile-Marine use. Rugged, Rigid, Simple and Accessible. No Injection Air Compressor. Rating conservative and quoted in Brake Horse-Power. Guaranteed for continuous running. The design embodies the experience of Marine Oil-Engines totalling half-a-million horse-power.

Works: Barrow-in-Furness, England
Head Office: Vickers House, Broadway, London, S. W. 1.
New York Office: 2550 Woolworth Building, 233 Broadway

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



PORTS VISITED
during
Six Months' Voyage
of the
M.S. WILLIAM PENN

New York
Savannah, Ga.
Balboa
Honolulu
Yokohama
Kobe
Shanghai
Fuchow
Swalow
Hongkong
Manila
Cebu
Soerabaya, Java
Singapore
Port Said
Marseilles
London
Rotterdam
Liverpool
New York

(Trip completed in 6 months, 18 days)

A Test of Motor-Driven Auxiliaries Under All Conditions of Weather and Temperature!

IN ORDER TO GIVE AMERICAN BUILT MOTORSHIPS A THOROUGH TRIAL, THE M. S. WILLIAM PENN WAS SENT ON A TRIP AROUND THE WORLD. THE TEST CAN TRUTHFULLY BE SAID TO HAVE BEEN AN UNUSUAL AND THOROUGH ONE.

The William Penn is equipped with Westinghouse motor-driven deck auxiliaries, and, as can be seen from the list of ports visited during the six months' voyage just completed, she has taken on and discharged cargoes under every condition of weather and temperature.

The operators pronounce the equipment satisfactory in every respect and comment favorably upon the great saving in fuel as well as the simplicity with which electric-driven auxiliaries can be operated and controlled.

The dependability of this equipment is further emphasized by the fact that the total value of spare parts used during, and as a consequence of, the six months' voyage, amounted to only $1.65.

From every angle the test of this equipment has been both fair and thorough and such as to commend it to the consideration of all ship owners and operators.

WESTINGHOUSE ELECTRIC & MANUFACTURING COMPANY
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities
Service Stations in Principal American Ports

Westinghouse

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Win

OIL DIESEL
TYPE E

"ALCYONE"—A Diesel-Electric Yacht

"Alcyone" built in 1908 by Geo. Lawley & Son Corp. from designs by Tams & King and owned by Mr. H. W. Putnam, has recently been converted from a Steam Yacht to a Diesel-Electric Yacht at the yards of the Tebo Yacht Basin.

The new power plant consists of two Winton Diesel Oil Engines, 6 Cylinder 11"x14" developing 225 H.P. at 260 R.P.M., each engine direct connected to a 140 K.W. Westinghouse Generator and a 12 K.W. Exciter, which in turn supply power to a 350 H.P. Westinghouse Driving Motor operating at 175 R.P.M. Two auxiliary Winton Generating Sets are operated by six cylinder 3"x4" Winton kerosene motors. Speed with steam plant—10 knots. Speed with Diesel-Electric Drive—11 knots.

Another striking example of the general trend towards Diesel-Electric Drive. Here is a 600 ton yacht in which the speed has been increased, cruising capacity tremendously added to, power plant space reduced, operating expenses minimized and vibration eliminated.



WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church St. *Seattle*—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Albee Bldg.

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
9015084660888
e#pd-google

ton
NGINES

Diesel-Electric Drive is the New Power Unit

Diesel-Electric Drive has produced such remarkable economies in actual service that it is rapidly becoming the accepted "next" type of propulsive unit. Yachts, Ferry Boats, Cargo Ships and Commercial Vessels of all types will be installing Diesel-Electric Drive simply because this type of drive is the MOST economical yet devised.

Its very compactness, flexibility and dependability puts the Diesel-Electric Drive in a class by itself, to which must be added the increase in cruising radius, reduction in crew, speed in fueling, etc., etc.



CLEVELAND, OHIO, U. S. A.

San Francisco—F. G. Bryant, 593 Market St.
New Orleans, La.—A. Baldwin Company

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS









1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800



FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
730 Tribune Bldg., N. Y. City















Generated on 2024-09-13 15:10 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.



NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY

NEWPORT NEWS, VIRGINIA

NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY

SHIP BUILDERS AND SHIP REPAIRERS

PLANT LOCATED AT NEWPORT NEWS, VIRGINIA, ON HAMPTON ROADS

THREE LARGE GRAVING DRY DOCKS

Steel, Brass and Iron Foundries, Heavy and Light Forgings, Complete Facilities at One Plant for Doing any Ship Repair Job Quickly

ADDRESS

233 BROADWAY, NEW YORK, OR NEWPORT NEWS, VA.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

KRUPP
DIESEL-ENGINES

Marine, Stationary, Four-Cycle, Two-Cycle

High-Speed, Low-Speed, Light-Weight
Heavy-Weight

Direct-Drive Electric-Drive

All Sizes, 45 to 10,000 B.H.P. in One Unit



Standard Crosshead Engine, 1250 B.H.P. to 2500 B.H.P.

AMERICAN KRUPP-SYSTEM DIESEL ENGINE CO.

165 BROADWAY, NEW YORK CITY

Generated on 2024-09-13 15:10 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Simplicity of Price-Rathbun Marine Oil Engines



Ease of control and rapidity of manœuvring are characteristic of Price-Rathbun Marine Oil Engines.

Reversing is accomplished by interchanging the functions of the exhaust and intake valves—there is no shifting of the cam shaft.

Seven seconds is the average time required for reversing from full speed ahead to full speed astern.

No high pressure injection air compressor is required with Price-Rathbun Engines. Fuel Injection is positive and direct, atomization being obtained without the use of compressed air. The elimination of the complicated high pressure injection air compressor and piping, saves fuel and reduces the chances of breakdown.

There are no hot bulbs nor plates or blow touches as ignition is accomplished by temperature of compression *only*.

High fuel economy and the low consumption of lubricating oil combined with overall simplicity and ruggedness commend the Price-Rathbun Marine Oil Engine for installations requiring from 220 to 750 brake horse power.

Bulletin 10,002

INGERSOLL RAND COMPANY, 11 Broadway, New York City

Butte	El Paso	Knoxville	Cleveland	Philadelphia
Birmingham	Seattle	Scranton	Pittsburgh	San Francisco
Duluth	St. Louis	London	Los Angeles	Salt Lake City
Denver	Chicago	Paris	Detroit	Joplin
Boston	New York	Houghton	New Orleans	Dallas



PRICE OIL ENGINES

18-MOE

Ingersoll-Rand

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:51 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Genoa
Glasgow
Gothenburg
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Cap'n Allswell says:—

Life on a tow boat is no rest cure!

YOU'VE got to be on the job day and night, cruising around for your ship. When you do pick her up there's a man-sized job ahead. Hard work for the crew, engine and propeller, with no let-up between you and the dock.

A tow boat's got to have a lot of power and control to stay in the game and it's there, a propeller shows its bringing up.

Columbian wheels are built and balanced to bring out all the power and speed the engine develops. And as for strength, they tell me Columbian propellers are made of Manganese Bronze that tests over 65,000 lbs. to the square inch. Don't see how they can make 'em any better, do you?

Send for Columbian Book. There's a propeller for every type of boat.



THE COLUMBIAN BRONZE CORP.

218 North Main St., Freeport, Long Island, N. Y.

New York City Sales Only: 44 Third Avenue

COLUMBIAN *Bronze* PROPELLERS

for every craft afloat

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Built for a Ship's Engine Room



RCM motor for continuous duty and starting switch mounted on the motor



Automatic Control Panel for continuous-duty motor. Its design permits deck or bulkhead mounting, and the starting switch can be located wherever desired

You can depend on this motor

NO one questions the importance of a dependable drive for below-deck auxiliaries—machinery vital to the operation of a ship and which must work continuously for weeks, day and night.

Electric drive for these auxiliaries is reliable, but standard land motors and control are out of place on a ship. Electrical equipment exposed to salt air, water and oil spray, drippings from condensation and leaky pipes, and damage by rodents—the every-day conditions aboard ship—requires special protection. The RCM Motor is designed for just such service.

This motor is totally enclosed and self-ventilated, has moisture-proof insulation, special type bearings, special frame and fittings, and is non-corrodible throughout. Its control apparatus has features which make it just as fit for the service.

G-E MARINE EQUIPMENT
TO MEET YOUR REQUIREMENTS
Electric Drive for Motorships
Turbine-Electric Drive
Marine Geared Turbines
Electric Drive for Auxiliaries

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

26-51

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

WILLIAM

BEARDMORE

AND COMPANY LIMITED



Embodies the latest and most approved Diesel Engine practice

Extract from "The Engineer," November 11th 1921.

"The Beardmore-Tosi Engine marks a distinct advance in four-cycle engine construction."

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

PATENT VALVE GEAR

EXHAUST VALVE TROUBLES ELIMINATED

PATENT CYLINDER HEAD AND COOLING ARRANGEMENTS



Results of 100 Hours' Trial

Average B. H. P.	1,276
Mechanical efficiency, per cent	77
Average I. H. P.	1,646
Revolutions per minute	124
Mean pressure on B. H. P. basis, lb. per sq inch	75.5
Fuel consumption, lb. per P. H. P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. F.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average	125
Piston cooling water, outlet temperature deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

NAVAL CONSTRUCTION WORKS

DALMUIR NEAR **GLASGOW**

Full Particulars, Catalogues ——— on request

Cable Address: "Beardmore, Glasgow." Codes: Liebers; Western Union, Bentley's: A1, A B C 5th Edition

LONDON, 36 VICTORIA ST., S. W. 1

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

QUALITY SNAP RINGS — give MAXIMUM POWER



"MORE THAN A MILLION A MONTH"

THE Piston RING COMPANY

107 SANFORD ST. MUSKEGON, MICH.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines



Use Low Priced Fuel Oils For Workboat Power

"C-O" Engines
30 H. P. to 300 H. P.

"C-O" Marine Oil Engines are maintaining the successful performance records they have built up through years of hard service in over one thousand commercial boat installations—fishing craft, tugs, cargo vessels, lighters, ferries, schooners, and workboats of every description.

"C-O" engines—30 H. P. to 300 H. P.—use low grade fuel oils economically.

They have been tried on long and short cruises, on tugs and cargo schooners—they are not only proven to be dependable power producers but they are also flexible and economical. When you see a strong puller and a money maker in any port it's an even chance the power is a Fairbanks-Morse "C-O" oil engine.

Fairbanks, Morse & Co.
MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Motorship "La Paz" of the Pacific Steam Navigation Company



De Laval Oil Purifier is saving oil and protecting engines of motorship "La Paz"

The motorship fleet of the Pacific Steam Navigation Company was planned to transport cargo at the lowest possible cost per ton mile. Few, if any, items of design or equipment which contribute to a lower operating cost for the motorship were overlooked.

On each of these motorships, as on many others, a De Laval Oil Purifier has been installed. With this machine, sludge is centrifuged out of the crank-case oil almost as fast as it is formed. As a result bearing wear is greatly reduced and the engines will, without a doubt, give more years of service with less expense for maintenance and overhauling.

By constantly removing impurities from lubricating oil, the De Laval Purifier also effects a great reduction in lubricating costs. The same oil is kept in the system indefinitely, the only replacement being that required to make up for losses by decomposition, evaporation and leakage. No oil need ever be taken out of the system.

No wonder that the Harland & Wolff Shipbuilding Company, builders of the "La Paz" and other vessels of the Pacific Steam Navigation Company's fleet, have in the past two years installed 47 De Laval Purifiers on various vessels building in their yards. The records of other British and American yards also show that De Lavals are now considered as necessary auxiliaries in the engine room of the Diesel or turbine-driven ship.

Mail the coupon for further information regarding ships of either class.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

M

Generated on 2024-09-13 15:02 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



DODGE HEAVY OIL ENGINE

Shows saving of $1.34 per hour on fuel alone

Before the installation of a Dodge engine the clam boat "Louise Perry" made 7 knots per hour and her power plant consumed five and one-half gallons of fuel. Since the 37½ H. P. Dodge engine was installed the speed has been increased to 8 knots and the fuel consumption reduced to 1.9 gallons of low priced fuel oil. The net saving in fuel alone is $1.34 per hour.

This boat is 43 ft. 7 in. long, 5 ft. 4 in. in depth and has a 14 ft. beam. Control is all from pilot house. Speed control is through a quadrant to the governor, and the reverse gear is operated by a handwheel.

Records for fuel economy, low upkeep and reliability of operation made by Dodge engines in many successful installations can be duplicated on your boat.

Write for Complete Information

Dodge Sales and Engineering Company

General Offices: Mishawaka, Ind. Works: Mishawaka, Ind. and Oneida, N.Y.

Power Transmission Machinery-Elevating and Conveying Equipment-Heavy Oil Engines

New York
Philadelphia
Pittsburgh
Boston
Cincinnati
Newark
Chicago
Atlanta
Minneapolis
St. Louis
Houston
Seattle
San Francisco

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

M. S. CALIFORNIAN

The first Diesel ship to be fitted with

THE SPERRY GYRO-COMPASS

Sperry Master Gyro-Compass, Top View

The Sperry Gyro-Compass is non-magnetic, points to the true north, and has no variations or deviations.

It has been the Standard Compass in the World's Navies for the last decade, and is now in the service of 25 of the World's largest Steamship Companies.

(Over 1400 in Service)

THE SPERRY GYROSCOPE CO.

MANHATTAN BRIDGE PLAZA

BROOKLYN, N.Y.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTA

PACIFIC DIESEL

OAKLAND,

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

)IESEL ENGINES

R
E
L
I
A
B
I
L
I
T
Y

LED IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

CALIFORNIA

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



M/V "Teco"—1 160 B.H.P. Bolinder Engine, 2 Cylinders

The BRITISH COLUMBIA CEMENT COMPANY, LIMITED, of Victoria, B. C., wrote on March 13th, 1922:

"We are the owners of M.S. 'Teco,' powered with a 160 H.P. BOLINDER engine. This vessel has been running steadily for the past three years and has given remarkable satisfaction in every respect. In fact the M.S. 'Teco,' carrying 6,500 sacks of cement at eight knots, has a fuel bill of only .42 of that of our coal-burning S.S. 'Matsqui,' carrying 4,500 sacks at 6.3 knots."

Let ACTUAL RESULTS ONLY govern your decision regarding power plant.

There is no engine equal to the BOLINDER as power for tugs, small freighters and fishing vessels. Our cooperation during installation and operation will secure entire satisfaction.

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

BENJAMIN HAIGH
O'Reilly 26
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

BOLINDER'S COMPANY · J K G · TRADE MARK · NEW YORK U.S.A.

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
Shaughnessy Building
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.
INSTALLATIONS:	3800 H. P. in 27 units now working. 2500 H. P. in 20 units now on order.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY

OAKLAND, CALIFORNIA

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation

General Agents: Hamburg-American Line

Hamburg

Joint Services with

Hamburg-American Line

From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans

Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

U. S. Government Ships
Dutch East Indies

New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Steamers take cargo for Tunis, Alexandria and Syrian Coast Ports

Intercoastal Service

of the

American-Hawaiian S. S. Co.

New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe

Service of the

American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

READ AND ADVERTISE

LA·MARINA
·ITALIANA·

RASSEGNA·DELLE·INDUSTRIE·DEL·MARE
DIRETTA·DA·NAPOLEONE·ALBINI

The most important Italian Maritime Review, and the most powerful propaganda-journal for motorships in Italy.

Issued Monthly—Profusely Illustrated
(Price 5 Dollars Per Year)

Owned and Managed by

***Napoleone Albini*, Naval-Architect and Marine-Engineer**

Late Lieutenant-Colonel Constructors Corp of Italian Royal Navy

Address GENOVA (2) Piazza di Francia 3-14

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

How to Extend the Life of Diesel Engine Bearings!

Clean COOL Lubricating Oil will do it. But, the oil must be cooled to the right temperature in order to maintain a film of the proper viscosity between the bearing surfaces, which will efficiently absorb and carry off the heat.



MULTIWHIRL COOLERS—Over 1800 in use

Will continually re-cool the oil circulated through lubricating systems.

Send for Bulletin No. 904

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia, Boston, Hartford, Rochester, Pittsburgh, Cleveland, Toledo, Detroit, Chicago, Minneapolis, St. Louis, New Orleans, Syracuse, Denver, Houston, Fort Worth, Salt Lake City, Charlotte, San Francisco, Seattle, Los Angeles, Kansas City, Milwaukee

REG. U.S. PAT. OFF.

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo by International Film Service

In service on the U. S. S. Prometheus

A-E-CO Automatic Towing Machine

The only successful machine built for towing purposes

Automatically pays out or takes in as the surge of the sea requires.
After setting, it requires no manual attention as it works automatically.
Distance between tows may be shortened or lengthened by manual operation without slackening the speed.
Uniform distance maintained without danger of breaking tow line.
Permits use of steel hawser; prevents wearing.
Provides stowage for hawser.
May be equipped with auxiliary shaft carrying drum or winch head for rapid handling of loose lines or for warping onto chock.
Wooden or iron towing bitts are eliminated.
Brakes can be set when towing in light sea or still water, machine acting as bitt, eliminating power consumption.
Insures steady speed of tow in heavy weather.
Usually fitted with winding device, preventing piling of hawser on drum.
Our catalog is ready for you.

OFFICES
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

Equipped with electric drive for motorships

AMERICAN ENGINEERING COMPANY

PHILADELPHIA, PENNA.

We also build:
Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypsies
Chandlery

CUNNINGHAM

ELECTRIC MARINE AUXILIARIES

CUNNINGHAM PATENT ELECTRIC CAPSTAN

The total enclosure of electrical equipment and gearing in their separate compartments is an absolute guarantee against damage by water or mechanical injury.

BUILT IN ALL SIZES

Single and double geared

Builders of Electric and Steam

Anchor Windlasses—Capstans—Cargo Winches—Steering Gears—Mooring Winches—Towing Engines and Hydraulic and Electric Telemotors

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE & WORKS
7500 Carleton Ave.
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, Cal.

Generated on 2024-09-13 15:05 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NOW READY

Papers to be read before the North East Coast Institution of Engineers and Shipbuilders, England:—

"DIESEL ENGINE FLEXIBILITY", ($1.50)

By W. S. Burn, M.Sc. With Discussion and Author's Reply. Discussion includes contributions by:—

Eng. Commander C. J. Hawkes, R.N. (ret.).
H. A. D. Acland (Still Engine Company).
K. O. Keller (William Doxford & Co. Ltd.).
W. F. Rabbidge (Vickers Ltd.).
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
Harold Moore.
H. T. Tizard.
North British Locomotive Co. Ltd.
J. W. Hobson.
S. J. Lucas (Messrs. Kitson & Co. Ltd.).
Eng.Lt.Com. L. J. Le Mesurier, R.N. (ret.) (Messrs. Sulzer Bros.).
Oswald Wans (Ruston & Hornsby Ltd.).
J. S. Brown.
C. S. Darling.
T. Grime.
A. D. Bruce.

"THE USE OF COMPRESSED AIR IN DIESEL-ENGINED SHIPS" ($0.75)

By William Reavell. With Discussion and Author's Reply. Discussion includes contributions by:—

Harold Thomson.
Eng.Commander C. J. Hawkes, R.N. (ret.).
G. E. Windeler (Mirrlees, Bickerton & Day Ltd.).
H. Ruck-Keene (Chief Engineer Surveyor, Lloyds Registry of Shipping).
James Richardson (William Beardmore & Co. Ltd.).

"SOME PROBLEMS OF MARINE DIESEL ENGINE DESIGN" ($1.50)

By Paul Belyavin (formerly Diesel Engine Expert to the Imperial Russian Navy). With Discussion and Author's Reply. Discussion includes contributions by:—

Harold Thomson.
Eng.Commander C. J. Hawkes, R.N. (ret.).
K. O. Keller (William Doxford & Sons Ltd.).
H. Ruck-Keene.
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
D. M. Shannon (Cammell Laird & Co. Ltd.).

SPON AND CHAMBERLAIN
"N" DEPT.
123 LIBERTY STREET
NEW YORK



MIDVALE CRANK SHAFTS

MIDVALE crank shafts 7" in diameter and larger are rough machined and hogged out with the aid of the special equipment illustrated above. Superior accuracy of alignment is one of the advantages gained by using this type of machine. Prompt delivery is also insured.

Midvale Extra High Speed Tool Steel, developed in our own shops to meet the exacting demands of our own work, is used on this operation.

MIDVALE STEEL AND ORDNANCE COMPANY
CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis

SOLE EXPORTER OF OUR COMMERCIAL PRODUCTS CONSTECO CONSOLIDATED STEEL CORPORATION 25 BROADWAY, NEW YORK, U.S.A.

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY

MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY-TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify **"HYDE"**



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue

14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C O MARK



HARLAND & WOLFF L^TD

Shipbuilding and Engineering Works

BELFAST ◎ GLASGOW ◎ GREENOCK

M. S. "Glenogle"
Deadweight Capacity
12,300 Tons



Built for the Glen Line

Diesel Engine Works, FINNIESTON & SCOTSTOUN, GLASGOW

Repair Works, LIVERPOOL AND SOUTHAMPTON

London Office, 1a Cockspur St., S. W.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"Money Saved Is Money Made"

A. PALADINI, INC.

FRESH-SALT-SMOKED
PICKLED AND DRIED FISH

BRANCHES
883 MARKET STREET
SAN FRANCISCO
520 WASHINGTON ST
OAKLAND
MONTEREY CAL

FISHING STEAMERS
U.S. GRANT
HENRIETTA
IOLANDA
THREE SISTERS
AND
PALADINI NO 5

MAIN OFFICE
540 CLAY STREET
SAN FRANCISCO

PLEASE ADDRESS REPLY TO 540 Clay St.
San Francisco, Calif.,
January 20, 1922.

Enterprise Engine Co.,
San Francisco, Calif.

Dear Sirs:-

It is our pleasure to inform you that the 100 H.P. Enterprise Diesel Engine that you installed in our boat "Three Sisters" about five months ago has been giving surprisingly satisfactory service, and we anticipate continuance of this service.

Our men who operate the "Three Sisters" are enthusiastic about the ease with which it is operated since the Diesel Engine was installed, and it is now the pride of our fleet.

No repairs have been made to the engine so far, in spite of the fact that it runs continually from 12 to 15 hours a day and is operated by men who were utterly unfamiliar with engines of Diesel type before we installed this one in our boat.

The saving in oil and fuel is enormous. The gas engine that was previously in the "Three Sisters" consumed approximately $200.00 fuel a week, whereas the Enterprise Diesel has never consumed 10 barrels of 14° gravity Fuel Oil costing less than $16.00 a week and with operating hours more than any week when the gas engine was in the boat.

The speed of the "Three Sisters" is greater now with the Diesel engine installed, and on account of its greater speed it is being used as a "pick-up" boat, which makes round trips to the fishing grounds daily.

Yours very truly,

A.PALADINI, INC.,

JC/VP by J. Picca

Read How
A. Paladini, Inc., Saves Money

The California State Board of Harbor Commissioners selected the Enterprise Diesel Engine for their new inspection and tow boat only after very exhaustive tests by their engineers and D. W. Dickie, the well known Naval Architect, designer of the boat. These tests demonstrated that the Enterprise Diesel Engine operated as well on the ordinary fuel oil without clogging nozzles as on the more expensive 24° Diesel oil costing 59.3 per cent. more than fuel oil. The horse-power developed on these tests showed the Enterprise Diesel Engine would develop 19.61 Horse Power per gallon, while our nearest competitor's engine develops 18.7 on the 24° Diesel oil. May we figure your requirements and furnish absolute guarantee on cost of operation? Built in sizes of 50 to 300—both Marine and Stationary.

Northern Distributors:
H. G. McLaughlin Co.
809 Railroad Ave.
Seattle, Wash.

Eastern Distributors:
Sexton Motor Co.
30 Church St.
New York, N. Y.

Southern California:
Gaertner & Kelly
San Pedro, Cal.

Southern Distributors:
Menge Marine Hardware & Supply Co.
New Orleans, La.

British Columbia Distributors:
Vancouver Shipyards, Ltd., Vancouver, B. C.

ENTERPRISE
ENGINE COMPANY
Eighteenth and Alabama Streets, San Francisco
California



Diesel Driven Worthington Lighter

This lighter, with its new Worthington Diesel Engine, has demonstrated in several trials in and about the congested New York harbor a flexibility of control surpassing the most responsive steam plant. This is in addition to a handsome saving in operating expense. Fuel bills alone are at least $300 per month less than in a steam lighter of equal capacity.

WORTHINGTON

W 87.4

Worthington Pump and Machinery Corporation
Executive Offices:
115 Broadway, New York City. Branch Offices in 24 Large Cities

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE KITCHEN REVERSING RUDDER

U. S. Patent 1,186,210—1916

The 300 practical installations on Motorships, Tugs, Barges, Yachts, etc., have fully demonstrated that these Rudders give a maneuvring ability *superior* to that as obtained by the best *electric drive*.

Why *complicate* your propelling unit when you can *simplify* it?

No reversing or slowing down of engine necessary, engine and propeller *ahead* only.

Vessel maneuvered by remote control from bridge without reference to engine room.

No ship too large, no boat too small for Kitchen's Reversing Rudders.

Hand Operated Gear up to 460 B.H.P. Electric or Hydraulic Power Gear up to or over 2,000 B.H.P.

Literature and Particulars from

SOLE LICENSEES AND MANUFACTURERS

THE McNAB COMPANY **BRIDGEPORT, CONNECTICUT**

or

Rossell & Thayer, **Forrest Building,** **Philadelphia, Pa.**
Ford & Geirrine, **Merchants Exchange Building,** **San Francisco, Calif.**

Sole Licensees for British Columbia: Yarrows, Ltd., Victoria, B. C.

Always on Watch!

Whenever you want to know—day or night, in port or at sea—Pneumercator Tank Gauges stand ready to give you instant information as to the contents of your tanks.



You have an absolute and accurate check on your fuel oil—invoiced quantity, daily or hourly consumption, amount on hand. You can watch your tanks and guard against overfilling or flooding of decks.

Hundreds of Pneumercator equipped ships—from liner to tugboat—testify to the reliance placed in this modern method of tank gauging.

Ask for Bulletin No. 202

Pneumercator Company, Inc.

40 Flatbush Ave. Ext., Brooklyn, N. Y.

P-157

Trade Mark Reg. U.S. Pat. Off.

Pneumercator Gauges

Standard for Ships' Oil, Fuel and Ballast Tanks

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.



The M.S. "POLSTJERNAN" Fitted with one 260 b.h.p. BERGSUND" Oil-Engine

"BERGSUND"
CRUDE OIL ENGINES

FROM 5 b.h.p. UP TO 600 b.h.p.

DIRECT REVERSING

BERGSUNDS MEKANISKA VERKSTADS A.B.

Shipbuilders and Engineers

STOCKHOLM **SWEDEN**

Cable Address: BERGSUND, STOCKHOLM

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The New Cory Shaft Direction Indicator and Revolution Counter

A-3419

SHAFT DIRECTION INDICTATOR AND REVOLUTION COUNTER.

A new and better indicator has been developed by the Cory Engineers, and after exhaustive tests under actual conditions it has also received the approval of the Navy Department, and is now available.

This indicator is actuated by a transmitter attached to the shaft, and operates on any desired voltage. It is silent and reliable in operation, and sturdy in construction.

The shaft direction is always visible and the revolutions are counted continuously.

Write today for catalog bulletin No. 11-29-A, a description of Engine Shaft Indicating Systems.

CHAS. CORY & SON, Inc.

MANUFACTURERS AND INSTALLATION ENGINEERS
OF
INTER-SIGNALLING COMMUNICATING, AND LIGHTING EQUIPMENTS.

183-7 VARICK ST. NEW YORK, N. Y.



Wear Automatically Taken Up In Northern Rotary Pumps

The rotors in Northern Rotary Pumps are fitted with self-adjusting packing strips which automatically feed out as they wear.

The rotors are relieved of the wear of driving each other by a pair of hardened steel pilot gears running in a bath of oil.

NORTHERN ROTARY PUMPS
"MORE GALLONS PER HORSE POWER"

These Northern features give the pump its high efficiency—long life at high efficiency—minimum upkeep expense, and "More gallons per horsepower," during the entire life of the pump.

These and other superiorities, like extreme compactness, durability and lightness make the Northern an unusually good cargo pump.

NORTHERN FIRE APPARATUS CO.
MINNEAPOLIS, MINNESOTA. U.S.A.

John A. Hense, New York City, Manager
51 East Forty-second Street

TBT

THOMAS B. THRIGE

ODENSE
DENMARK

Telegrams
"THRIGE ODENSE."



ELECTRIC CARGO WINCHES

Torsional Vibrations *of* Shafts

Calling our torsional vibration experts into consultation while the shaft is being designed—will prove to be a very profitable procedure.

If you do not already know, experience will demonstrate very forcibly that it is extremely difficult to correct the condition, after the shaft has been installed.

WE SOLVE VIBRATION PROBLEMS
Trade Mark Registered

Write for booklet
"Eliminating Vibrations"

VIBRATION SPECIALTY CO.
N. W. Akimoff, President
Harrison Bldg., Philadelphia, Pa., U.S.A.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

SHIPMATE RANGES

Smallest Size
Body, 18¾ inches long

Largest Size
No limit to length

There's a big Yankee clipper coming about,
"Maintops'l haul!" You can hear her Skipper shout.
There's a SHIPMATE in her galley, snug and clean and neat,
And the cook is at the fore-bitts easing off the sheet.
And when she wets her scuppers, boys,
On the other tack,
We can gamble that their suppers, boys,
Will be a bully whack.

As it did in sail, the SHIPMATE delivers the goods in steam. It has progressed with the times.

Made by

THE STAMFORD FOUNDRY COMPANY

Established 1830 **STAMFORD, CONN.**

Pacific Coast Agencies

Holbrook, Merrill & Stetson.....Sixth, Bluxome and Townsend Sts., San Francisco, Cal.
Oregon Marine & Fisheries Supply Company.....105-107 First St., Portland, Oregon
Pacific Net & Twine Company.....1213-1223 Western Ave., Seattle, Wash.
Lipsett, Cunningham & Company, Ltd.....Prince Rupert, B. C.
Canadian Fairbanks-Morse Company.....798 Beatty St., Vancouver, B. C.

"AVANCE"

CRUDE OIL ENGINES

SIMPLE-RELIABLE-ECONOMICAL

ABOUT 25,000 "AVANCE" ENGINES SOLD ALL OVER THE WORLD



170

There are "AVANCE" engines still running since 1900

DISTRICT AGENTS WANTED

ADDRESS FOR LETTERS AND TELEGRAMS

AVANCEMOTORN - STOCKHOLM
SWEDEN

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee **Quick Delivery**

Send for Quotations

ECONOMY SIMPLICITY RELIABILITY

THREE IN ONE



VOLUND

TWO-CYCLE CRUDE-OIL MOTOR

WORKS AT ⅙ OF OPERATING COST OF ANY GASOLINE MOTOR

WITHOUT WATER INJECTION

350 INSTALLATIONS IN FISHING BOATS, TUGS AND BARGES.

HANDLED BY MEN WITHOUT MECHANICAL TRAINING

CHRISTENSEN & SNETHLAGE

CUNARD BUILDING, NEW YORK CITY

TELEPHONE Bowling Green 3154

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"



Over 1700 BRUNSWICK machines aboard ship

BRUNSWICK REFRIGERATING CO.
410-480 JERSEY AVE., NEW BRUNSWICK, N. J.

Kahlenberg

MARINE OIL ENGINES
(HEAVY DUTY)



AIR REVERSING TYPE

Positive Governor Control from No Load to Full Load.
Variable speed instantly obtainable from just "turning over" to wide open.
Operates on any of the crude fuel oils or kerosene.
Absolutely reliable. Fuel consumption .55 lbs per H. P. hour.

Sizes 15 to 200 H. P.

KAHLENBERG Stationary Oil-engines are used for auxiliary power on board ships.

Two distinct advantages of all "Kahlenberg" Engines are:
1—They are directly reversible from full speed ahead to full speed astern without stopping. Thus you have two ways to manoeuvre, by using the reversing gear; or, reversing the engine.
2—You can advance or retard the time of fuel injection (while running full speed in either direction) to any part of the stroke, or wherever, in the opinion of the operator, the engine runs best on the particular kind of fuel he is using.

Write for our literature stating your requirements fully.

KAHLENBERG BROS. & CO.
MANUFACTURERS
1707 12th St. Two Rivers, Wis., U. S. A.

MARINE ENGINEER OFFICERS' MAGAZINE

Every Engineer should have his copy monthly.

Become a Subscriber now. 18/- Yearly Subscription.

Contains: Specially written articles on Marine Engineering; Personalities; and a mass of interesting reading matter.

PUBLISHERS

JAMES MUNRO & CO., Ltd.
Marine Engineering and Nautical Publishers
35 & 37 Washington Street Glasgow
P. O. Box 105



BALANCING PROPELLERS
Turbine Rotors and

Eliminating Torsional Vibrations in Shafts are features of our engineering service.

VIBRATION SPECIALTY COMPANY
N. W. Akimoff, *President*
Harrison Bldg. Philadelphia, U. S. A.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The East Asiatic Co., Ltd.

Aktieselskabet Det Ostasiatiske Kompagni,
COPENHAGEN

TO THE EAST:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to HONGKONG, SHANGHAI and JAPAN PORTS.
Sailings from COPENHAGEN, GOTHENBURG and occasionally CHRISTIANIA and MIDDLESBROUGH to PORT SAID, COLOMBO, PENANG, SINGAPORE and BANGKOK.

TO SOUTH AFRICA:
Sailings from DENMARK, NORWAY and SWEDEN to CAPE TOWN, MOSSEL BAY, ALGOA BAY (PORT ELIZABETH), EAST LONDON, DURBAN (PORT NATAL), DELAGOA BAY (LOURENCO MARQUES) and BEIRA.

TO AUSTRALIA:
Sailings from DENMARK, NORWAY and SWEDEN to FREMANTLE, ADELAIDE, MELBOURNE and SYDNEY, taking cargo in through freight to QUEENSLAND, NEW ZEALAND, TASMANIA, and the PACIFIC OCEAN.

TO NORTH PACIFIC:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to COLON and PANAMA (with transhipment to CENTRAL AMERICAN PORTS), LOS ANGELES HARBOUR, SAN FRANCISCO, PORTLAND (ORE.), TACOMA, SEATTLE and VANCOUVER.

TO SOUTH PACIFIC:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to COLON and PANAMA (with transhipment to CENTRAL AMERICAN PORTS), GUAYAQUIL, CALLAO, MOLLENDO, IQUIQUE, ANTOFAGASTA, and VALPARAISO.

For further particulars please apply to:

THE EAST ASIATIC CO., LTD. - - - COPENHAGEN
THE EAST ASIATIC CO., LTD., 158 Fenchurch St., LONDON, E. C.

United States of America:

The East Asiatic Co., New York Agency, Inc., 60 Wall St., N. Y. City
Otto Jelstrup, 310 Sansome Street, San Francisco, California

Now is the Time for CAULKING, not talking

STRATFORD SPECIAL
No. 1 OAKUM

Saves Money for Builders and Owners

George Stratford Oakum Co.
JERSEY CITY, N. J.

H. G. TROUT CO.
BUFFALO, NEW YORK, U. S. A.

Solid and Sectional
Bronze Propellors

Solid and Sectional
Semi-Steel Propellors

Write for Catalog

"A half century's experience"

TROUT
BUFFALO U.S.A.

MARINE LUBRICATION PERFECTED

BORNE SCRYMSER COMPANY MARINE W TRADE MARK TYPE NEW YORK

FOR

CYLINDERS AND BEARINGS

St. Thomas, V. I., U. S. A.

Cheapest Oil and Coal Bunkering Station in the West Indies
The Largest, Safest and Deepest Harbour in the Caribbean Sea

THE WEST INDIAN COMPANY, LTD.
About 3200 feet quay berth. Depth of water 31 feet. Large stocks of BEST AMERICAN STEAM COAL and FUEL OIL for steamers and motorships.
STEAMERS bunkered day and night by large ELECTRIC COAL CONVEYORS, coal weighed automatically by officially adjusted weighing machines, each conveyor delivering from 100 to 150 tons per hour.
FUEL OIL supplied day and night at the rate of up to 300 tons an hour.
FRESH WATER supplied at moderate cost from New Water Works with Filtering Plant.

NO PORT CHARGES
TRAN-SHIPMENT of cargo at very moderate rates to all points in the West Indies, Venezuela and Colombia by new, regular, intercolonial lines of STEAMERS and MOTORSHIPS.

For further particulars apply to:

THE WEST INDIAN CO., LTD. St. Thomas, V. I., U. S. A.
Telegraphic Address: OCCIDENT

FOR COAL:
THE BERWIND WHITE COAL MINING CO. 1 Broadwav, N. Y.
Telegraphic Address: BERWIND

HULL, BLYTH & CO., LTD. 1 Lloyds Avenue, London, E. C.
Telegraphic Address: VAPOR

FOR FREIGHT, COAL AND OIL:
THE EAST ASIATIC CO., LTD. Copenhagen
Telegraphic Address: OCCIDENT

UNITED BALTIC CORP., LTD. 158. Fenchurch St., London, E. C.
Telegraphic Address: ORIENTEAKO

THE EAST ASIATIC CO., INC. 60 Wall Street, New York
Telegraphic Address: ORIENTICO

THE EAST ASIATIC CO., LTD. 310 Sansome St., San Francisco
Telegraphic Address: JELSTRUP

WEST INDIA OIL COMPANY 26 Broadway, New York
Telegraphic Address: "WESTOIL"

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BUILDERS OF ALL
TYPES OF VESSELS

SUN SHIPB
DIESEL

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from
UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ONE MOTORSHIP YEAR BOOK
(*1922 EDITION*)
AND A BEAUTIFUL 72-PAGE ART SUPPLEMENT
FREE

TO everyone entering a two-years' subscription to "Motorship" for a total of $6.00 domestic or $7.00 foreign, prior to Sept. 1st, 1922, a copy of the 1922 Yearbook will be sent free. (Regular price now $2.00.)

EXISTING subscribers can also secure a "Yearbook" free by sending a check, draft or money-order covering cost of extending their subscription to January, 1924, within two months of receiving their copy of this issue. Subscription expiry-dates are on all "Motorship" mailing-wrappers.

ALL subscribers (existing and new) will shortly receive without charge a beautiful 72-page Supplement to "Motorship" printed on India silkote paper, which will include first and exclusive details and illustrations of a new and remarkable marine oil-engine. This splendid and artistic Supplement is now in course of preparation. To receive this Supplement new subscriptions must be received within six weeks.

TAKE ADVANTAGE OF THIS OFFER NOW

Domestic:
$3.00 per year

Cable Address
Freemote, N. Y.

MOTORSHIP

282 W. 25th St., New York City, U. S. A.

Foreign:
$3.50 per year

Telephone
Watkins 9848



The Diesel Motorships "Californian" and "Missourian"

THESE magnificent vessels built at our Chester Yard are sample products of the high standard of American ship construction.

CHANGING conditions in the development of shipping in our domestic and foreign trade bring new problems to shipowners and operators which press for solution.

OUR Marine Technical Staff and representatives are at the disposal of our clients for consultation and advice.

OUR QUOTATIONS WILL INTEREST YOU.

MERCHANT SHIPBUILDING CORPORATION

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFORMANCES OF GÖTAVERKEN MOTORSHIPS



No. 1 THE M.S. "BULLAREN"

9,400 tons d. w.; Owners: Transatlantic Steamship Company, Göteborg

Date of delivery	27 juni 1918
Distance travelled	abt. 210,000 Naut. miles
Average speed	12,5 Knots
Daily fuel-consumption incl. auxiliaries	13,7 Tons
Power	4,000 I. H. P.
Cruising-radius	30,000 Naut. miles

REMARKS:

The M. S. Bullaren has covered a total distance representing 10 trips around the world and her Diesel-motors have made about 100,000,000 revolutions

BUILT AND DIESEL-ENGINED BY THE GÖTAVERKEN

GÖTAVERKEN

GÖTEBORG - SWEDEN

SHIPBUILDERS AND DIESEL-ENGINE CONSTRUCTORS

LARGEST FLOATING DRY-DOCK IN SCANDINAVIA
LIFTING CAPACITY 13,000 TONS

GÖTEBORG SWEDEN GÖTAVERKEN

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



"ALCYONE"—A Diesel-Electric Yacht

"Alcyone" built in 1908 by Geo. Lawley & Son Corp. from designs by Tams & King and owned by Mr. H. W. Putnam, has recently been converted from a Steam Yacht to a Diesel-Electric Yacht at the yards of the Tebo Yacht Basin.

The new power plant consists of two Winton Diesel Oil Engines, 6 Cylinder 11"x14" developing 225 H.P. at 260 R.P.M., each engine direct connected to a 140 K.W. Westinghouse Generator and a 12 K.W. Exciter, which in turn supply power to a 350 H.P. Westinghouse Driving Motor operating at 175 R.P.M. Two auxiliary Winton Generating Sets are operated by six cylinder 3"x4" Winton kerosene motors. Speed with steam plant—10 knots. Speed with Diesel-Electric Drive—11 knots.

Another striking example of the general trend towards Diesel-Electric Drive. Here is a 600 ton yacht in which the speed has been increased, cruising capacity tremendously added to, power plant space reduced, operating expenses minimized and vibration eliminated.



WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church St. ***Seattle***—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Albee Bldg.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton
ENGINES

Diesel-Electric Drive is the New Power Unit

Diesel-Electric Drive has produced such remarkable economies in actual service that it is rapidly becoming the accepted "next" type of propulsive unit. Yachts, Ferry Boats, Cargo Ships and Commercial Vessels of all types will be installing Diesel-Electric Drive simply because this type of drive is the MOST economical yet devised.

Its very compactness, flexibility and dependability puts the Diesel-Electric Drive in a class by itself, to which must be added the increase in cruising radius, reduction in crew, speed in fueling, etc., etc.



CLEVELAND, OHIO, U. S. A.

San Francisco—F. G. Bryant, 593 Market St.
New Orleans, La.—A. Baldwin Company

Generated on 2024-09-13 14:52 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton,

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS

M.S. "Juno"

M.S. "Lara"
M.S. "Hestia"

M.S. "Jules Henry"

M.S. "Salerno"

M.S. "Vulcanus"

M.S. "Sardinia"

M.S. "San Paulo"

M.S. "Artemis"

BOELONGAN NEDERLAND

M.S. "Boelongan"
M.S. "Bengkalis"

M.S. "Sebastian"

M.S. "Hermes"
M.S. "Selene"

M.S. "Sembilan"

M.S. "Tosca"

SIBERG-NEDERLAND

M.S. "Myer"
M.S. "Siberg"

M.S. "Loudon"

M.S. "Ares"

M.S. "San Miguel"

M.S. "Emanuel Nobel"
M.S. "Elbruz"

M.S. "Athene"

M.S. "Geisha"

1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800

FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
901 Woolworth Bldg., N. Y. City

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Advantages of Oil Engine-Electric Drive

for ship propulsion can be fully realized only when the electrical equipment is combined with oil engines possessing the *simplicity* and *high fuel economy* of the

PRICE-RATHBUN ENGINE

A line of sizes ranging from 240 to 750 BHP has been developed which gives the ship operator a wide choice in number and size of engine generator sets. These engines

Are designed for marine installation.

Have six cylinders.

Use the Price system of direct injection of fuel, eliminating the high pressure injection air compressor and thereby reducing the weight and floor space of installation.

Have automatic pressure system of lubrication.

Have a simple yet sensitive governor control which automatically proportions the fuel change to meet load fluctuations, maintaining the constant speed essential for correct operation of electric generators and motors.

Have moderate weight per horse-power making it possible for total weight of installation to be no greater than for a direct drive installation.

Our engineers will be glad to go into full details with you with reference to marine oil engine electric drive.

INGERSOLL-RAND COMPANY, 11 Broadway, New York

PRICE-RATHBUN Engines are also built for direct drive in sizes from 220 to 750 BHP.

19-MOE

Ingersoll-Rand

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM THE AGGREGATE H.P. IN VESSELS FROM 1500 TO 6600 I.H.P. AND THE NUMBER OF SUCCESSFUL MOTORSHIPS IN OPERATION EXCEED ALL OTHER SYSTEMS COMBINED AND NO ENGINE BUILT TO THIS SYSTEM HAS EVER BEEN REMOVED OR REPLACED

ACCURACY AND INTERCHANGEABILITY ASSURED BY MODERN JIGS AND SPECIAL TOOLS; PROPER MATERIALS BY CRAMPS' IRON, STEEL AND BRASS FOUNDRIES CONTROLLED BY A MODERN LABORATORY

MOTORSHIPS THAT STAY ON THE SEAS

DIESEL ENGINES THAT STAY IN THE SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD ENGINES FOR TWIN SCREW VESSELS

SPECIAL LONG STROKE ENGINES FOR SINGLE SCREW SHIPS OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE
(Burmeister & Wain System)

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

From Trawler to Battleship

—Modern Propulsion

The General Electric Company is a pioneer in the development of modern ship propulsion. G-E equipments are renowned for reliability, and successful installations are numbered in hundreds.

Visit these ships; inspect their propelling machinery; and investigate their performance. Then be sure *your* ship power is backed by broad experience.

G-E engineers are eminently fitted to recommend and design the ideal drive for any vessel—from trawlers and ferries to the largest battleship. Why not submit your problem?

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

26-52

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TORSIOGRAMS



Torsiogram from the crankshaft of an eight cylinder in line engine. This interesting curve was obtained on a recent investigation of the torsional vibration characteristics of a four-cycle, eight-cylinder engine. Note the pronounced vibrations set up by the 16th harmonic component of the explosive forces and particularly that there are sixteen reversals of stress during each revolution.

Do you know why this installation is a failure?

Do you know how to compute the true critical speed from the above curve?

Do you know that destructive stresses may be set up while running at speeds far below the critical?

Do you know how to avoid these dangers and that all of these troubles can be prevented by proper designing before the engine is built?

We have experts to investigate and report on torsional as well as all other types of vibrations.

Send for interesting booklet

"ELIMINATING VIBRATIONS"

We also manufacture NWA Static and Dynamic Balancing Machines in sizes for handling all kinds of rotors, weighing from 10 pounds up to 200,000 pounds. Five years of unbroken success, with every purchaser a booster.

VIBRATION SPECIALTY COMPANY

N. W. AKIMOFF, President

Offices: Harrison Building

Laboratories: 1532-34 Winter Street

PHILADELPHIA, PA., U. S. A.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Double Dredging Capacity

Watch an electric dredge work and you will find that it will load a barge or bunker in half the time taken by a steam dredge.

On board an electric dredge you will be agreeably surprised by the convenient arrangement of machinery and the free space available.

A Diesel engine driven generator supplies the current to the motors which, individually, drive all machinery, including the propeller. Motor drive allows the barge machinery to be placed just as desired for the best operation.

The control can be located at any desirable point.

No boilers—no coal bunkers—no heavy reciprocating engines.

Fuel consumption reduced to one half or less—capacity practically doubled.

WESTINGHOUSE ELECTRIC & MANUFACTURING COMPANY
East Pittsburgh, Pa.
Special Pacific Coast Representative, Hunt, Mirk & Company, San Francisco

Westinghouse

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Augusta (Sicily)
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Christiania (Soon)
Civitavecchia
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Genoa
Glasgow
Gothenburg
Granton
Hankow
Havana
Hong Kong
Hull
Hurghada
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
Naples
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Spezia
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Cebu
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Hamburg
Havre
Ilo Ilo
Iquique
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire
Vado

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

FALK
HERRINGBONE GEARS

The Diesel-powered ship industry has long recognized the practical superiority of Falk Herringbone Reduction Gears.

This type of power transmission has proved particularly adaptable and highly efficient in Motorships because of its ability to deliver a smooth, continuous flow of power devoid of back-lash and minus the irregularities which mark the more common types of gears.

For rehabilitation work, as well as new installations, Falk Herringbone Gear Units are recommended by leading marine engineers.

Our engineering department will be glad to furnish you with such general or specific information as you may desire.

THE FALK CORPORATION

REPRESENTATIVES

W. O. Beyer, 1007 Park Bldg., Pittsburgh, Pa.
M. P. Fillingham, 50 Church St., New York City.
F. W. Grimwood, Rialto Bldg., San Francisco, Cal.
Vulcan Iron Works, Wilkes-Barre, Pa.
Denver Engineering Works, Denver, Colo.

CANADIAN REPRESENTATIVE

Engineering Equipment Co., Ltd., 619-623 New Birks Bldg.
Montreal, Quebec, Canada.

FOREIGN REPRESENTATIVE

Gustav Melms, 3 Rue Taitbout, Paris.



The "James Timson," another of the Diesel-driven freighters with Falk Herringbone Gears



"Libby Maine," full powered twin-screw freighter equipped with Falk Reduction Gears. This ship is driven by twin-Dow Diesel Engines, 320 S. H. P. each at 420 R. P. M., propellers at 100 R. P. M. Made 63,185 nautical miles in 2½ years. Gears in perfect condition

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTA

PACIFIC DIESEL

OAKLAND,

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

DIESEL ENGINES

D IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

ALIFORNIA

RELIABILITY

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Record of Test 15 H.P. Output for 8 Hours

Temperature Rise °C Thermometer	
Armature Winding	37
Field Winding	30
Interpole Winding	35
Commutator	33
Ball Bearings	22

These motors are now in service on Motorships "Californian" and "Missourian" — American-Hawaiian SS. Co.

Conservative Marine Engineers who contemplate the installation of electric motors on ships and who expect the same reliable service which they are accustomed to obtain from steam driven auxiliaries, will be interested in this motor performance.

DIEHL MFG. CO., Elizabeth, N. J.

NOW READY

BOUND VOLUMES OF

JANUARY TO DECEMBER, INCLUSIVE

1921

MOTORSHIP

PRICE $8 Net

DOMESTIC POSTPAID—FOREIGN POSTAGE 50 CENTS EXTRA

ONLY A TOTAL OF 34 VOLUMES AVAILABLE

When sending your order state if the volume is desired with or without advertising

MOTORSHIP

282 West 25th Street
New York City, U. S. A.

CABLES—FREEMOTE, NEW YORK

OFFICES IN
Seattle, Wash.; San Francisco, Cal.
Boston, Mass., and Los Angeles, Cal.

TELEPHONE—WATKINS 9848

See Top of Editorial Page

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE-TOSI DIESEL *Marine Engine*

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION



Engine for M.S. "Pinzon," built at Dalmuir.

Results of 100 Hours' Trial.

Average B.H.P.	1,276
Mechanical efficiency, per cent.	77
Average I.H.P.	1,646
Revolutions per minute.	124
Mean pressure on B.H.P. basis, lb. per square inch.	75.5
Fuel consumption, lb. per P.H.P. per hour.	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours.	4.5
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	550
Lubricating oil pressure, lb. per square inch.	10-12
Circulating water pressure (jacket), lb. per square inch.	10-15
Piston cooling water pressure, lb. per square inch.	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average.	125
Piston cooling water, outlet temperature, deg. Fah., average.	130
Blast air pressure, lb. per square inch	1,000

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM BEARDMORE AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines

The Motorship "H. R. Humphrey"

Helping to catch Menhaden in Chesapeake Bay

The motorship "H. R. Humphrey" uses a 300 H. P. "C-O" Marine Oil Engine and is one of five owned by the same company operating in the Menhaden fishing industry in Chesapeake Bay.

This boat is 134 ft. long, 21 ft. wide, draws 10½ ft. of water, and has a speed of 11½ miles per hour.

"C-O" Marine Oil Engines, 30 H. P. to 300 H. P., economically use low priced fuel oils. They are simple and rugged in design and construction—easy to start. Valveless without igniters, timers, switches, carburetors, magnetos, etc. No hot bulb or water injection. Flexible and dependable.

Fairbanks, Morse & Co.
MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



M. S. "Fabia," of the John Chisholm Fisheries Co., Boston, Mass., one of the most economically operated fishing boats.



Mr. Leslie Malloch, chief engineer of the "Fabia," says he would not care to go to sea without the De Laval Purifier shown above.

De Laval Purifier lowers oil consumption and protects engine of Motorship "Fabia"

Since a De Laval Oil Purifier has been made a part of the lubricating system of the "Fabia's" Nelseco 360 hp., 6-cylinder, Diesel type engine the consumption of crank case oil has been reduced to an average of two gallons per 24 hours of operation. More important is the fact that after operating the Purifier for over a year, during which time no oil was taken out of the system, it was only necessary to remove .012-inch shims from four of the crank boxes.

The De Laval Oil Purifier on the "Fabia" is operated all the time her engine is running —which is almost continuously. The 3/16-inch stream of oil that is constantly by-passed through the De Laval yields in 18 hours about one pint of sludge, which is collected in the dirt-holding chamber of the Purifier. That this represents practically all of the sludge generated in the engine was proved when a recent inspection showed the lubricating system to be free from deposits of sludge, dirt or water.

Whether you operate Diesel-driven or turbine-driven vessels, you can save oil and protect their vital parts with the De Laval Oil Purifier. The coupon brings full information. Mail it.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

M

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation

General Agents: Hamburg-American Line

Hamburg

Joint Services with

Hamburg-American Line

From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans

Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

Dutch East Indies

U. S. Government Ships

New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Steamers take cargo for Tunis, Alexandria and Syrian Coast Ports

Intercoastal Service

of the

American-Hawaiian S. S. Co.

New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast—European Service

of the

American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

READ AND ADVERTISE

LA·MARINA
·ITALIANA·

RASSEGNA·DELLE·INDUSTRIE·DEL·MARE
DIRETTA·DA·NAPOLEONE·ALBINI

The most important Italian Maritime Review, and the most powerful propaganda-journal for motorships in Italy.

Issued Monthly—Profusely Illustrated
(Price 5 Dollars Per Year)

Owned and Managed by

***Napoleone Albini*, Naval-Architect and Marine-Engineer**

Late Lieutenant-Colonel Constructors Corp of Italian Royal Navy

Address GENOVA (2) Piazza di Francia 3-14

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Do Your Diesel Engine Bearings Run Cool at Heavy Loads?

Multiwhirl Coolers are extensively used for cooling Diesel lubricating oil.



Multiwhirl Cooler

The oil is directed in its flow through the shell by the helical baffle and gives up its heat to the circulating water in the copper tubes.

The shell is bored throughout to insure against foundry scale or sand contaminating the oil.

Bulletin No. 904 tells the complete story. It's yours for the asking.

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia	Rochester	Toledo	Syracuse	Salt Lake City	Charlotte	Los Angeles
Boston	Pittsburgh	Detroit	Minneapolis	Denver	San Francisco	Kansas City
Hartford	Cleveland	Chicago	St. Louis	Houston	Seattle	Milwaukee
			New Orleans	Fort Worth		

REG. U.S. PAT. OFF.

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY

MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY - TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The First All American Twin Screw Motorship "Californian" Has A-E-CO Auxiliaries



A-E-CO *Electric Winch on board the M. S. "Californian"*

Naturally, the record of the first all American motorship will be the subject of critical scrutiny in all marine circles.

Her owners wish to point to her with pride so they have supplied her with what is, in their opinion, the best possible equipment.

A marine magazine says, of the "Californian," "Her owners were convinced that the efficiency and economy effected would fully justify the expenditure."

They chose A-E-CO steering gear, A-E-CO winches, A-E-CO windlass.

No word of ours could add to this testimony.

Offices
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

Send for our catalogs.

American Engineering Company
Philadelphia, Penna.

We also build
Steering Gears
Telemotors
Windlasses
Winches
Capstans
Gypseys
Chandlery

CUNNINGHAM
ELECTRIC AUXILIARY MACHINERY
The Pioneer American Line of Electric Deck Machinery



The "CUNNINGHAM" geared spring quadrant type electric-hydraulic steering gear (KENNICOTT TYPE) controlled by our MACTAGGART-SCOTT safety steering TELEMOTOR, is the IDEAL STEERING GEAR for MOTORSHIPS.

The floating quadrant driving the tiller through compression springs, provides a thoroughly resilient connection with the rudder. The hydraulic variative power and speed transmission gear gives maximum speed and control of the rudder at ordinary helm angles and maximum torque at hardover positions without overloading the electric motor, which runs continuously.



PATENTS PENDING

Steering Gears—Windlasses—Winches—Capstans—For Motorships

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE AND WORKS
7500 Carleton Avenue
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, California

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C D MARK



HARLAND & WOLFF LTD

Shipbuilding and Engineering Works

BELFAST ◦ GLASGOW ◦ GREENOCK

M. S. "Glenogle"
Deadweight Capacity
12,300 Tons



Built for the Glen Line

Diesel Engine Works, FINNIESTON & SCOTSTOUN, GLASGOW

Repair Works, LIVERPOOL AND SOUTHAMPTON

London Office, 1a Cockspur St., S. W.

Generated on 2024-09-13 14:53 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE KITCHEN REVERSING RUDDER

U. S. Patent 1,186,210—1916

The 300 practical installations on Motorships, Tugs, Barges, Yachts, etc., have fully demonstrated that these Rudders give a maneuvring ability *superior* to that as obtained by the best *electric drive.*

Why *complicate* your propelling unit when you can *simplify* it?

No reversing or slowing down of engine necessary, engine and propeller *ahead* only.

Vessel maneuvered by remote control from bridge without reference to engine room.

No ship too large, no boat too small for Kitchen's Reversing Rudders.

Hand Operated Gear up to 460 B.H.P. Electric or Hydraulic Power Gear up to or over 2,000 B.H.P.

Literature and Particulars from

SOLE LICENSEES AND MANUFACTURERS

THE McNAB COMPANY — **BRIDGEPORT, CONNECTICUT**

Rossell & Thayer, Forrest Building, Philadelphia, Pa.
Ford & Geirrine, Merchants Exchange Building, San Francisco, Calif.

or

Sole Licensees for British Columbia: Yarrows, Ltd., Victoria, B. C.

Always on Watch!

Whenever you want to know—day or night, in port or at sea—Pneumercator Tank Gauges stand ready to give you instant information as to the contents of your tanks.



You have an absolute and accurate check on your fuel oil—invoiced quantity, daily or hourly consumption, amount on hand. You can watch your tanks and guard against overfilling or flooding of decks.

Hundreds of Pneumercator equipped ships—from liner to tugboat—testify to the reliance placed in this modern method of tank gauging.

Ask for Bulletin No. 202

Pneumercator Company, Inc.

40 Flatbush Ave. Ext., Brooklyn, N. Y.

P-157

Trade Mark Reg. U.S. Pat. Off.

Pneumercator Gauges

Standard for Ships' Oil, Fuel and Ballast Tanks

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.

The M.S. "POLSTJERNAN" Fitted with one 260 b.h.p. BERGSUND" Oil-Engine

"BERGSUND" CRUDE OIL ENGINES

FROM 5 b.h.p. UP TO 600 b.h.p.

DIRECT REVERSING

BERGSUNDS MEKANISKA VERKSTADS A.B.

Shipbuilders and Engineers

STOCKHOLM — **SWEDEN**

Cable Address: BERGSUND, STOCKHOLM

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Enterprise Diesels Possess Many Superior Features That Are Exclusive

IN addition to the ordinary points of superiority possessed by a Full Diesel over a Gas Engine or Semi-Diesel, there are included in the engines made by the Enterprise Company many exclusive superior features that add greatly to its running convenience and economy of upkeep.

We shall be glad to explain personally these special and exclusive features if you are interested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE
ENGINE COMPANY
Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.



DODGE HEAVY OIL ENGINES

"The best on the market to-day" says the owner of the "Maudie"

JOHN EMILE
ENGINEERING CONTRACTING
River and Harbor Improvements
DREDGING. PILE DRIVING. WHARF CONSTRUCTION
218 DUVAL BUILDING
JACKSONVILLE. FLA.

February 20th, 1922.

Messrs. Megethlin and Clark,
Miami, Fla.

Dear Sirs:-

With reference to your inquiry about the heavy Dodge engines, beg to advise that I have a 50 H-P engine in my tug boat Maudie, and have found it to be perfectly satisfactory in every respect. In my opinion the Dodge Oil Engine is the best on the market today.

Should you desire any further information, do not hesitate to call on me.

Very truly yours,

J. Emile.

John Emile.

JE:F

The owner of "Maudie" is backed in his endorsement of Dodge Heavy Oil Engine performance by many more statements from boat owners who have profited by big fuel savings and operating economy.

For instance the owner of the "Joppaite" of Gloucester says "The Dodge has responded to every demand and requirement." The Chief Engineer of the "Northland Pioneer" plying between Ft. Smith and Ft. Norman on the Mackenzie River says "The fuel economy is such that the savings would pay for the engine in a short time;" and there are many others.

Ask us for full particulars about this economical work boat power.

Dodge Sales and Engineering Company
Mishawaka, Indiana, U. S. A.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The 8-Foot SHIPMATE

The length of this range can be increased indefinitely.

SHIPMATE RANGES

In the galley range you need something you can depend upon, not only to withstand long, rough, hard usage, but to do the cooking efficiently, quickly and conveniently.

The SHIPMATE has been developed, by experience through many years of careful planning, to fill the bill.

SHIPMATES are found everywhere that vessels go.

MADE BY

THE STAMFORD FOUNDRY COMPANY

Established 1830 STAMFORD, CONN.

PACIFIC COAST AGENCIES

Holbrook, Merrill & Stetson, Sixth, Bluxome and Townsend Sts., San Francisco, Cal.
Oregon Marine & Fisheries Supply Company, 105-107 First St., Portland, Oregon.
Pacific Net & Twine Company, 1213-1223 Western Ave., Seattle, Wash.
Lipsett, Cunningham & Company, Ltd., Prince Rupert, B. C.
Canadian Fairbanks-Morse Company, 798 Beatty St., Vancouver, B. C.

Now is the Time for CAULKING, not talking

STRATFORD SPECIAL
No. 1 OAKUM

Saves Money for Builders and Owners

George Stratford Oakum Co.
JERSEY CITY, N. J.

H. G. **TROUT** CO.
BUFFALO, NEW YORK, U. S. A.

Solid and Sectional
Bronze Propellors

Solid and Sectional
Semi-Steel Propellors



Write for Catalog

"A half century's experience"

ECONOMY SIMPLICITY RELIABILITY
THREE IN ONE



VOLUND

TWO-CYCLE CRUDE-OIL MOTOR

WORKS AT 1/6 OF OPERATING COST OF ANY GASOLINE MOTOR

WITHOUT WATER INJECTION

350 INSTALLATIONS IN FISHING BOATS, TUGS AND BARGES.

HANDLED BY MEN WITHOUT MECHANICAL TRAINING

CHRISTENSEN & SNETHLAGE
CUNARD BUILDING, NEW YORK CITY
TELEPHONE Bowling Green 3154

ELECTRIC GALLEY EQUIPMENT

WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.

GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee Quick Delivery

Send for Quotations

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



INTERIOR OF M/S "SOLITAIRE" CABIN, SHOWING CORY TELEGRAPH AND SHAFT INDICATORS

SHIPS TELEGRAPHS
ELECTRICAL EQUIPMENTS

Telegraphs
- ☐ Engine
- ☐ Docking
- ☐ Steering
- ☐ Revolution

Telephones
- ☐ Loud speaking
- ☐ Inter-communicating

Voice tube fittings
Jingle bells
Bell pulls
Chain, wire pulleys
Push buttons
Vibrating bells
Annunciators

- ☐ Oil and water indicators
- ☐ Electric whistle operators
- ☐ Shaft indicating systems

Fire Alarms
- ☐ Radio telephone equipment

RAMSAY ANTICIPATING MARINE GOVERNOR.
EXCLUSIVE MARINE DISTRIBUTORS AND
INSTALLATION ENGINEERS OF Foamite Firefoam IN THE UNITED STATES

WRITE FOR FURTHER PARTICULARS

CHAS. CORY & SON, Inc.

PHILADELPHIA 41 So. Second St. | 183-7 VARICK ST. NEW YORK, N. Y. | SAN FRANCISCO 11 Mission St.

NORTHERN ROTARY PUMPS



"MORE GALLONS PER HORSE POWER"

A User Says—

"I have had the Northern pump located where it was subject to 400 pounds pressure load and it performed perfectly satisfactorily."

Another States—

"The electric bill on your pumping unit averages about $20.00 per month, while the electric bill on the old installation averages about $60.00 per month. Both are doing the same work.

And—"The amount of space it takes up is exceptionally small for the work it does."

The Northern is an exceptionally good pump for all ship board uses. Write for our new catalog.



NORTHERN FIRE APPARATUS CO.

MINNEAPOLIS, MINNESOTA. U.S.A.
NEW YORK CITY BRANCH
51 East 42nd Street
John A. Hense Mgr.

TBT

THOMAS B. THRIGE

ODENSE
DENMARK

Telegrams
"THRIGE ODENSE."



ELECTRIC CARGO WINCHES

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information



Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY
107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The East Asiatic Co., Ltd.

Aktieselskabet Det Ostasiatiske Kompagni,
COPENHAGEN

TO THE EAST:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to HONGKONG, SHANGHAI and JAPAN PORTS.
Sailings from COPENHAGEN, GOTHENBURG and occasionally CHRISTIANIA and MIDDLESBROUGH to PORT SAID, COLOMBO, PENANG, SINGAPORE and BANGKOK.

TO SOUTH AFRICA:
Sailings from DENMARK, NORWAY and SWEDEN to CAPE TOWN, MOSSEL BAY, ALGOA BAY (PORT ELIZABETH), EAST LONDON, DURBAN (PORT NATAL), DELAGOA BAY (LOURENCO MARQUES) and BEIRA.

TO AUSTRALIA:
Sailings from DENMARK, NORWAY and SWEDEN to FREMANTLE, ADELAIDE, MELBOURNE and SYDNEY, taking cargo in through freight to QUEENSLAND, NEW ZEALAND, TASMANIA, and the PACIFIC OCEAN.

TO NORTH PACIFIC:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to COLON and PANAMA (with transhipment to CENTRAL AMERICAN PORTS), LOS ANGELES HARBOUR, SAN FRANCISCO, PORTLAND (ORE.), TACOMA, SEATTLE and VANCOUVER.

TO SOUTH PACIFIC:
Sailings from COPENHAGEN, GOTHENBURG and CHRISTIANIA to COLON and PANAMA (with transhipment to CENTRAL AMERICAN PORTS), GUAYAQUIL, CALLAO, MOLLENDO, IQUIQUE, ANTOFAGASTA, and VALPARAISO.

For further particulars please apply to:

THE EAST ASIATIC CO., LTD. - - - COPENHAGEN
THE EAST ASIATIC CO., LTD., 158 Fenchurch St., LONDON, E. C.

United States of America:

The East Asiatic Co., New York Agency, Inc., 60 Wall St., N. Y. City
Otto Jelstrup, 310 Sansome Street, San Francisco, California

BINDERS

FOR

MOTORSHIP

The Publishers have a limited number of strong "loose copy" binders for disposal, which preserve copies intact. No hole punching, or clipping required.

Invaluable for Office or Home Use

Price $1.00 Each

FROM

MOTORSHIP

282 West 25th Street
NEW YORK CITY, U.S.A.

TELEPHONE—WATKINS 9848 **CABLES—FREEMOTE, N.Y.**

MARINE LUBRICATION PERFECTED

BORNE SCRYMSER COMPANY MARINE TRADE MARK TYPE NEW YORK

FOR

CYLINDERS AND BEARINGS

St. Thomas, V. I., U. S. A.

Cheapest Oil and Coal Bunkering Station in the West Indies
The Largest, Safest and Deepest Harbour in the Caribbean Sea

THE WEST INDIAN COMPANY, LTD.

About 3200 feet quay berth. Depth of water 31 feet. Large stocks of BEST AMERICAN STEAM COAL and FUEL OIL for steamers and motorships.

STEAMERS bunkered day and night by large ELECTRIC COAL CONVEYORS, coal weighed automatically by officially adjusted weighing machines, each conveyor delivering from 100 to 150 tons per hour.

FUEL OIL supplied day and night at the rate of up to 300 tons an hour.

FRESH WATER supplied at moderate cost from New Water Works with Filtering Plant.

NO PORT CHARGES

TRAN-SHIPMENT of cargo at very moderate rates to all points in the West Indies, Venezuela and Colombia by new, regular, intercolonial lines of STEAMERS and MOTORSHIPS.

For further particulars apply to:

THE WEST INDIAN CO., LTD. **St. Thomas, V. I., U. S. A.**
Telegraphic Address: OCCIDENT

FOR COAL:

THE BERWIND WHITE COAL MINING CO. **1 Broadway, N. Y.**
Telegraphic Address: BERWIND

HULL, BLYTH & CO., LTD. **1 Lloyds Avenue, London, E. C.**
Telegraphic Address: VAPOR

FOR FREIGHT, COAL AND OIL:

THE EAST ASIATIC CO., LTD. **Copenhagen**
Telegraphic Address: OCCIDENT

UNITED BALTIC CORP., LTD. **158. Fenchurch St., London, E. C.**
Telegraphic Address: ORIENTEAKO

THE EAST ASIATIC CO., INC. **60 Wall Street, New York**
Telegraphic Address: ORIENTICO

THE EAST ASIATIC CO., LTD. **310 Sansome St., San Francisco**
Telegraphic Address: JELSTRUP

WEST INDIA OIL COMPANY **26 Broadway, New York**
Telegraphic Address: "WESTOIL"

Generated on 2024-09-13 15:06 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

SUN SHIPB
DIESEL

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Wi
OIL DIESEL TYPE

The Transportation Service of the United States War Department has SEVEN (7) Diesel Driven River Vessels, duplicates of the boat illustrated herewith, in active cargo and passenger service and giving splendid accounts of themselves.

Whittelsey & Whittelsey, Naval Architects, Newport Shipbuilding Corp., Wilmington, N. C., Builders. All seven vessels are 155′x28′x9′ and each ship is equipt with a pair of eight cylinder Model 40 WINTON Diesel Oil Engines. Auxiliary equipment includes a 25 K.W. Winton Oil Engine Generating Set which makes possible the operation of all deck and handling machinery electrically.

Speed 15 knots per hour these ships are operated at a fuel cost of 16 cents per mile and are used by the War Department in Sound, Bay and River work in various parts of the country.

Another outstanding example of the economy, dependability and efficiency of Winton Oil Engines in active service. Write for full descriptive catalog.

WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church St. ***Seattle***—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Albee Bldg.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES



One of the Winton Diesel Engines used in the War Department Vessels

CLEVELAND, OHIO, U. S. A.

Los Angeles, Cal.—F. G. Bryant, 704 Delta Bldg.

New Orleans, La.—A. Baldwin Company

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

PERFORMANCES OF GÖTAVERKEN MOTORSHIPS



No. 2 THE M.S. "BUENOS-AIRES"

9,300 tons d. w.; Owners: The Johnson Line, Stockholm

Date of delivery	Jan. 18th 1920
Distance travelled	102,000 Naut. miles
Average speed	11,26 Knots
Oilconsumption per day (incl. auxil.)	10,4 Tons
Power	3,120 I. H. P.
Cruising-radius	42000 Naut. miles

BUILT AND DIESEL-ENGINED BY THE GÖTAVERKEN

GÖTAVERKEN

GÖTEBORG - SWEDEN

SHIPBUILDERS AND DIESEL-ENGINE CONSTRUCTORS

LARGEST FLOATING DRY-DOCK IN SCANDINAVIA
LIFTING CAPACITY 13,000 TONS

GÖTEBORG SWEDEN GÖTAVERKEN

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR I

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTAL

PACIFIC DIESEL I

OAKLAND,

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

DIESEL ENGINES



R
E
L
I
A
B
I
L
I
T
Y

ED IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

ALIFORNIA

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE NOBEL-DIESEL CO., LTD.

(SVENSKA AKTIEBOLAGET NOBEL-DIESEL)

LETTERS: NYNÄSHAMN

NYNÄSHAMN, SWEDEN

TELEGRAMS: NOBELDIES STOCKHOLM



TWO-CYCLE DIESEL-ENGINES

FOR ALL PURPOSES UP TO 6000 I.H.P.

IN SIZES 3-, 4-, AND 6-CYL. UNITS

HIGHEST FUEL ECONOMY: 0.4 lb. per S.H.P.-HOUR GUARANTEED.
HIGHEST MECHANICAL EFFICIENCY: 80 per cent.
LIGHT WEIGHT: 220 lbs. per S.H.P. MINIMUM LENGTH.

SIMPLICITY and ACCESSIBILITY UNSURPASSED

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Three Most Modern Motorships

Californian **Missourian** **Wm. Penn**

are fitted with A-E-CO deck machinery

Electro-Hydraulic Steerer	Electro-Hydraulic Steerer	Electro-Hydraulic Steerer
Electric Windlass	Electric Windlass	Electric Windlass
Electric Winches		Electric Winches

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NOW READY

"THE ACTUAL RUNNING COST OF MOTORSHIPS" **($1.20)**

By Tadge Madsen of the Swedish Transatlantic S.S. Co., Ltd. With Discussion and Author's Reply. Discussion includes contributions by:

A. Ernest Doxford.
James Richardson.
Summers Hunter.
Tom Westgarth.
Harold Thomson.
J. C. Arthur.
Kenneth Watson.
J. L. Chaloner.

"DIESEL ENGINE FLEXIBILITY", **($1.50)**

By W. S. Burn, M.Sc. With Discussion and Author's Reply. Discussion includes contributions by:—

Eng. Commander C. J. Hawkes, R.N. (ret.).
H. A. D. Acland (Still Engine Company).
K. O. Keller (William Doxford & Co. Ltd.).
W. F. Rabbidge (Vickers Ltd.).
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
Harold Moore.
H. T. Tizard.
North British Locomotive Co. Ltd.
J. W. Hobson.
S. J. Lucas (Messrs. Kitson & Co. Ltd.).
Eng.Lt.Com. L. J. Le Mesurier, R.N. (ret.) (Messrs. Sulzer Bros.).
Oswald Wans (Ruston & Hornsby Ltd.).
J. S. Brown.
C. S. Darling.
T. Grime.
A. D. Bruce.

"SOME PROBLEMS OF MARINE DIESEL ENGINE DESIGN" **($1.50)**

By Paul Belyavin (formerly Diesel Engine Expert to the Imperial Russian Navy). With Discussion and Author's Reply. Discussion includes contributions by:—

Harold Thomson.
Eng.Commander C. J. Hawkes, R.N. (ret.).
K. O. Keller (William Doxford & Sons Ltd.).
H. Ruck-Keene.
A. E. L. Chorlton (William Beardmore & Co. Ltd.).
D. M. Shannon (Cammell Laird & Co. Ltd.).

Papers read before the North East Coast Institution of Engineers and Shipbuilders, England.

SPON AND CHAMBERLAIN
"N" DEPT.
123 LIBERTY STREET
NEW YORK



MIDVALE CRANK SHAFTS

MIDVALE crank shafts 7" in diameter and larger are finish machined on the special equipment illustrated above. The use of machines of a new type for roughing and finishing these shafts insures accuracy of alignment and prompt delivery.

We are specialists in the manufacture of the heaviest forgings of the highest grade. One marine crank shaft turned our at our Nicetown plant several years ago required the use of an ingot weighing 300,000 pounds.

MIDVALE STEEL AND ORDNANCE COMPANY
CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis

SOLE EXPORTER OF OUR COMMERCIAL PRODUCTS CONSTECO CONSOLIDATED STEEL CORPORATION 25 BROADWAY, NEW YORK, U.S.A.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Simplicity of Price-Rathbun Marine Oil Engines



Ease of control and rapidity of manoeuvring are characteristic of Price-Rathbun Marine Oil Engines.

Reversing is accomplished by interchanging the functions of the exhaust and intake valves—there is no shifting of the cam shaft.

Seven seconds is the average time required for reversing from full speed ahead to full speed astern.

No high pressure injection air compressor is required with Price-Rathbun Engines. Fuel Injection is positive and direct, atomization being obtained without the use of compressed air. The elimination of the complicated high pressure injection air compressor and piping, saves fuel and reduces the chances of breakdown.

There are no hot bulbs, plates or blow touches as ignition is accomplished by temperature of compression *only*.

High fuel economy and the low consumption of lubricating oil combined with overall simplicity and ruggedness commend the Price-Rathbun Marine Oil Engine for installations requiring from 220 to 750 brake horse power.

Bulletin 10,003

INGERSOLL RAND COMPANY, 11 Broadway, New York City

Butte	El Paso	Knoxville	Cleveland	Philadelphia
Birmingham	Seattle	Scranton	Pittsburgh	San Francisco
Duluth	St. Louis	London	Los Angeles	Salt Lake City
Denver	Chicago	Paris	Detroit	Joplin
Boston	New York	Houghton	New Orleans	Dallas



PRICE OIL ENGINES

18-MOE

Ingersoll-Rand

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:54 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY
NEWPORT NEWS, VIRGINIA

NEWPORT NEWS SHIPBUILDING AND DRY DOCK COMPANY
SHIP BUILDERS AND SHIP REPAIRERS
PLANT LOCATED AT NEWPORT NEWS, VIRGINIA, ON HAMPTON ROADS
THREE LARGE GRAVING DRY DOCKS
Steel, Brass and Iron Foundries, Heavy and Light Forgings, Complete Facilities at One Plant for Doing any Ship Repair Job Quickly
ADDRESS
233 BROADWAY, NEW YORK, OR NEWPORT NEWS, VA.



Diesel Driven
Worthington Lighter

This lighter, with its new Worthington Diesel Engine, has demonstrated in several trials in and about the congested New York harbor a flexibility of control surpassing the most responsive steam plant. This is in addition to a handsome saving in operating expense. Fuel bills alone are at least $300 per month less than in a steam lighter of equal capacity.

WORTHINGTON

W 87.4

Worthington Pump and Machinery Corporation
Executive Offices:
115 Broadway, New York City. Branch Offices in 24 Large Cities

Generated on 2024-09-13 15:02 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Specify Motors Built for the Deck



Water-tight Controller for COM motor—well protected against damage from submersion.



G-E Solenoid Brake to help the winch motor "hold" its load—gives the operator positive control.

G-E MARINE EQUIPMENT
TO MEET YOUR REQUIREMENTS
Electric Drive for Motorships
Turbine-Electric Drive
Marine-Geared Turbines
Electric Drive for Auxiliaries

Weather and Water Proof

Few places have weather and climate so severe and so varied as on shipboard. Few power applications put such demands upon equipment as is put on a ship's electrical machinery.

Hence, the Type COM motor, water and weather proof, for driving cargo winches, boat hoists, windlasses, capstans—in fact for any intermittent drive on a ship.

Totally enclosed frame with drainage chambers, non-corrodible fittings, moisture resisting insulation, and special-type bearings—these are its features not built into motors for land use. Its control equipment is designed to meet the same conditions.

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

30-31

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF
WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE
(Burmeister & Wain System)

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



The Forward Propeller! —Does it help or hinder?

Fore

Aft

When the forward propeller is allowed to "idle," it is a drag on the boat.

When both propellers operate at the same speed, as they must in steam engine drive, the water thrown against the bow by the forward propeller has a positive retarding effect.

In neither case can maximum propulsion efficiency be attained.

It has been determined by actual test that maximum propulsion efficiency can only be obtained when the forward propeller turns at just sufficient speed to prevent its acting as a drag.

This is readily accomplished by Diesel-Electric Drive.

In addition. Diesel-Electric drive possesses the best maneuvering qualities, and allows the most complete and effective control from the pilot house. The simple backward or forward movement of a lever effects complete reversal of propellers for operation in either direction at the required speeds.

Experienced Westinghouse engineers will be glad to discuss the merits of this drive with you.

Westinghouse Electric & Manufacturing Company
EAST PITTSBURGH, PA.

Special Pacific Coast Representatives
HUNT, MIRK & COMPANY
San Francisco, California

W WESTINGHOUSE ELECTRIC

Westinghouse

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency ***Economy*** ***Cleanliness***



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Cebu
Christiania (Soon)
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Glasgow
Gothenburg
Granton
Hamburg
Hankow
Havana
Hong Kong
Hull
Hurghada
Iquique
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
New Orleans
New York
Palembang
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Vado
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Havre
Ilo Ilo
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS







1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800



FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
901 Woolworth Bldg., N. Y. City













Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



NEW "BO" TYPE

Back of the New Bolinder Engine is all the experience accumulated by the Bolinders Company during more than seventy-five years' activities as the most successful builders of high class machinery in Northern Europe and twenty-five years as the world's largest builders of hot bulb engines. With its latest improvements the Bolinder engine is equalled by no other make and is the ideal and most simple power for barges, tugs, small freighters and tankers, fishing vessels and general service boats. The latest ideas in oil engine practice are there combined with the highest grade of workmanship and material as well as the utmost care in construction. The success of a vessel depends upon the success of its power plant. The Bolinders will ensure the successful operation of your vessel.

Sizes from 6 to 500 Brake Horse Power

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

ROBINSON & HAIGH
Mercaderes 10
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
170 McGill Street
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE-TOSI DIESEL *Marine Engine*



Engine for M.S. "Pinzon," built at Dalmuir.

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION

Results of 100 Hours' Trial.

Average B.H.P.	**1,276**
Mechanical efficiency, per cent.	**77**
Average I.H.P.	**1,646**
Revolutions per minute	**124**
Mean pressure on B.H.P. basis, lb. per square inch	**75.5**
Fuel consumption, lb. per P.H.P. per hour	**.42**
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	**4.5**
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	**550**
Lubricating oil pressure, lb. per square inch	**10-12**
Circulating water pressure (jacket), lb. per square inch	**10-15**
Piston cooling water pressure, lb. per square inch	**20-30**
Water temperature at outlet from cylinder heads, deg. Fah., average.	**125**
Piston cooling water, outlet temperature, deg. Fah., average	**130**
Blast air pressure, lb. per square inch	**1,000**

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM
BEARDMORE
AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines



Profit Producers for Work-boat Owners

By actual comparison of fuel and maintenance costs "C-O" engines have been proven both practical and economical on work-boats of every description. They economically use low-priced fuel oils.

They are simple in design—sturdy in construction—easy to start—practically automatic in operation. They can be depended upon for power and flexibility in any weather.

Ask for full particulars about this practical work-boat power.

Fairbanks, Morse & Co.
MANUFACTURERS CHICAGO
The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 15:02 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



M. S. Domala, of British India Steam Navigation Company, the first motorship designed especially for carrying passengers.

De Laval Oil Purifier protects Diesels of M. S. Domala and lowers lubricating cost

A De Laval Oil Purifier operated in connection with the continuous by-pass system constantly maintains the efficiency of the oil used to lubricate the Domala's 4000 b.h.p. Diesels. It protects them against trouble and wear resulting from the use of dirty lubricating oil. At the same time, it greatly reduces lubricating cost by making it possible to keep the oil in service until it is finally lost by decomposition or leakage. No oil need ever be removed from the system.

Oil returned from the bearings is constantly by-passed to the Purifier, in which water, carbon and other dirt are centrifuged out. The purified oil discharged from the machine then goes back into the lubricating system with its original qualities restored.

That is, in brief, the system which on about 1000 ships is protecting turbines, Diesels and to some extent reciprocators, and economizing on the use of oil. The attached coupon brings further information as to how De Laval Oil Purifiers will work for you. Mail it.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

M

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation

General Agents: Hamburg-American Line

Hamburg

Joint Services with

Hamburg-American Line

From New York, Boston, Philadelphia, Baltimore, Norfolk and New Orleans

Through bills of lading, via Hamburg, to all Baltic and Scandinavian Ports

Dutch East Indies

U. S. Government Ships

New York to Penang, Belawan-Deli, Port Swettenham, Singapore, Batavia, Samarang and Soerabaya

Steamers take cargo for Tunis, Alexandria and Syrian Coast Ports

Intercoastal Service

of the

American-Hawaiian S. S. Co.

New York, Boston and Philadelphia to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Iloilo, Kahului and Port Allen, Hawaiian Islands

Pacific Coast to Europe

Service of the

American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

CUNNINGHAM
ELECTRIC AUXILIARY MACHINERY

The Pioneer American Line of Electric Deck Machinery



The "CUNNINGHAM" geared spring quadrant type electric-hydraulic steering gear (KENNICOTT TYPE) controlled by our MACTAGGART-SCOTT safety steering TELEMOTOR, is the IDEAL STEERING GEAR for MOTORSHIPS.

The floating quadrant driving the tiller through compression springs, provides a thoroughly resilient connection with the rudder. The hydraulic variative power and speed transmission gear gives maximum speed and control of the rudder at ordinary helm angles and maximum torque at hardover positions without overloading the electric motor, which runs continuously.



PATENTS PENDING

Steering Gears—Windlasses—Winches—Capstans—For Motorships

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE AND WORKS
7500 Carleton Avenue
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, California

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"Valves In Cages" Insure Steady Continuous Operation For Enterprise Diesels

One of the many exclusive features upon which Enterprise Diesels have built a name for efficiency and economy.

ENGINES that have valves in the cylinder head, like the distillate engines, require the boat to be laid up after 400 hours operation so that the valves can be taken out and ground.

This is not necessary with Enterprise Diesels for an extra valve can be inserted in five minutes. The valve taken out can be reground and replaced whenever desired without delaying the boat at all.

This is only one of the many exclusive features that Enterprise Diesels possess over ordinary Diesels. We shall be glad to explain *personally* special and exclusive features if you are interested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE ENGINE COMPANY
Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.



Cap'n Allswell says:

"It's a wise boat that knows its own speed!"

Take this Socony Barge No. 7. She's a 145-footer, draws 6½ feet of water, and holds 250 tons. She's powered with a couple of 200 horse Wintons turning around 400.

Her job is to make a big string of oil and gas stations every day and *do it on time.* So, to get the full power of her wonderful engines, they fitted her out with 58″ Columbian Bronze Propellers.

Specifications called for 8 knots. Did she ante up? You bet she did, and nearly a full knot more—provin' that a good engine and good wheel make a mighty spirited team, providin' the wheel's a Columbian."

Send for Columbian Literature

COLUMBIAN *Bronze* PROPELLERS

THE COLUMBIAN BRONZE CORP., 218 N. Main St., Freeport, N. Y. *N. Y. C. Sales Only: 44 Third Ave.*

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY



MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT
HAMBURG

CABLE ADRESS: DEUTSCHWERFT HAMBURG

TELEPHONE: VULKAN 6300-6309 HAMBURG

DW

7000 WORKMEN · 19 BERTHS FOR SHIPS UP TO A LENGTH OF 820 FEET · ANNUAL OUTPUT 200000 TONS TONNAGE

STEAM-AND MOTOR SHIPS · CARGO STEAMERS-CAPACITY OF 2000, 4000, 6500, 8000, 10000 AND 14000 TONS · TANK STEAMERS-CAPACITY OF 3700, 8000, 10000 AND 12000 TONS · FLOATING DOCKS UP TO THE LARGEST DIMENSIONS · TRAWLERS AND LIGHTERS



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

SHIPBUILDING · DOCK CONSTRUKTION · ENGINEERING WORKS · BOILER MAKING · REPAIRS · FLOATING DOCKS OF 4000 AND 8000 TONS CAPACITY

VERTICAL STEAM ENGINES · OILENGINES · STEAM TURBINES · LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY-TYPES 1550, 2250, 3100 IHP · BOILER FOR SHIPS AND STATIONARY PURPOSES WITH FORCED DRAUGHT AND SUPERHEATERS · LOKOMOTIVES

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Do Your Diesel Engine Bearings Run Cool at Heavy Loads?

Multiwhirl Coolers are extensively used for cooling Diesel lubricating oil.



Multiwhirl Cooler

The oil is directed in its flow through the shell by the helical baffle and gives up its heat to the circulating water in the copper tubes.

The shell is bored throughout to insure against foundry scale or sand contaminating the oil.

Bulletin No. 904 tells the complete story. It's yours for the asking.

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia, Boston, Hartford, Rochester, Pittsburgh, Cleveland, Toledo, Detroit, Chicago, Syracuse, Minneapolis, St. Louis, New Orleans, Salt Lake City, Denver, Houston, Fort Worth, Charlotte, San Francisco, Seattle, Los Angeles, Kansas City, Milwaukee

REG. U.S. PAT. OFF.

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C O MARK





4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

SUN SHIPB
DIESEL

BUILDERS OF ALL
TYPES OF VESSELS

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.

Have Furnished Heavy-Duty Diesel Marine Engines for the Following Ships

Name of Vessel	Dead Weight Tonnage
CETHANA	3300
ISLA DE JAVA	4100
CHALLAMBA	3300
CULBURRA	3300
COCHINCHINE	2500
BAYONNE	1500
COOLCHA	3300
SOLITAIRE	5000
BENOWA	4400
BALCATTA	4400
BABINDA	4400
BOOBYALLA	4400
BORRIKA	4400
MARYLAND	4500
TEXACO No. 146	1000
TEXACO No. 147	1000
J. F. PENROSE	4500
BRAMELL POINT	5000
ASTMAHCO No. 3	3000
ASTMAHCO No. 4	3000
BACOI	2500
CAROLYN FRANCES	1000
DONNA LANE	3300
KENNECOTT	6500

LOOK UP THESE VESSELS WHEN THEY ARE IN PORT

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

700 INTERSTATE BLDG.
Kansas City, Mo.

815 SHELDON BLDG.
San Francisco, Calif.

412 DALLAS COUNTY STATE BANK BLDG.
Dallas, Texas

412 BISBEE BLDG.
Jacksonville, Fla.

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

GÖTAVERKEN

GÖTEBORG—SWEDEN



DIESEL-DRIVEN CARGO MOTORSHIP RECENTLY BUILT AND ENGINED BY GÖTAVERKEN.

SHIPBUILDERS, ENGINEERS AND SPECIALISTS IN THE REPAIR OF MOTORSHIPS, STEAMSHIPS AND THEIR RESPECTIVE MACHINERY

TWELVE GÖTAVERKEN-BUILT MOTORSHIPS IN SERVICE, AGGREGATING 99,450 TONS D.W. AND 37,400 I.H.P., ALSO ONE DIESEL-DRIVEN SALVAGE-VESSEL OF 1,250 I.H.P. IF YOUR MOTORSHIPS NEED REPAIR IN EUROPEAN WATERS, SEND THEM TO OUR YARD IN PREFERENCE TO A PLANT THAT HAS HAD LITTLE OR NO EXPERIENCE WITH THE CONSTRUCTION OF HIGH-POWERED DIESEL-ENGINED MOTORSHIPS. WE HAVE BUILT SUCCESSFUL STEEL MOTORSHIPS OF LARGE SIZE UP TO 14 KNOTS SPEED. OUR LARGE FOUNDRY CAN SUPPLY DIESEL-ENGINE CASTINGS TO ORDER.

CONSTRUCTIONAL LICENSEES IN SWEDEN OF THE BURMEISTER & WAIN DIESEL MARINE OIL-ENGINE

DIESEL ENGINE WORKS

SHIPYARD—FOUNDRY

FLOATING DRY-DOCK WITH A LIFTING CAPACITY OF 12,000 TONS

POSTAL AND TELEGRAPHIC ADDRESS

GÖTAVERKEN GÖTEBORG

Note—Owing to the engravings and "copy" for the third of the Götaverken's series of "MOTORSHIP PERFORMANCE" advertisements not having arrived up to the time of closing for press, we were obliged to substitute the above "copy." The engravings were shipped by the S. S. "Drottingholm" on Aug. 5th but were delayed in transit.

The Manager "MOTORSHIP"

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



Hydro-electric Steering Gear

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Nichrome

TRADE MARK REG. U. S. PAT. OFF.

The Long-Life

VALVES

IF you know how much valve grinding and valve replacements are costing you—in time, in labor, in lost power and in cost of new valves—then you know the economy value of Nichrome valves.

Nichrome Valves are practically immune to pitting. The Alloy, "Nichrome", does not carbonize; neither does carbon adhere to it.

Regrinding is therefore seldom required; replacements almost never—even when the service is unusually severe and the fuel of a highly destructive nature.

PROOF—the best proof in the world—is a Nichrome* Valve in service in *your* Diesel engines.

* Nichrome is the registered trade-mark name applying solely to alloys made by the Driver-Harris Company.

DRIVER-HARRIS COMPANY
HARRISON, NEW JERSEY
Chicago - Detroit - Canada - England - France

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



An 80-Foot Tow Boat with 350 H. P. Winton Diesel Engine

The "F. H. Anson" is an 83′x20′6″x9′5″ Tow Boat designed by Ralph E. Winslow, N.A., for the Abitibi Power & Paper Company for use on the Abitibi River in Canada, towing booms of pulpwood.

Power plant consists of a six cylinder 350 H.P. Direct Reversible Winton Diesel Oil Engine and an auxiliary three cylinder Winton Air Compressor.

This Tow Boat is now doing the work formerly done by **four** smaller steam tugs and, in her first six days of operation, delivered more logs into the booms than all four steamers together did in ten days.

Economical operation, economical maintenance, 10-day fuel capacity, steady day-in and day-out dependability—all these tend to make the Diesel-Engine driven Tug the work boat of the future.



WINTON ENGINE WORKS,

New York—A. G. Griese, Inc., 30 Church St. ***Seattle***—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Albee Bldg.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES



The Power Plant in the "F. H. Anson"

CLEVELAND, OHIO, U. S. A.

Los Angeles, Cal.—F. G. Bryant, 704 Delta Bldg.

New Orleans, La.—A. Baldwin Company

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

WERKSPOOR I

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTA

PACIFIC DIESEL

OAKLAND,

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

DIESEL ENGINES



) IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

NGINE COMPANY

ALIFORNIA

RELIABILITY

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines



Profit Producers for Work-boat Owners

By actual comparison of fuel and maintenance costs "C-O" engines have been proven both practical and economical on work-boats of every description. They economically use low-priced fuel oils.

They are simple in design—sturdy in construction—easy to start—practically automatic in operation. They can be depended upon for power and flexibility in any weather.

Ask for full particulars about this practical work-boat power.

Fairbanks, Morse & Co.
MANUFACTURERS CHICAGO
The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



6000 S.H.P. Single Reduction Falk Herringbone Gear Unit for Compound Turbines. Speed 1900 to 132 R.P.M. Twin Screw Passenger Ship.

FALK
HERRINGBONE GEARS

Under the most severe conditions of marine service Falk Herringbone Gears have proved their superior efficiency and wearing qualities.

Falk Gears transmit power in a smooth, continuous flow, entirely free from backlash and from the sudden strains which cause undue wear on machinery. They are giving first class service on difficult transmission installations on both turbine and Diesel driven ships.

Years of practical experience in solving marine power transmission problems have gained for the Falk Corporation an enviable reputation in this field. This valuable experience is at your disposal at any time.

THE FALK CORPORATION
MILWAUKEE, WISCONSIN

REPRESENTATIVES
W. O. Beyer, 1007 Park Bldg., Pittsburgh, Pa.
M. P. Fillingham, 50 Church St., New York City.
F. W. Grimwood, Rialto Bldg., San Francisco, Cal.
Vulcan Iron Works, Wilkes-Barre, Pa.
Denver Engineering Works, Denver, Colo.

CANADIAN REPRESENTATIVE
Engineering Equipment Co., Ltd., 619-623 New Birks Bldg.
Montreal, Quebec, Canada.

FOREIGN REPRESENTATIVE
Gustav Melms, 3 Rue Taitbout, Paris.

Falk Herringbone Gears are hobbed on our special machines from solid steel blanks cast in our own foundry.

Generated on 2024-09-13 15:14 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Home Comforts Aboard Ship

It is only necessary to compare the ship of today with the ship of yesterday to see the big advance that has been made in the matter of electrical conveniences on shipboard.

Electrical appliances that formerly were found only in the home have now come into common use not only on privately owned yachts and first class-passenger ships, but also on ships of all classes.

The ship today, like the home of today, is wired to permit of the use of the many electrical appliances that add to the comfort of the voyage.

Westinghouse Appliance Specialists will be glad to cooperate with shipbuilders and architects.

WESTINGHOUSE ELECTRIC & MANUFACTURING COMPANY
East Pittsburgh, Pa.
Sales Offices in All Principal American Cities
Special Pacific Coast Representatives, Hunt, Mirk & Company, San Francisco

Westinghouse

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM THE AGGREGATE H.P. IN VESSELS FROM 1500 TO 6600 I.H.P. AND THE NUMBER OF SUCCESSFUL MOTORSHIPS IN OPERATION EXCEED ALL OTHER SYSTEMS COMBINED AND NO ENGINE BUILT TO THIS SYSTEM HAS EVER BEEN REMOVED OR REPLACED

ACCURACY AND INTERCHANGEABILITY ASSURED BY MODERN JIGS AND SPECIAL TOOLS; PROPER MATERIALS BY CRAMPS' IRON, STEEL AND BRASS FOUNDRIES CONTROLLED BY A MODERN LABORATORY

MOTORSHIPS THAT STAY ON THE SEAS

DIESEL ENGINES THAT STAY IN THE SHIPS



(2250 I.H.P.) PORT ENGINE MS "CALIFORNIAN"

STANDARD ENGINES FOR TWIN SCREW VESSELS

SPECIAL LONG STROKE ENGINES FOR SINGLE SCREW SHIPS OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

First Diesel Engine-Electric Drive Ferry



"Golden Gate," in regular operation since July 4. — James Robertson, Marine Architect.

Double-end Propulsion

Diesel Engine-Electric Drive was chosen for the "Golden Gate," the first double-end screw propeller ferry with each propeller driven independently.

Double-end propulsion is most economical when all the propelling power is concentrated on the aft propeller. Electric drive is the only means to accomplish this, using one prime mover for both directions of travel.

G-E Electric Drive for motor ships is available in any capacity required. Installations have already proved successful on ships regularly engaged in commercial fishing and cargo service.

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

30-32

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Cebu
Christiania (Soon)
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Glasgow
Gothenburg
Granton
Hamburg
Hankow
Havana
Hong Kong
Hull
Hurghada
Iquique
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
New Orleans
New York
Palembang
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Vado
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Havre
Ilo Ilo
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Some WERKSPOOR ENGINED MOTORSHIPS









1910 to 1921

Name	Tonnage (Displacement)	Power (I.H.P.)
Juno	4370	1400
Jules Henry	4500	1350
Vulcanus	1845	650
Artemis	7725	2300
Sebastian	6900	2300
Sembilan	560	265
Loudon	3350	1400
Emanuel Nobel	9560	2800
Elbruz	9560	2800
Sardinia	5000	2140
Salerno	9700	2800
Myer	3350	1400
Siberg	3350	1400
Ares	7725	2300
Athene	9700	2800
Lara	1575	700
Hestia	1575	700
San Paulo	9700	2800
Boelongan	1640	700
Benkalis	1640	700
Hermes	7725	2300
Selene	7725	2300
Tosca	9700	2800
San Miguel	4050	1400
Geisha	9700	2800





FOUR-CYCLE DIESEL ENGINES

WERKSPOOR

AMSTERDAM - - HOLLAND

U. S. Representative:
WM. BRAAT
901 Woolworth Bldg., N. Y. City















Generated on 2024-09-13 15:03 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Specially designed for Mercantile-Marine use. Rugged, Rigid, Simple and Accessible. No Injection Air Compressor. Rating conservative and quoted in Brake Horse-Power. Guaranteed for continuous running. The design embodies the experience of Marine Oil-Engines totalling half-a-million horse-power.

Works: Barrow-in-Furness, England
Head Office: Vickers House, Broadway, London, S. W. I.
New York Office: 2550 Woolworth Building, 233 Broadway

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE-TOSI DIESEL *Marine Engine*



Engine for M.S. "Pinzon," built at Dalmuir.

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION

Results of 100 Hours' Trial.

Average B.H.P.	**1,276**
Mechanical efficiency, per cent.	**77**
Average I.H.P.	**1,646**
Revolutions per minute	**124**
Mean pressure on B.H.P. basis, lb. per square inch	**75.5**
Fuel consumption, lb. per P.H.P. per hour	**.42**
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	**4.5**
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	**550**
Lubricating oil pressure, lb. per square inch	**10-12**
Circulating water pressure (jacket), lb. per square inch	**10-15**
Piston cooling water pressure, lb. per square inch	**20-30**
Water temperature at outlet from cylinder heads, deg. Fah., average.	**125**
Piston cooling water, outlet temperature, deg. Fah., average	**130**
Blast air pressure, lb. per square inch	**1,000**

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM BEARDMORE AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Advantages of Oil Engine-Electric Drive

for ship propulsion can be fully realized only when the electrical equipment is combined with oil engines possessing the *simplicity* and *high fuel economy* of the

PRICE-RATHBUN ENGINE

A line of sizes ranging from 240 to 750 BHP has been developed which gives the ship operator a wide choice in number and size of engine generator sets. These engines

Are designed for marine installation.

Have six cylinders.

Use the Price system of direct injection of fuel, eliminating the high pressure injection air compressor and thereby reducing the weight and floor space of installation.

Have automatic pressure system of lubrication.

Have a simple yet sensitive governor control which automatically proportions the fuel charge to meet load fluctuations, maintaining the constant speed essential for correct operation of electric generators and motors.

Have moderate weight per horse-power making it possible for total weight of installation to be no greater than for a direct drive installation.

Our engineers will be glad to go into full details with you with reference to marine oil engine electric drive.

INGERSOLL-RAND COMPANY, 11 Broadway, New York

PRICE-RATHBUN Engines are also built for direct drive in sizes from 220 to 750 BHP.

19-MOE

Ingersoll-Rand

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



A-E-Co *Windlass installed on the oil tanker "Wm. Rockefeller"*

For the Largest Oil Tanker Ever Built in the U. S.

They Chose

A-E-CO Steering Gear

A-E-CO Windlass

A-E-CO Winches

The Standard Oil Company insists on equipment that is unfailingly reliable. Naturally they selected A-E-Co Auxiliaries for the "Wm. Rockefeller," the largest tanker ever built in the United States.

SEND FOR OUR CATALOGS

American Engineering Company

OFFICES
New York, Boston, Philadelphia, Cleveland, San Francisco, New Orleans, Seattle, Victoria, B. C.

PHILADELPHIA, PA.

WE ALSO BUILD
Steering Gears, Telemotors, Windlasses, Winches, Capstans, Gypseys, Chandlery

Do Your Diesel Engine Bearings Run Cool at Heavy Loads?

Multiwhirl Coolers are extensively used for cooling Diesel lubricating oil.



Multiwhirl Cooler

The oil is directed in its flow through the shell by the helical baffle and gives up its heat to the circulating water in the copper tubes.

The shell is bored throughout to insure against foundry scale or sand contaminating the oil.

Bulletin No. 904 tells the complete story. It's yours for the asking.

THE GRISCOM-RUSSELL CO.

2154 West Street Building, New York

Philadelphia, Boston, Hartford, Rochester, Pittsburgh, Cleveland, Toledo, Detroit, Chicago, Syracuse, Minneapolis, St. Louis, New Orleans, Salt Lake City, Denver, Houston, Fort Worth, Charlotte, San Francisco, Seattle, Los Angeles, Kansas City, Milwaukee

REG. U.S. PAT. OFF.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The U. S. Dreadnaught "Tennessee" is equipped with De Laval Purifiers



De Laval Oil Purifiers are protecting machinery and saving oil on the latest U.S. battleships—on all U. S. destroyers—on more than 500 merchantships—in most of America's largest power plants, and in hundreds of smaller ones.

Navy Saves with Oil Purifiers

Admiral Robison, chief of the Navy Bureau of Engineering, in testimony before the Senate appropriations committee in behalf of funds for his service during the coming year, referred to water getting into oil in oil-burning ships, leaving the ships without power. To overcome this difficulty, electric feed pumps and fuel-oil service pumps running from a storage battery are required. He recommended fuel-oil refiners for the ships, stating that the Navy has placed oil purifiers on every battleship and destroyer to purify lubricating oil, and that these devices are saving an average of their full cost every year. —Power, July 11, 1922

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a De Laval

Please send Bulletin containing further information regarding the De Laval Oil Purifier as checked below:

☐ Purification of turbine lubricating oil.

☐ Purification of Diesel lubricating oil.

☐ Dehydration of transformer oil.

Name .....

Company .....

Address .....

.....

M

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation

General Agents: Hamburg-American Line

Plymouth, Boulogne, Hamburg
Joint Service with
Hamburg-American Line

Fortnightly Passenger Sailings from New York
New Triple-Screw Oilburning Steamers
Under the American Flag

Hamburg
Joint Service with
Hamburg-American Line

Weekly Passenger and Cargo Sailings from New York.
Regular Cargo Sailings from Boston, Philadelphia, Baltimore, Norfolk and New Orleans to Bremen and Hamburg.

Through bills of lading via Hamburg to all Baltic and Scandinavian Ports

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Intercoastal Service
of the
American-Hawaiian S. S. Co.

New York, Boston, Philadelphia, Baltimore, Mobile and New Orleans to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Iloilo, Kahului and Port Allen, Hawaiian Islands

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
BALTIMORE—Maryland Casualty Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

CUNNINGHAM
ELECTRIC AUXILIARY MACHINERY

The Pioneer American Line of Electric Deck Machinery



The "CUNNINGHAM" geared spring quadrant type electric-hydraulic steering gear (KENNICOTT TYPE) controlled by our MACTAGGART-SCOTT safety steering TELEMOTOR, is the IDEAL STEERING GEAR for MOTORSHIPS.

The floating quadrant driving the tiller through compression springs, provides a thoroughly resilient connection with the rudder. The hydraulic variative power and speed transmission gear gives maximum speed and control of the rudder at ordinary helm angles and maximum torque at hardover positions without overloading the electric motor, which runs continuously.



PATENTS PENDING

Steering Gears—Windlasses—Winches—Capstans—For Motorships

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE AND WORKS
7500 Carleton Avenue
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, California

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Power Equipment *That Pays Its Way*—

"WESTERN" Diesel Marine ENGINES

Full Diesel—Solid Injection

In savings effected through lower fuel and operating costs, the "Western" will pay you back its full original cost in a very few months, and after that a handsome profit month after month.

"Western" Diesel Engines operate on the lowest grades of fuel oils in their natural state, and the fuel consumption is exceptionally low. We can show you savings that will make the change from less efficient power equipment highly desirable. Put the burden of proof up to us.



Marine —75, 100, 150 H.P., 3, 4 and 6 cylinders.
Stationary—25 H.P. per cylinder, one to six cylinder units.

Mention Catalog No. 507

Western Machinery Company

General Offices and Factories:
907 No. Main Street
LOS ANGELES, CALIFORNIA

San Francisco Seattle

"Western" Diesel Marine Engine, 4 cylinder, 100 horsepower unit.

HARLAND & WOLFF L^TD

Shipbuilding and Engineering Works

BELFAST ◦ GLASGOW ◦ GREENOCK

M. S. "Glenogle"
Deadweight Capacity
12,300 Tons



Built for the Glen Line

Diesel Engine Works, FINNIESTON & SCOTSTOUN, GLASGOW

Repair Works, LIVERPOOL AND SOUTHAMPTON

London Office, 1a Cockspur St., S. W.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY



4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Repair and Maintenance Costs Reduced to an Absolute Minimum

There are many special features that are exclusive with the Enterprise Engines that are in large measure responsible for the low cost and operating expenses and the service given.

These features are known to Enterprise Diesels only; without these exclusive features Enterprise engines would be no different from ordinary Diesels.

We shall be glad to explain to you personally the value of the many exclusive features that the Enterprise Diesels possess, if you are interested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE ENGINE COMPANY

Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.

Cap'n Allswell says:

"They cut the water as slick as a whale's flukes

minimizing friction and converting the maximum power into push.

"That's because they're made of manganese bronze that permits a finer accuracy of design than metals of lower breaking strength."

"Columbian Bronze Propellers conserve power, increase efficiency and practically eliminate the expense and danger of broken blades."

Write for the Columbian Book



COLUMBIAN *Bronze* PROPELLERS

N. Y. C. Sales Only: 44 Third Ave. THE COLUMBIAN BRONZE CORP., 218 N. Main St., Freeport, N. Y.

Generated on 2024-09-13 14:55 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFECT COMMUNICATION

BY TELEPHONE

BETWEEN BRIDGE AND ENGINE ROOM NO MATTER HOW NOISY

MAGNAVOX ANTI-NOISE Marine telephone systems supersede all other forms of communication for marine use. They operate faithfully under the most severe noise conditions and are standard equipment on 270 UNITED STATES NAVY Destroyers and on hundreds of merchant vessels. They will solve all the communication problems of MOTORSHIPS just as well as they did those of steam driven vessels. Watertight of course.

They can be supplied up to and including 10 stations

What are your requirements?

We will gladly quote you for immediate delivery

THE MAGNAVOX COMPANY

Oakland, California New York Office, 370 Seventh Ave.

DEUTSCHE WERFT, HAMBURG

GERMANY

Shipbuilding
Dock Construction
Engineering Works
Boiler Making
Repairs



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

8000 Employees

High Class Freighters and Tankers with Piston Engines and Steam Turbines

19 Berths for Ships up to length of 820 feet

Floating Docks of 4000 and 8000 tons Capacity

SPECIALTY: MOTORSHIPS WITH BURMEISTER AND WAIN OIL-ENGINES

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Record of Test 15 H.P. Output for 8 Hours

Temperature Rise °C Thermometer	
Armature Winding	37
Field Winding	30
Interpole Winding	35
Commutator	33
Ball Bearings	22

These motors are now in service on Motorships "Californian" and "Missourian" — American-Hawaiian SS. Co.

Conservative Marine Engineers who contemplate the installation of electric motors on ships and who expect the same reliable service which they are accustomed to obtain from steam driven auxiliaries, will be interested in this motor performance.

DIEHL MFG. CO., Elizabeth, N. J.

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PNEUMERCATOR TANK GAUGES

A Necessity on Any Oil Burner From Liner to Tugboat



The only *direct-reading* gauge which will give you *accurate information*, and in units of *tank depth and weight* or *volume*. For oil cargo, fuel oil settling, ballast or water tanks, or bilges—also a special type for registering ship's fore, aft and mean draft.

The instruments give you a perpetual inventory without going near the tanks. They check invoices, fillings and withdrawals and, on oil burners, the hourly or daily fuel consumption. They guard against overfilling and flooding the decks.

Allowed by American Bureau of Shipping, Lloyds, and British Board of Trade.

Bulletin No. 202 Describes Them

Pneumercator Company, Inc.

Sperry Bldg.,
40 Flatbush Ave. Extension, Brooklyn, N. Y.

P-151

Trade Mark Reg. U.S. Pat. Off.
Pneumercator Gauges
Standard for Ships' Oil, Fuel and Ballast Tanks

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"

Announcement

We are pleased to announce the incorporation of the

BRUNSWICK - KROESCHELL COMPANY

a consolidation of Brunswick Refrigerating Company of New Brunswick, New Jersey; Kroeschell Bros. Co. and Kroeschell Bros. Ice Machine Company of Chicago, Illinois.

The New Company will maintain the present offices and factories in New Brunswick and Chicago with the various branch offices, and will combine the facilities and personnel of the former companies so that its customers may be assured of the most efficient service.

Brunswick Refrigerating Company
Kroeschell Bros. Co.
Kroeschell Bros. Ice Machine Company

Brunswick-Kroeschell Company

Brunswick NH_3 Ice Machines — New Brunswick, N. J.

Kroeschell CO_2 Ice Machines — Chicago, Ill.

Technical Books On Oil Engines

For the Convenience of our Readers a supply of Books on Diesel and other Types of Oil-Engines are Carried in Stock at the Office of **MOTORSHIP** for Disposal at Publishers' Prices.

Send for Our Descriptive Printed List

Books Cannot Be Sent on Approval

In Cases Where Books have Been Imported, Customs Duty, Shipping and Handling Charges Have Been Added to the Foreign Publishers' Prices.

MOTORSHIP

282 West 25th Street
New York City

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



SUN SHIPB
DIESEL

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.



We build a special long-stroke slow-speed engine for single-screw ships, and a standard stroke slow-speed engine for twin-screw ships, from 390 to 4,000 indicated horsepower.

Let us send you our bulletin No. 66, "Achievements in Motor Ships."

(1,200 I.H.P.)
PORT ENGINE
"MS. KENNECOTT"
illustrated on the front cover of this magazine.

MAIN OFFICE AND WORKS
AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

325 HAMBLE BLDG.
Houston, Texas

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFORMANCES OF GÖTAVERKEN MOTORSHIPS



No. 3 M.S. "STUREHOLM"

7,800 tons d. w. Owners: The Swedish-American-Mexico-Line

Date of delivery	Sept. 18th 1919
Distance travelled	92,000 naut. miles
Power	2,780 I. H. P.
Average speed	10,68 knots
Daily fuel consumption	9,70 tons
Cruising radius	28,000 naut. miles

BUILT AND DIESEL-ENGINED BY THE GÖTAVERKEN

GÖTAVERKEN

GÖTEBORG - SWEDEN

SHIPBUILDERS AND DIESEL-ENGINE CONSTRUCTORS

LARGEST FLOATING DRY-DOCK IN SCANDINAVIA
LIFTING CAPACITY 13,000 TONS

GÖTEBORG SWEDEN GÖTAVERKEN

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



"Hydro-Electric Steering gear installed on U. S. Battleship COLORADO"

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

THE NEW IMPROVED FRISCO STANDARD HEAVY OIL ENGINE

THE OLD RELIABILITY —— THE NEW ECONOMY

THE name "FRISCO STANDARD" has always stood for unassailable leadership and dominating quality among heavy duty marine motors.

No other gasoline or distillate motor is so widely used throughout the world, nor has any acquired such a reputation for continuous dependability and endurance throughout almost never-ending years of service.

Our new product, the Frisco Standard Heavy Oil Engine, is designed and built to worthily uphold and carry on the traditional reputation of the old.

7½ to 300 B. H. P.

THE Frisco Standard Heavy Oil Engine is not an experiment. Built under license from America's most successful Surface-Ignition engine manufacturer whose product, extending over a period of fifteen years, has been a complete success, the new motor has been improved and perfected by our engineers who have added the benefits of their twenty or more years of specialized experience in the marine motor field. The result is a finer, sturdier emgine that is a step ahead of the very best in modern oil engine practice.

NO AIR INJECTION



Single Cylinder Type, Built in Sizes 7½, 12½, 17½, 37½ and 50 h. p.



Double Cylinder Type, Built in Sizes 15, 25, 35, 50, 75 and 100 h. p.

NO WATER INJECTION



Three-Cylinder Type, Built in Sizes 25, 40, 55, 75, 110 and 150 h. p.



Four-Cylinder Type, Built in Sizes 35, 55, 75, 100, 150 and 200 h. p.

Unexcelled in Workmanship and Design

TYPE: Semi-Diesel, 2-cycle, very few working parts, simple in construction, easy of operation by the unskilled, low in first cost and low in maintenance.

COMPRESSION: Low compression allows engine to operate under the least possible strain.

FUEL: Will burn any available Diesel Fuel Oil that is free flowing.

FUEL INJECTION: Of the solid or airless injection type, eliminating high pressures. Fuel introduced into combustion chamber thoroughly broken up and vaporized spreads into every part of combustion space. This results in instant and universal ignition with complete combustion. Fuel nozzle has no small holes to carbonize and require frequent drilling out, and will operate indefinitely.

BUILT TO LLOYDS: Conforms in every way to Lloyds, Bureau Veritas and the American Bureau of Shipping's requirements for marine engines.

GOVERNOR: Absolutely a perfect governing device. In a class by itself. Not only permits of a wide range of controlled speed, but changes direction of rotation, at will of operator.

Send for Heavy Oil Engine catalog just off the press and name of nearest Frisco Standard Dealer

Many New and Exclusive Features

STARTS QUICKLY: Fitted with electric quick starting device.

AIR STARTING VALVES: Mechanically operated and properly timed to prevent any possibility of dangerous pressures being built up through neglect or inexperience of operator.

ROTARY AIR VALVES: Mechanically operated and timed to assure the correct supply of air and positive scavenging, so essential to successful operation. A decided improvement over the automatic flap valve, customarily used.

ROLLER BEARING PISTON PIN: Eliminates all trouble at this point. Our type of roller bearing in three years constant usage has not shown a diametral wear of .002 inch.

CRANK CASE AIR SEAL RINGS: Assure at all times proper crank case compression, by maintaining crank case absolutely air tight. Also prevents any leakage of oil from the bearings.

REVERSE GEARS: All engines up to and including 150 H.P., regardless of number of cylinders, fitted with reverse gears.

DIRECT REVERSING: 3, 4 and 6-cylinder engines are Directly Reversible, and handle with the ease and reliability of a steam engine.

The new improved Frisco Standard heavy oil engine is built in sizes from 7½ to 300 h.p., one to six cylinders, for both marine and stationary purposes. In every respect, the features that have characterized the Frisco Standard distillate engine for years and made it the world's leader among work boat engines, have been carried out in the design and construction of the heavy oil engine.

Frisco Standard dimensions are everywhere much larger than is ordinarily considered necessary in oil engine practice; horse power ratings are exceedingly conservative; accessibility of parts has been made one of the prime considerations and the unit system of construction, combined with the machining of all parts to jigs and gauges, assures absolute interchangeability and minimizes cost of material with little time lost in effecting replacements.

Dennison & King Streets **STANDARD GAS ENGINE CO.** Oakland, Cal., U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Win

OIL DIESEL TYPE E

DOLPHIN

Length 180'; Beam 24'; Speed 15 Knots

Cruising Radius: 6000 miles

Owner: Mr. Mortimer L. Schiff, New York

Designers: Cox & Stevens, New York City

Builders: Newport News Shipbuilding & Drydock Company

Power Plant: A pair of eight cylinder Winton Diesel Oil Engines rated at 550 H. P. each, designed and built by the Winton Engine Works, Cleveland, O.



WINTON ENGINE WORKS,

New York City—A. G. Griese, Inc., 30 Church St. *Seattle*—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Alboe Bldg.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES

CLEVELAND, OHIO, U. S. A.

Los Angeles, Cal.—F. G. Bryant, 704 Delta Bldg.
New Orleans, La.—A. Baldwin & Company

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTAL

PACIFIC DIESEL E

OAKLAND,

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

DIESEL ENGINES



R
E
L
I
A
B
I
L
I
T
Y

ED IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

ALIFORNIA

Generated on 2024-09-13 15:03 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 15:09 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Fairbanks-Morse "C-O" Marine Oil Engines



"Mujuan," owned by the Munson Line of New York, powered with a 100 b.h.p. Fairbanks-Morse C-O engine

"C-O" marine oil engines are maintaining the successful performance records they have built up through years of hard service in over one thousand commercial boat installations — tugs, cargo vessels, lighters, ferries, schooners and workboats of every description. "C-O" engines use low grade fuel oils economically.

Profit Producers for Work-boat Owners



The 100 b.h.p. engine of the tug Mujuan

Fairbanks, Morse & Co.

MANUFACTURERS CHICAGO

The Canadian Fairbanks-Morse Co., Ltd., Montreal

Oil Engines - Pumps - Electric Motors and Generators - Fairbanks Scales - Railway Appliances - Farm Power Machinery

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS



NEW "BO" TYPE

has numerous
ADVANTAGES
A few of these
are given below

COMPLETE
COMBUSTION

ELECTRIC QUICK
STARTING DEVICE

NO AIR COMPRESSOR

LOW UPKEEP AND COST
OF OPERATION

HIGHEST GRADE OF
WORKMANSHIP AND
MATERIAL

Sizes from 6 to 500 Brake Horse Power

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

ROBINSON & HAIGH
Mercaderes 10
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
170 McGill Street
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

16 Diesel Engines Placed on Sale

BY THE

UNITED STATES SHIPPING BOARD

Through the United States Shipping Board Emergency Fleet Corporation

Available for Immediate Delivery

Inspection Invited



Engines in Original Crates and now Stored in Warehouse

Ten 825 B.H.P. 135 R.P.M. six cylinder, vertical, single acting, direct reversible four cycle, cross head, heavy duty, **Werkspoor Type Diesel Engine. Scandia Pacific Oil Engine Co., Manufacturer.**

Location: 8 (4 R.H. and 4 L.H.)
Alameda, California.
2 (1 R.H. and 1 L.H.)
Fruitvale, California.

One 900 B.H.P. 140 R.P.M. six cylinder, vertical, single acting, direct reversible, four cycle, cross head, heavy duty, **Swedish "Polar" Type Diesel Engine. McIntosh & Seymour Co., Auburn, N. Y., Manufacturer.**

Location: (1 R.H.)
Hog Island, Pa.

Five 750 B.H.P. 135 R.P.M. six cylinder, vertical, single acting, direct reversible, four cycle, trunk piston, **Swedish "Polar" Type Diesel Engine. McIntosh & Seymour Co., Auburn, N. Y., Manufacturer.**

Location: 4 (2 R.H. and 2 L.H.)
Hog Island, Pa.
1 (R.H.) Erie, Pa.

Inspection Invited

To arrange for inspection of engines located at Alameda and Fruitvale, communicate with

D. H. MEISENBACH, *Sales Manager*, Alameda, California

To arrange for inspection of engines located at Hog Island and Erie, communicate with

J. T. EASON, *Sales Manager*, Hog Island, Pennsylvania

Any or all of these engines will be sold "as is, where is" and without warranty as to condition, quality or capacity. The United States Shipping Board Emergency Fleet Corporation will load on cars at its expense at the above locations. Engines are offered subject to prior sale or other disposition.

For additional information, communicate with F. H. WALSH, Manager, Material Sales Division

U. S. SHIPPING BOARD EMERGENCY FLEET CORPORATION
WASHINGTON, D. C.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

INVALUABLE TO DESIGNERS, BUILDERS, OPERATORS, AND MOTORSHIP ENGINEERS



The 1922

MOTORSHIP YEAR BOOK

Handsomely Bound in Blue Cloth

Now $2 per Copy Including Postage

NOTHING LIKE IT PUBLISHED ELSEWHERE.

Copies also carried in stock at the Pacific Coast office of "MOTORSHIP," 71 Columbia St., Seattle, Wash., U. S. A.

Published by
Miller Freeman & Co.
27 Pearl Street
New York City
Publishers of
MOTORSHIP

To "MOTORSHIP,"
27 Pearl St., New York City

Send me by return mail one copy of the 1922 "*Year Book*" for which I enclose (Bill) (Check) (Money Order) (Draft) for two dollars.

Name .....
Street .....
City .....
Country .....

BACK NUMBERS OF MOTORSHIP

Because of numerous requests for back numbers of MOTORSHIP, we have endeavored to collect some complete sets of old copies. We are now enabled to offer the following to our readers:

BOUND VOLUMES

One Vol	1916	$3.00 each
One Vol	1917	5.00 each
Ten Vols	1921	8.00 each

UNBOUND VOLUMES

One Vol. (Complete)	1916	$2.00 each
Three Vols	1917	4.00 each
Two Vols. (Except Sept. Issue)	1918	4.00 each
Two Vols. (Complete)	1919	5.50 each
One Vol. (Complete)	1920	6.00 each
Two Vols. (Except July, Sept. and Nov. Issues)	1920	3.50 each

Prices per volume include domestic postage
No single copies will be sold from these sets

MOTORSHIP

Cable, Freemote, New York — 27 Pearl Street, New York City, U. S. A. — *Telephone*, Watkins 9848

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Central Power Plant

Propulsion Motors

Circulating Pumps

Fire and Bilge Pumps

Ventilating System

Galley Appliances

Heating Appliances

Machine Shop Accessories

Deck Winches

Capstan

Anchor Windlass

Steering Gear

Lighting System

State Room and Cabin Fans

Elevators

—applied to the modern ship

The modern ship is a complete city—independent, self-contained.

In order to meet competition, the ship today must be as efficient as the successful manufacturing plant.

The central power plant is now indispensable to our industrial and our home life, because it has solved the problems of economical production and multiplied home comforts through the resulting labor saving devices.

Who thinks now of the shop with an independent engine on each machine? This troublesome and wasteful practice was abandoned years ago.

Why then apply a wasteful steam engine to each auxiliary aboard ship?

The Central Power Plant, generating electricity economically, and transmitting it conveniently by cable to individual-motor-driven deck and other auxiliaries, as well as to the propelling motors, will aid materially in effecting a competitive merchant marine.

Generators driven by Diesel engines—the most economical prime mover known—form the ideal central power plant, with its attendant ease of control and simplicity and economy of operation.

Westinghouse Electric & Manufacturing Company

East Pittsburgh, Pa.

Special Pacific Coast Representatives:
Hunt, Mirk & Co. San Francisco

Westinghouse

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE TOSI DIESEL *Marine Engine*

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION



Engine for M.S. "Pinzon," built at Dalmuir.

Results of 100 Hours' Trial.

Average B.H.P.	1,276
Mechanical efficiency, per cent.	77
Average I.H.P.	1,646
Revolutions per minute	124
Mean pressure on B.H.P. basis, lb. per square inch	75.5
Fuel consumption, lb. per P.H.P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average	125
Piston cooling water, outlet temperature, deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM BEARDMORE AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

First Diesel Engine-Electric Drive Ferry



"Golden Gate," in regular operation since July 4. — James Robertson, Marine Architect.

Double-end Propulsion

Diesel Engine-Electric Drive was chosen for the "Golden Gate," the first double-end screw propeller ferry with each propeller driven independently.

Double-end propulsion is most economical when all the propelling power is concentrated on the aft propeller. Electric drive is the only means to accomplish this, using one prime mover for both directions of travel.

G-E Electric Drive for motor ships is available in any capacity required. Installations have already proved successful on ships regularly engaged in commercial fishing and cargo service.

General Electric Company

General Office Schenectady, N.Y.

Sales Offices in all large cities

30-32

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF
WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE
(Burmeister & Wain System)

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Test of Comparison

In most cases any oil engine must compete with steam engine or turbine drive and stand the test of engineering comparison.

Compare the Price Oil Engine with other types of drive from the following three angles:

Cost of prime mover and necessary auxiliaries.
Consumption and cost of fuel and lubrication.
Cost of attendance and upkeep.

Price Oil Engines have direct-injection of fuel without the use of compressed air. The elimination of the high-pressure injection air compressor increases the engine's mechanical efficiency and materially reduces the possibility of breakdown.

Ignition is by heat of compression only—there are no hot bulbs, plates or liners.

The guaranteed fuel oil consumption of Price Engines is 0.45 pounds per brake horse power hour. The guaranteed lubricating oil consumption is one gallon per 4000 horse power hours.

The selection of materials and the conservative design and rating of Price Engines insure long life and freedom from breakdown.

PRICE · OIL ENGINES · PR

Bulletin 10102 tells the complete story. Send for your copy and subject Price Engines to the test of comparison.

Ingersoll-Rand

11 BROADWAY NEW YORK CITY

OFFICES IN ALL PRINCIPAL CITIES

Butte	El Paso	Knoxville	Cleveland	Philadelphia
Birmingham	Seattle	Scranton	Pittsburgh	San Francisco
Duluth	St. Louis	London	Los Angeles	Salt Lake City
Denver	Chicago	Paris	Detroit	Joplin
Boston	New York	Houghton	New Orleans	Dallas

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Cebu
Christiania (Soon)
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Glasgow
Gothenburg
Granton
Hamburg
Hankow
Havana
Hong Kong
Hull
Hurghada
Iquique
Jarrow on Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Liverpool
Lisbon
London (Shellhaven & Thameshaven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
New Orleans
New York
Palembang
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Soudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Soerabaya
Southampton
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Vado
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Bordeaux
Constantinople
Dunkirk
Durban
Funchal (Madeira)
Havre
Ilo Ilo
Port Louis
Port St. Louis Du Rhone
San Juan (Porto Rico)
St. Vincent
St. Nazaire

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company (New York), Limited, 233 Broadway, New York, N.Y., U.S.A.; The Shell Company, of California, Security Building, 343 Sansome Street, San Francisco, Cal., U. S. A.,** or at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Condemn The Engine—



Oil-tight Plates in Position

that has vital parts which can't be replaced without the help of the builders in any port of the world.

Condemn the Engine—

which presents itself nicely to the eye, but which is a perfect monster if you want to get at the cross-head-pins.

If You Don't—

it will condemn itself in a few years at your expense.

M. O. Torian in Motorship, January, 1920.



Oil-tight Plates Removed

Note the Remarkable

accessibility features of the Werkspoor four-cycle type Diesel marine oil engine illustrated on this page. No need to break pipes and a score of joints to get at the important parts. Can be repaired at any port.

Your Ships Should Have WERKSPOOR ENGINES

Application for information regarding Additional American Marine and Stationary Diesel Constructional Licenses should be made to

WILLIAM BRAAT,
Woolworth Bldg., New York City, U. S. A.

United States Agent for

WERKSPOOR WORKS,
AMSTERDAM, HOLLAND

American Constructional Licensees:
Pacific Diesel Engine Co., Oakland, Cal.
New York Shipbuilding Corp., Camden, N.J.
Newport News Shipbuilding & D. D. Co., Newport News, Va.

Accessibility Means Reliability

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BURMEISTER & WAIN, LIMITED

SINGLE SCREW MOTOR SHIP "LEISE MÆRSK"

ENGINEERS & SHIPBUILDERS

COPENHAGEN, DENMARK

THE LONG STROKE SLOW RUNNING ENGINE INSTALLED IN THE M/S *"LEISE MÆRSK"*



THIS TYPE OF ENGINE IS ESPECIALLY ADAPTABLE FOR SINGLE SCREW CONVERSION JOBS

UP TO JUNE, 1922 PUT IN ACTUAL SERVICE **91** MOTORSHIPS WITH ENGINES OF THE B & W TYPE TOTALLING **1,108,934** TONS DISPLACEMENT

NAME OF VESSEL	Loaded Displ.
ABA	14660
AFRIKA	19000
AMERICA	10660
ANNAM	14000
ARATOR	10400
ASIA	15000
AUSTRALIEN	14100
BALBOA	13500
BALZAC	2250
BATAVIA	2250
BAYARD	8430
BINTANG	5100
BONHEUR	15000
BORGLAND	10660
BRAZIL	6755
BUENOS-AIRES	13500
BULLAREN	13500
CALIFORNIA	12100
CANADA	13500
CANTON	14400
CHILE	14450
COLUMBIA	14450
COMETA	9780
DINTELDIJK	19100
DORSETSHIRE	15500
ELMAREN	13500
FALSTRIA	11000
FIONIA	10800
FORMOSA	15000
FRITIOF	1000
FRITZOE	1484

NAME OF VESSEL	Loaded Displ.
FRATELLI BANDIERA	10525
GEORGE WASHINGTON	15000
GLENADE	13640
GLENAMOY	13800
GLENAPP	19100
GLENARIFFE	13640
GLENARTNEY	13800
GLENAVY	11000
GLENBEG	19100
GLENGARRY	19100
GLENGYLE	13400
GLENLUCE	13640
GLENOGLE	19100
GLENTARA	13640
HEMLAND	11500
INDIEN	12180
JAVA	19000
JULIUS SCHINDLER	6200
KANGAROO	11000
KEDOE	9800
KRONPRINSESSAN MARGARETA	9700
KRONPRINS GUSTAF ADOLF	9700
KOBENHAVN	7900
LA PAZ	13640
LAPONIA	11700
LEIGHTON	15200
LEISE MÆRSK	6350
LIMA	9700
LINNELL	15200
LOBOS	13600
LOCHKATRINE	19100

NAME OF VESSEL	Loaded Displ.
LOSADA	13600
LOUISIANA	13858
MALAKKA	14100
MALAYA	19000
MISSISSIPPI	11177
OREGON	12350
OSSAG	6200
PACIFIC	9700
PANAMA	14100
PEDRO CHRISTOPHERSEN	9700
PERU	14450
POLARHAVET	10585
SAN FRANCISCO	9700
SELANDIA	10525
SIAM	14000
SOMERSETSHIRE	15780
SONGDAL	7300
SONGVAND	7300
SONGVARD	7300
STRASSA	11700
STUREHOLM	11100
SUECIA	9700
SULINA	6400
TENERIFFA	15025
THEODORE ROOSEVELT	15100
TISNAREN	13500
TONKING	14100
VALPARAISO	9700
WILLIAM PENN	17100

U. S. LICENSEE
THE WM. CRAMP & SONS CO.
PHILADELPHIA, PA., U. S. A.

U. S. REPRESENTATIVE for B. & W.
H. C. HALLINGS
27 WHITEHALL STREET, NEW YORK

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN





Diesels on Motorship "La Paz" get better lubrication at less cost

The "La Paz"—first of a fleet of six motorships built by the Pacific Steam Navigation Co.—has a permanent guarantee against lubricating trouble. The De Laval Oil Purifier that is installed as a part of her engine room equipment will always keep her lubricating oil clean—no matter how long in use.

Scored and burned-out bearings and undue wear on gears can be avoided on your ship by installing a De Laval Oil Purifier. Sludge and emulsions become only memories, as does the fact that you used to pump oil overboard after a short period of use.

The oil you save and the longer service you get from machinery combine to pay the cost of installing a De Laval—usually in a few months.

Bulletin 103 covers the steam field. Bulletin 102 describes the application of De Laval Purifiers in handling crankcase oils. Write for the one in which you are interested.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway **Chicago, 29 East Madison St.**

De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how De Laval Oil Purifiers improve the operation of ships' engines and lower lubricating costs, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name .....

Company .....

Address .....

.....

M

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Adams Diesel Engine



A simple, solidly constructed full Diesel Engine. Operates on the two stroke cycle with mechanical atomization and mechanical injection of the fuel.

Burns the standard asphalt base fuel oils of fourteen to twenty-six baume, completely and with high economy.

Simple to operate, easy to care for, it is an engine which may be depended upon for uninterrupted service.

E. T. ADAMS & SONS, LOS ANGELES, CALIF.

Mail address Box 20, Huntington Park, Calif.

THE

MOTORSHIP YEAR BOOK

Absolutely indispensable to the owner and builder alike

THE only complete Annual Blue Book covering the essential facts of the motor-shipping industry. Embraces the principal and important engineering facts and data, as well as the products of the principal manufacturers of engines of motorships.

The most valuable and authoritative data yet compiled. Contains, among a host of other useful features, complete information of every one of the 800 motorships that have been built from the first ship down to the present time. It is a reference and guide for future and present construction, and is of inestimable value to the whole shipping world as well as the oil-engine industry.

Genuinely worth ten times its cost of

$2.00

Miller Freeman & Co., Publishers, 27 Pearl Street, New York City

THE MANUAL OF MOTOR SHIPPING

And an Annual Review

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
e#pd-google
9015084660888

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN



Meets Your Requirements **A-E-CO** Windlass

Among the many types and sizes built by the American Engineering Company there is one that will suit your

space limitations—
ship construction—
personal preferences

Send for our Catalogs

We also build:
Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypsies
Chandlery

A-E-CO. Windlass Selected for the Navy Department's Big Seagoing Tug, "Undaunted," Because it Exactly Met Their Requirements.

American Engineering Company
Philadelphia, Pa.

Offices:
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.



Cylinder heads of Worthington Diesel Engine, two-cycle, solid injection, installed in motor lighter Worthington.

No Moving Parts On Cylinder Heads

The photograph shows just one of the simplicity features of the Worthington Diesel Engine, two-cycle, solid injection type. The nearest moving part here is a little check valve in the fuel oil spray nozzle. Nothing on top the cylinder moves, or wears, when the engine is running.

WORTHINGTON

W 86.4

Worthington Pump and Machinery Corporation
Executive Offices
115 Broadway, New York City. Branch Offices in 24 Large Cities

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation

General Agents: Hamburg-American Line

Plymouth, Boulogne, Hamburg
Joint Service with
Hamburg-American Line

Fortnightly Passenger Sailings from New York
New Triple-Screw Oilburning Steamers
Under the American Flag

Hamburg
Joint Service with
Hamburg-American Line

Weekly Passenger and Cargo Sailings from New York.
Regular Cargo Sailings from Boston, Philadelphia, Baltimore, Norfolk and New Orleans to Bremen and Hamburg.

Through bills of lading via Hamburg to all Baltic and Scandinavian Ports

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Intercoastal Service
of the
American-Hawaiian S. S. Co.

New York, Boston, Philadelphia, Baltimore, Mobile and New Orleans to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BALTIMORE—Maryland Casualty Building
BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

CUNNINGHAM
ELECTRIC AUXILIARY MACHINERY
The Pioneer American Line of Electric Deck Machinery



The "CUNNINGHAM" geared spring quadrant type electric-hydraulic steering gear (KENNICOTT TYPE) controlled by our MACTAGGART-SCOTT safety steering TELEMOTOR, is the IDEAL STEERING GEAR for MOTORSHIPS.

The floating quadrant driving the tiller through compression springs, provides a thoroughly resilient connection with the rudder. The hydraulic variative power and speed transmission gear gives maximum speed and control of the rudder at ordinary helm angles and maximum torque at hardover positions without overloading the electric motor, which runs continuously.



PATENTS PENDING

Steering Gears—Windlasses—Winches—Capstans—For Motorships

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE AND WORKS
7500 Carleton Avenue
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, California

Generated on 2024-09-13 14:56 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

—and that is true "Western" Performance

A. F. SCOTT — F. F. HERINGER

HERINGER & SCOTT
BAY AND RIVER FREIGHTING
RIO VISTA CALIF July 26, 1922.

Western Machinery Company,
423 Rialto Building,
San Francisco, Calif.

My Dear Mr. Browner: -

The Glencove, since having the 100 HP "WESTERN" Diesel Engine installed, has been in operation for three months. During this time the Engine has operated so successfully that I feel that I should write you in order that you may know what the Engine is doing.

As you know, the work of the Glencove is quite severe, as, most of the time, the boat is towing a 500 ton barge, usually away overloaded. The new Engine has increased the speed of the boat from 9 to 11.2 miles per hour, has cut the fuel cost to less than one sixth of what it cost when operating the Gas Engine. We are now using less than 5½ gallons per hour of regular Boiler Fuel Oil, the cheapest fuel obtainable.

There are two outstanding features in the operation of this Engine which are very desirable, and which I wish to compliment you on; one is the lack of vibration and the other is the ease with which the Engine can be handled during manoeuvering.

While we have had some minor troubles, which can be expected of any new installation, they have been so small, and really less than I anticipated, that they really do not amount to anything.

In conclusion I might state that I am very well pleased with our installation and that you are at liberty to refer to me at any time for recommendations. Also I wish to take this opportunity of thanking the Western Machinery Company for the excellent service that they have given, and also you personally for the interest you have shown in this installation.

With kindest regards, I remain

Very truly yours,

Capt A. F. Scott



WESTERN MACHINERY COMPANY
General Offices and Factory: 907 N. Main St.
Los Angeles, California
Branch: Rialto Building, San Francisco

Established 1848

Propeller Wheels

TROUT — BUFFALO U.S.A.

Marine Steam Engines



Throughout a period of over 70 years designing and manufacturing experience, we have gained a reputation for—

QUALITY OF WORKMANSHIP
FULFILLMENT OF PROMISES
CONSERVATISM

H. G. TROUT CO.

"Pioneer Propeller and Steam Engine Mfrs."

220-248 Ohio Street
Buffalo, N. Y.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C D MARK





4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue



14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



AROUND THE GALLEY STOVE

"I know you ain't runnin' a laundry,
but how's chances to dry this shirt?"

Besides ministering to the crew gastronomically, the SHIPMATE is often called upon to dry out their wet and sodden clothing when seas are boarding her and dirty weather is abroad.

Made by

THE STAMFORD FOUNDRY COMPANY

Established 1830 Stamford, Conn.

Repair and Maintenance Costs Reduced to an Absolute Minimum

There are many special features that are exclusive with the Enterprise Engines that are in large measure responsible for the low cost and operating expenses and the service given.

These features are known to Enterprise Diesels only; without these exclusive features Enterprise engines would be no different from ordinary Diesels.

We shall be glad to explain to you personally the value of the many exclusive features that the Enterprise Diesels possess, if you are interested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE ENGINE COMPANY

Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.

Generated on 2024-09-13 15:12 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"COEN" DUPLEX STRAINER

FOR
FUEL AND LUBRICATING
OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

DEUTSCHE WERFT, HAMBURG

GERMANY

Shipbuilding
Dock Construction
Engineering Works
Boiler Making
Repairs



OILENGINE 1550 IHP
LICENSEES OF BURMEISTER AND WAIN OILENGINES FOR GERMANY AND ITALY.

8000 Employees

High Class Freighters and Tankers with Piston Engines and Steam Turbines

19 Berths for Ships up to length of 820 feet

Floating Docks of 4000 and 8000 tons Capacity

SPECIALTY: MOTORSHIPS WITH BURMEISTER AND WAIN OIL-ENGINES

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MARINE ENGINEER OFFICERS' MAGAZINE

Every Engineer should have his copy monthly.

Become a Subscriber now. 18/- Yearly Subscription.

Contains: Specially written articles on Marine Engineering; Personalities; and a mass of interesting reading matter.

PUBLISHERS

JAMES MUNRO & CO., Ltd.

Marine Engineering and Nautical Publishers

35 & 37 Washington Street **Glasgow**

P. O. Box 105

Cap'n Allswell says:

"Is Your Propeller a Good Shipmate to Your Engine?

"Are you asking your engine to twirl a piece of metal as heavy as a bower anchor, and as rough on the boss and blades as a bo's'n's language?"

COLUMBIAN

Bronze PROPELLERS

bring out the full power in your engine. Made of tough manganese bronze, which permits the elimination of all ungainly weight and the use of a finer pitch and balance than other metals.

Send for the Columbian Book.



The Columbian Bronze Corp.

218 North Main Street

FREEPORT, L. I., N. Y.

For N.Y.C. Sales Only: 44 Third Ave.



MIDVALE CRANK SHAFTS

WE have the complete equipment at our Nicetown Plant for making and machining the heaviest forgings. This, backed by many years of experience in the manufacture of steels and steel products subject to the most rigid inspection requirements, makes a combination that insures high grade results.

Diesel engine manufacturers and others will find it to their advantage to get in touch with us. Crank shafts 7" in diameter and larger are now made on special machines which insure accuracy of alignment, and prompt delivery.

MIDVALE STEEL AND ORDNANCE COMPANY

CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis

SOLE EXPORTER OF OUR COMMERCIAL PRODUCTS CONSTECO CONSOLIDATED STEEL CORPORATION 25 BROADWAY, NEW YORK, U.S.A.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PNEUMERCATOR TANK GAUGES

A Necessity on Any Oil Burner From Liner to Tugboat

The only *direct-reading* gauge which will give you *accurate information*, and in units of *tank depth and weight* or *volume*. For oil cargo, fuel oil settling, ballast or water tanks, or bilges—also a special type for registering ship's fore, aft and mean draft.

The instruments give you a perpetual inventory without going near the tanks. They check invoices, fillings and withdrawals and, on oil burners, the hourly or daily fuel consumption. They guard against overfilling and flooding the decks.

Allowed by American Bureau of Shipping, Lloyds, and British Board of Trade.

Bulletin No. 202 Describes Them

Pneumercator Company, Inc.

Sperry Bldg.,
40 Flatbush Ave. Extension, Brooklyn, N. Y.

P-151

Trade Mark Reg. U.S. Pat. Off.
Pneumercator Gauges
Standard for Ships' Oil, Fuel and Ballast Tanks

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"

Announcement

We are pleased to announce the incorporation of the

BRUNSWICK - KROESCHELL COMPANY

a consolidation of Brunswick Refrigerating Company of New Brunswick, New Jersey; Kroeschell Bros. Co. and Kroeschell Bros. Ice Machine Company of Chicago, Illinois.

The New Company will maintain the present offices and factories in New Brunswick and Chicago with the various branch offices, and will combine the facilities and personnel of the former companies so that its customers may be assured of the most efficient service.

Brunswick Refrigerating Company
Kroeschell Bros. Co.
Kroeschell Bros. Ice Machine Company

Brunswick-Kroeschell Company

Brunswick NH_3 Ice Machines — New Brunswick, N. J.
Kroeschell CO_2 Ice Machines — Chicago, Ill.

ASPINALL'S PATENT GOVERNOR

FOR

INTERNAL-COMBUSTION OIL-ENGINES

PREVENTS RACING



SAVES FUEL

Adopted By the Leading Builders at Home and Abroad Fitted to a large Number of Ocean Going Motor Vessels

For Full Particulars Apply to

ASPINALL'S PATENT GOVERNOR CO.

10 STRAND STREET, LIVERPOOL
Telegrams—"VELO," LIVERPOOL
Telephones—BANK { 3731 / 4484

Agents in U. S. America
PLANT RUBBER & ASBESTOS WORKS
537 Brannan Street, San Francisco

JOHN PLATT & CO.
2 Rector Street, New York

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TORSIONAL VIBRATIONS IN SHAFTS

can be accurately predicted and prevented *before the crankshaft is built.*

Giving attention to the problem at that time will obviate trouble later.

Our experts are giving satisfactory assistance to a number of clients.

Why not profit by their experience?

WE SOLVE VIBRATION PROBLEMS

Trade Mark Registered

VIBRATION SPECIALTY COMPANY

N. W. Akimoff, Pres.

Harrison Bldg., Phila., Pa., U. S. A.



INTERIOR OF M/S "SOLITAIRE" CABIN, SHOWING CORY TELEGRAPH AND SHAFT INDICATORS

SHIPS TELEGRAPHS
ELECTRICAL EQUIPMENTS

Telegraphs	Voice tube fittings	Oil and water indicators
Engine	Jingle bells	Electric whistle operators
Docking	Bell pulls	Shaft indicating systems
Steering	Chain, wire pulleys	Fire Alarms
Revolution	Push buttons	Radio telephone equipment
Telephones	Vibrating bells	
Loud speaking	Annunciators	
Inter- communicating		

RAMSAY ANTICIPATING MARINE GOVERNOR.
EXCLUSIVE MARINE DISTRIBUTORS AND

INSTALLATION ENGINEERS OF Foamite Firefoam IN THE UNITED STATES

WRITE FOR FURTHER PARTICULARS

CHAS. CORY & SON, Inc.

PHILADELPHIA Bourse Building — 183-7 VARICK ST. NEW YORK, N. Y. — SAN FRANCISCO 11 Mission St.

They Say Great Minds Think Alike

Good advertising in carefully selected publications means the establishment of profitable new business connections. Connections thus formed often result in large repeat orders. Advertising will not keep a customer—your service must do that—but it will establish the initial connection from which permanent relations grow, and will keep your name and product continually before the purchaser. Even trade depressions cannot change this fundamental.

Many of the greatest manufacturing establishments and shipyards in the world consider

MOTORSHIP

the Best Medium for Marine Advertising.

If for them, why not for you ?

Our New Address—27 Pearl Street, N. Y. C.



Wear Automatically Taken Up In Northern Rotary Pumps

The rotors in Northern Rotary Pumps are fitted with self-adjusting packing strips which automatically feed out as they wear.

The rotors are relieved of the wear of driving each other by a pair of hardened steel pilot gears running in a bath of oil.

NORTHERN ROTARY PUMPS

"MORE GALLONS PER HORSE POWER"

These Northern features give the pump great advantages—long life at high efficiency—minimum upkeep expense, and "More gallons per horsepower," during the entire life of the pump.

These and other superiorities, like extreme compactness, durability and lightness make the Northern an unusually good cargo pump.

NORTHERN FIRE APPARATUS CO.

MINNEAPOLIS, MINNESOTA. U.S.A.

John A. Hense, New York City, Manager
51 East Forty-second Street

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TBT

THOMAS B. THRIGE

ODENSE
DENMARK

Telegrams
"THRIGE ODENSE."



ELECTRIC CARGO WINCHES

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information

Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY

107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)



Have the Reputation of Dependability:

Those who know of the reputation of the ships built at Roach's Shipyard, say our recently constructed vessels show a continuance of the same high standards of construction and installation and the same degree of service which gained for Roach's Shipyard the enviable reputation of dependability.

We solicit the opportunity to quote upon new construction, repairs and reconditioning of all types of commercial ships.

Roach's Shipyard

Merchant Shipbuilding Corporation

Chester, Pa. or 39 Broadway, New York

A Large Quantity of New Deck and Engine-Room Equipment and Interior Fittings

is required

for converting 19 American Steamers to Diesel-Engine Power and for 41 new Motorships

(See page 680 September issue)

Advertise Now in

MOTORSHIP

and Secure Your Share of the Business

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 15:10 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

BUILDERS OF ALL
TYPES OF VESSELS

SUN SHIPB
DIESEL

BUILDERS AND

DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND

MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Generated on 2024-09-13 15:13 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION

AUBURN, N. Y., U. S. A.



We build a special long-stroke slow-speed engine for single-screw ships, and a standard stroke slow-speed engine for twin-screw ships, from 390 to 4,000 indicated horsepower.

Let us send you our bulletin No. 66, "Achievements in Motor Ships."

(1,200 I.H.P.)
PORT ENGINE
"MS. KENNECOTT"
illustrated on the front cover of this magazine.

MAIN OFFICE AND WORKS
AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

325 HAMBLE BLDG.
Houston, Texas

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR D

E
C
O
N
O
M
Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INSTALL

PACIFIC DIESEL E

OAKLAND, C

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

DIESEL ENGINES



LED IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

ENGINE COMPANY

CALIFORNIA

RELIABILITY

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

GÖTAVERKEN

GÖTEBORG—SWEDEN



DIESEL-DRIVEN CARGO MOTORSHIP RECENTLY BUILT AND ENGINED BY GÖTAVERKEN.

SHIPBUILDERS, ENGINEERS AND SPECIALISTS IN THE REPAIR OF MOTORSHIPS, STEAMSHIPS AND THEIR RESPECTIVE MACHINERY

TWELVE GÖTAVERKEN-BUILT MOTORSHIPS IN SERVICE, AGGREGATING 99,450 TONS D.W. AND 37,400 I.H.P., ALSO ONE DIESEL-DRIVEN SALVAGE-VESSEL OF 1,250 I.H.P. IF YOUR MOTORSHIPS NEED REPAIR IN EUROPEAN WATERS, SEND THEM TO OUR YARD IN PREFERENCE TO A PLANT THAT HAS HAD LITTLE OR NO EXPERIENCE WITH THE CONSTRUCTION OF HIGH-POWERED DIESEL-ENGINED MOTORSHIPS. WE HAVE BUILT SUCCESSFUL STEEL MOTORSHIPS OF LARGE SIZE UP TO 14 KNOTS SPEED. OUR LARGE FOUNDRY CAN SUPPLY DIESEL-ENGINE CASTINGS TO ORDER.

CONSTRUCTIONAL LICENSEES IN SWEDEN OF THE BURMEISTER & WAIN DIESEL MARINE OIL-ENGINE

DIESEL ENGINE WORKS

SHIPYARD—FOUNDRY

FLOATING DRY-DOCK WITH A LIFTING CAPACITY OF 12,000 TONS

POSTAL AND TELEGRAPHIC ADDRESS

GÖTAVERKEN GÖTEBORG

GÖTEBORG SWEDEN GÖTAVERKEN

GÖTEBORG SWEDEN GÖTAVERKEN

Digitized by Google

Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

THE NEW IMPROVED FRISCO STANDARD HEAVY OIL ENGINE

THE OLD RELIABILITY —— THE NEW ECONOMY

THE name "FRISCO STANDARD" has always stood for unassailable leadership and dominating quality among heavy duty marine motors.

No other gasoline or distillate motor is so widely used throughout the world, nor has any acquired such a reputation for continuous dependability and endurance throughout almost never-ending years of service.

Our new product, the Frisco Standard Heavy Oil Engine, is designed and built to worthily uphold and carry on the traditional reputation of the old.

7½ to 300 B. H. P.

THE Frisco Standard Heavy Oil Engine is not an experiment. Built under license from America's most successful Surface-Ignition engine manufacturer whose product, extending over a period of fifteen years, has been a complete success, the new motor has been improved and perfected by our engineers who have added the benefits of their twenty or more years of specialized experience in the marine motor field. The result is a finer, sturdier engine that is a step ahead of the very best in modern oil engine practice.

NO AIR INJECTION



Single Cylinder Type, Built in Sizes 7½, 12½, 17½, 37½ and 50 h. p.



NO WATER INJECTION

Double Cylinder Type, Built in Sizes 15, 25, 35, 50, 75 and 100 h. p.



Three-Cylinder Type, Buit in Sizes 25, 40, 55, 75, 110 and 150 h. p.



Four-Cylinder Type, Built in Sizes 35, 55, 75, 100, 150 and 200 h. p.

Unexcelled in Workmanship and Design

TYPE: Semi-Diesel, 2-cycle, very few working parts, simple in construction, easy of operation by the unskilled, low in first cost and low in maintenance.

COMPRESSION: Low compression allows engine to operate under the least possible strain.

FUEL: Will burn any available Diesel Fuel Oil that is free flowing.

FUEL INJECTION: Of the solid or airless injection type, eliminating high pressures. Fuel introduced into combustion chamber thoroughly broken up and vaporized spreads into every part of combustion space. This results in instant and universal ignition with complete combustion. Fuel nozzle has no small holes to carbonize and require frequent drilling out, and will operate indefinitely.

BUILT TO LLOYDS: Conforms in every way to Lloyds, Bureau Veritas and the American Bureau of Shipping's requirements for marine engines.

GOVERNOR: Absolutely a perfect governing device. In a class by itself. Not only permits of a wide range of controlled speed, but changes direction of rotation, at will of operator.

Send for Heavy Oil Engine catalog just off the press and name of nearest Frisco Standard Dealer

Many New and Exclusive Features

STARTS QUICKLY: Fitted with electric quick starting device.

AIR STARTING VALVES: Mechanically operated and properly timed to prevent any possibility of dangerous pressures being built up through neglect or inexperience of operator.

ROTARY AIR VALVES: Mechanically operated and timed to assure the correct supply of air and positive scavenging, so essential to successful operation. A decided improvement over the automatic flap valve, customarily used.

ROLLER BEARING PISTON PIN: Eliminates all trouble at this point. Our type of roller bearing in three years constant usage has not shown a diametral wear of .002 inch.

CRANK CASE AIR SEAL RINGS: Assure at all times proper crank case compression, by maintaining crank case absolutely air tight. Also prevents any leakage of oil from the bearings.

REVERSE GEARS: All engines up to and including 150 H.P., regardless of number of cylinders, fitted with reverse gears.

DIRECT REVERSING: 3, 4 and 6-cylinder engines are Directly Reversible and handle with the ease and reliability of a steam engine.

The new improved Frisco Standard heavy oil engine is built in sizes from 7½ to 300 h.p., one to six cylinders, for both marine and stationary purposes. In every respect, the features that have characterized the Frisco Standard distillate engine for years and made it the world's leader among work boat engines, have been carried out in the design and construction of the heavy oil engine.

Frisco Standard dimensions are everywhere much larger than is ordinarily considered necessary in oil engine practice; horse power ratings are exceedingly conservative; accessibility of parts has been made one of the prime considerations and the unit system of construction, combined with the machining of all parts to jigs and gauges, assures absolute interchangeability and minimizes cost of material with little time lost in effecting replacements.

Dennison & King Streets **STANDARD GAS ENGINE CO.** Oakland, Cal., U. S. A.

Generated on 2024-09-13 15:03 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Wi

OIL DIESEL TYPE

COLLEEN

Length:- 110 ft. Beam:- 18ft. 2in. Draft:- 6 ft.

Owner:- Samuel A. Salvage, Port Washington, L. I.

Designer:- B. T. Dobson, New Bedford, Mass.

Builders:- George Lawley & Son Corp., Neponset, Mass.

Power Plant:- A pair of six cylinder Winton Diesel Oil Engines rated at 135 H. P. each, designed and built by the Winton Engine Works, Cleveland, Ohio



WINTON ENGINE WORKS,

New York City—A. G. Griese, Inc., 30 Church St. *Seattle*—H. W. Starrett, Sunset Engine Co.
Washington, D. C.—R. L. Fryer, 817 Alboe Bldg.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES

The Power and efficiency of the Winton Diesel Type Oil Engine is recognized by marine engineers and discriminating owners the world over. Ask your Engineer!



CLEVELAND, OHIO, U. S. A.

Los Angeles, Cal.—F. G. Bryant, 704 Delta Bldg.
New Orleans, La.—A. Baldwin & Company

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEHIND THEM ALL, STANDS— THE SPERRY GYRO-COMPASS



EVERY branch of the marine service now steers by the Sperry Gyro-Compass.

SUBMARINES, battleships, cruisers, destroyers, oil tankers, revenue cutters, lumber carriers, cargo vessels, yachts, diesel ships, passenger vessels, Great Lake steamers, up to the latest diesel ships CALIFORNIAN and MISSOURIAN, the Sperry serves them all.

IN addition to the navies of the world, where the Sperry has been the standard compass for over a decade—26 of the largest ship operating concerns of the world cover these classifications.

OVER ten years of actual service experience, coupled with unceasing research and development work, the Sperry Gyro-Compass today is an important contribution to 20th century navigation.

THE new improved Sperry Gyro-Compass will be on exhibition at our booth during the Marine Show, November 4th to 11th.

THE SPERRY GYROSCOPE CO.
MANHATTAN BRIDGE PLAZA
BROOKLYN, N.Y.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM THE AGGREGATE H.P. IN VESSELS FROM 1500 TO 6600 I.H.P. AND THE NUMBER OF SUCCESSFUL MOTORSHIPS IN OPERATION EXCEED ALL OTHER SYSTEMS COMBINED AND NO ENGINE BUILT TO THIS SYSTEM HAS EVER BEEN REMOVED OR REPLACED

ACCURACY AND INTERCHANGEABILITY ASSURED BY MODERN JIGS AND SPECIAL TOOLS; PROPER MATERIALS BY CRAMPS' IRON, STEEL AND BRASS FOUNDRIES CONTROLLED BY A MODERN LABORATORY

MOTORSHIPS THAT STAY ON THE SEAS

DIESEL ENGINES THAT STAY IN THE SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD ENGINES FOR TWIN SCREW VESSELS

SPECIAL LONG STROKE ENGINES FOR SINGLE SCREW SHIPS OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE

(Burmeister & Wain System)

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



"Hydro-Electric Steering gear installed on U. S. Battleship COLORADO"

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MARINE OIL ENGINES

Specially designed for Mercantile-Marine use. Rugged, Rigid, Simple and Accessible. No Injection Air Compressor. Rating conservative and quoted in Brake Horse-Power. Guaranteed for continuous running. The design embodies the experience of Marine Oil-Engines totalling half-a-million horse-power.

Works: Barrow-in-Furness, England
Head Office: Vickers House, Broadway, London, S. W. I.
New York Office: 2550 Woolworth Building, 233 Broadway

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Kahlenberg

Heavy Oil Engines



85' Barge Equipped With a 100-120 H. P. Kahlenberg Oil Engine

The White Swan is 85′ x 23′ x 8′, planked with 3″ white oak, designed and built by the Burger Boat Co., for the Oriental Mills Transit Co. Power plant consists of a 100-120 H.P. 4 cylinder Kahlenberg reversing oil engine, which gives her a speed of 10 miles light and 9 miles loaded. The owners report that after a full season of operation she has proven an exceptional freighter from point of design, power equipment, and the low cost of operation.

It is readily noted that this boat with raised forecastle, long cargo hold amidships, and engine room aft, makes one of the most efficient types of freighters for coastwise trade.

Note These Original Features :

Patented—Governor Control
Patented—Injection Control
Patented—Air Starting and Reversing
Patented—Water Cooled Combustion Chamber
Patented—Pressure Fuel Oil Strainer

Every part "getatable" and removable.

Guaranteed to operate perfectly on any of the crude fuel oils or kerosene

May We Send You a Catalogue?

KAHLENBERG BROS. COMPANY

Manufacturers

1707 12th Street, Two Rivers, Wis., U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL



165 H. P. MECHANICAL-INJECTION MARINE DIESEL-ENGINE
BUILT IN 3, 4 and 6 CYLINDER TYPES 55 TO 500 HORSE-POWER

SOME CHARACTERISTICS OF OUR ENGINES:

STARTING:	Is accomplished by compressed-air at 30 to 150 lbs. pressure in 5 to 10 seconds from stone cold to full power.
FUEL INJECTION:	Fuel-oil is injected into the combustion-chamber by mechanical means, no high-pressure air is used.
FUEL IGNITION:	Ignition is accomplished by the heat of compression only, no hot-balls, points, or surfaces of any kind are used.
COMPRESSION:	350 lbs. per square-inch.
FUEL CONSUMPTION:	One gallon of crude-oil for 19 horsepower per hour.
GRADE OF FUEL:	Any grade of fuel-oil is used that will flow readily through the pipes to the engine.
COST OF FUEL:	About 1/10 of a gas-engine.
LUBRICATION:	Return force-feed system to bearings through hollow crank-shaft and connecting-rod. Mechanical feed to cylinders. Consumption 1/10 gallon per 100 H. P. hour.
POWER:	Engines develop 20% in excess of rated power.
GOVERNING:	Gear-driven fly-ball governors regulate the quantity of fuel used, and sensitively controls the speed of the engine from no-load to full-load and vice versa with a variation in speed of not over 5%.
VIBRATION:	Less than a heavy-duty gas-engine.
RELIABILITY:	Absolutely dependable under the most trying conditions.
FLOOR SPACE:	About 15% greater than a heavy-duty gas-engine of same power.
WEIGHT:	Slightly greater than heavy-duty gas-engines of same power.
ACCESSIBILITY:	All parts are easy of access and made interchangeable as far as practical.
MATERIAL & WORKMANSHIP:	Are the highest possible standard for commercial purposes. All parts made from carefully selected material with a view of its special service, carefully machined to jigs and templates and ground and hardened where necessary.
SPEED:	Revolutions can be varied from 80 to 350 per minute.
SALES:	Our sales are rapidly increasing and every engine is giving wonderful service and satisfaction.

* *

Our Diesel engine in your boat will please you and make you money.

REPRESENTATIVES

ASTORIA, ORE.—Atlas-Imperial Engine Agency, 12th and Bond Sts.
HONOLULU, T. H.—H. A. Peterson, Box 155
JUNEAU, ALASKA—Charles G. Warner Company
NEW ORLEANS, LA.—J. G. Davis, 1324 Music St.
NOME, ALASKA—Alaska Lighterage and Commercial Co.
PAPETTE, TAHITI—Et Davio
SAN PEDRO, CAL.—Garbutt & Walch
SEATTLE, WASH.—Atlas Gas Engine Agency, 901 Western Ave.
SUVA, FIJI—Morris Hedstrom, Ltd.
VANCOUVER, B. C.—Ferrier and Lucas

ATLAS IMPERIAL ENGINE COMPANY
OAKLAND, CALIFORNIA

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Westinghouse



Welcomes You-

WESTINGHOUSE ELECTRIC

A representative will be at the Westinghouse exhibit to welcome you.

At the Grand Central Palace, New York City, November 4 to 11, you will find many interesting and new Westinghouse developments, among which are:—

Exhibit showing Westinghouse Diesel-Electric System of Propulsion.

—100 kw. Westinghouse Turbine-Generator set

—25 hp. Westinghouse Marine type Deck Winch Motor and Control.

—Marine Reduction Gearing

—Marine Air Ejector

—Circuit Breakers

—Fans, Heaters, Shop Appliances for shipboard

—Electric Lighting Set for small craft.

A visit to the Westinghouse booth will be both interesting and instructive.

Everybody welcome.

WESTINGHOUSE ELECTRIC & MANUFACTURINC CO.
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities

Service Stations in All Principal Ports

Special Pacific Coast Representatives
Hunt, Mirk & Company,
San Francisco.

Generated on 2024-09-13 14:57 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Increase Profits by Saving Time

The efficient operation of the electric deck auxiliaries of the motorships William Penn and Californian was responsible for the remarkably short time required in port for discharging and loading cargo. Quick turn-arounds spell success and profit for a ship.

Both the M.S. William Penn and the M.S. Californian are test ships, especially fitted to thoroughly try out motor driven deck auxiliaries. The M.S. William Penn has already circled the globe twice, covering more than 60,000 miles and has thoroughly tried out her deck auxiliaries under the most severe conditions of actual practice.

On the Californian a long series of carefully conducted tests, in addition to her late service operation, fully substantiate our claim that electrically driven deck auxiliaries are in every way far superior to steam equipment.

Westinghouse deck winch motors are designed with speeds equalling the fastest steam winch. If necessary, even greater speeds can be obtained.

The electrification of deck auxiliaries is an important factor in the economic operation of merchant vessels.

WESTINGHOUSE ELECTRIC & MANUFACTURING COMPANY
East Pittsburgh, Pa.

Sales Offices in all Principal American Cities

Special Pacific Coast Representatives: **HUNT, MIRK & CO., San Francisco, Cal.**

Westinghouse

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

G-E Electric Auxiliary Equipment

For your requirements:

G-E Turbine-Electric Drive
G-E Electric Drive for Motorships
G-E Marine-Geared Turbines
G-E Electric Drive for Auxiliaries

General Electric Company

General Office
Schenectady, N.Y.

Sales Offices in all large cities

30-35

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Advantages of Oil Engine-Electric Drive

for ship propulsion can be fully realized only when the electrical equipment is combined with oil engines possessing the *simplicity* and *high fuel economy* of the

PRICE-RATHBUN ENGINE

A line of sizes ranging from 240 to 750 BHP has been developed which gives the ship operator a wide choice in number and size of engine generator sets. These engines

Are designed for marine installation.

Have six cylinders.

Use the Price system of direct injection of fuel, eliminating the high pressure injection air compressor and thereby reducing the weight and floor space of installation.

Have automatic pressure system of lubrication.

Have a simple yet sensitive governor control which automatically proportions the fuel charge to meet load fluctuations, maintaining the constant speed essential for correct operation of electric generators and motors.

Have moderate weight per horse-power making it possible for total weight of installation to be no greater than for a direct drive installation.

Our engineers will be glad to go into full details with you with reference to marine oil engine electric drive.

INGERSOLL-RAND COMPANY, 11 Broadway, New York

PRICE-RATHBUN Engines are also built for direct drive in sizes from 220 to 750 BHP.

19-MOE

Ingersoll-Rand

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency *Economy* *Cleanliness*



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Cebu
Christiania (Soon)
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Glasgow
Gothenburg
Granton
Hamburg
Hankow
Havana
Hong Kong
Hull
Hurghada
Iquique
Jarrow-on-Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shell H'ven & Thames Haven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Sudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Sourabaya
Southampton
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Vado
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Constantinople
Durban
Havre
Port St. Louis du Rhone
San Juan (Porto Rico)
St. Vincent

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company, Limited,** at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR

MARINE DIESEL ENGINES

THE FIRST FULL-POWERED OCEAN-GOING MOTORSHIP WAS DRIVEN BY WERKSPOOR DIESEL OIL-ENGINES



1100 B. H. P. WERKSPOOR MARINE DIESEL ENGINE



DURING CONSTRUCTION OF A 1600 B. H. P. MARINE DIESEL ENGINE

SIMPLICITY—ACCESSIBILITY—RELIABILITY

50 MOTORSHIPS IN SERVICE AND ON ORDER 50

AMERICAN LICENSEES

NEWPORT NEWS SHIPBUILDING & DRY DOCK CO.
NEW YORK SHIPBUILDING CORPORATION
PACIFIC DIESEL ENGINE COMPANY

REPRESENTATIVE FOR U. S. A. AND CANADA:

WILLIAM BRAAT

WOOLWORTH BUILDING NEW YORK CITY

AMSTERDAM

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE TOST DIESEL *Marine Engine*

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION



Engine for M.S. "Pinzon," built at Dalmuir.

Results of 100 Hours' Trial.

Average B.H.P.	1,276
Mechanical efficiency, per cent.	77
Average I.H.P.	1,646
Revolutions per minute	124
Mean pressure on B.H.P. basis, lb. per square inch	75.5
Fuel consumption, lb. per P.H.P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average.	125
Piston cooling water, outlet temperature, deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM BEARDMORE AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



De Laval Purifier restores efficiency of oil after 1000 miles of service in submarine

A pint of sludge centrifuged out of ten quarts of oil taken from the Diesel lubricating system of a submarine after a 1000-mile cruise recently proved to the satisfaction of several engineers what the De Laval Oil Purifier can do with oil in its worst state. Before purification this oil was absolutely unfit for further use and would probably have been pumped overboard. After purification its lubricating qualities were equal to those of brand-new oil.

If the De Laval Purifier can do that on a batch of exceptionally dirty oil, how much must it add to the efficiency of lubrication when operated on the continuous by-pass system as generally recommended?

With this system, a stream of oil is continuously drawn from the bottom of the crank case (or in the case of a steam turbine, from the oil reservoir) and delivered to the De Laval Purifier. Here impurities are instantaneously centrifuged out and the purified oil is returned to the lubricating system.

Thus the oil is constantly kept free from impurities. Wear on bearings is materially reduced; sludge no longer accumulates in the oil grooves and channels of the engine; the necessity for disassembling the unit for manual cleaning is practically eliminated, and the oil need never be taken out of the system.

No engine can give the fullest measure of service unless it is properly lubricated. You'll agree that the most perfect lubrication can be obtained only by the constant use of clean oil. Let us tell you how the De Laval Purifier furnishes that kind of oil for *less* than your present lubricating costs.

The De Laval Separator Company

Largest Manufacturers of Centrifugal Machinery in the World

New York, 165 Broadway Chicago, 29 East Madison St.

Manufacturers' Selling Agents, De Laval Pacific Company, San Francisco, Cal.
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: **American-Hawaiian Steamship Co.**
American Ship and Commerce Corporation

General Agents: **Hamburg-American Line**

Plymouth, Boulogne, Hamburg
Joint Service with
Hamburg-American Line

Fortnightly Passenger Sailings from New York
New Triple-Screw Oilburning Steamers
Under the American Flag

Hamburg
Joint Service with
Hamburg-American Line

Weekly Passenger and Cargo Sailings from New York.
Regular Cargo Sailings from Boston, Philadelphia, Baltimore, Norfolk and New Orleans to Bremen and Hamburg.

Through bills of lading via Hamburg to all Baltic and Scandinavian Ports

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.

U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Intercoastal Service
of the
American-Hawaiian S. S. Co.

New York, Boston, Philadelphia, Baltimore, Mobile and New Orleans to Los Angeles, San Francisco, Portland, Seattle and Tacoma

Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES

BALTIMORE—Maryland Casualty Tower Building
BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building
ROCHESTER—Commerce Building

AGENTS

CHARLESTON—Street Brothers
MOBILE—Page & Jones
NEW ORLEANS—Richard Meyer Company
SAVANNAH—M. J. Hogan & Company

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco

CUNNINGHAM
ELECTRIC AUXILIARY MACHINERY

The Pioneer American Line of Electric Deck Machinery



The " CUNNINGHAM " geared spring quadrant type electric-hydraulic steering gear (KENNICOTT TYPE) controlled by our MACTAGGART-SCOTT safety steering TELEMOTOR, is the IDEAL STEERING GEAR for MOTORSHIPS.

The floating quadrant driving the tiller through compression springs, provides a thoroughly resilient connection with the rudder. The hydraulic variative power and speed transmission gear gives maximum speed and control of the rudder at ordinary helm angles and maximum torque at hardover positions without overloading the electric motor, which runs continuously.



PATENTS PENDING

Steering Gears—Windlasses—Winches—Capstans—For Motorships

ALLAN CUNNINGHAM CO., Inc.

NEW YORK
Maritime Engineering & Sales Corp.
2 Rector St., New York City, N. Y.
Telephone Rector 2318

MAIN OFFICE AND WORKS
7500 Carleton Avenue
Seattle, Wash.

SAN FRANCISCO
Geo. E. Swett
201 Rialto Bldg.
San Francisco, California

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Meets Your Requirements **A-E-CO** Windlass

Among the many types and sizes built by the American Engineering Company there is one that will suit your

space limitations—
ship construction—
personal preferences

Send for our Catalogs

We also build:

Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypsies
Chandlery

A-E-CO. Windlass Selected for the Navy Department's Big Seagoing Tug, "Undaunted," Because it Exactly Met Their Requirements.

American Engineering Company
Philadelphia, Pa.

Offices:
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

INVALUABLE TO DESIGNERS, BUILDERS, OPERATORS, AND MOTORSHIP ENGINEERS



The 1922 MOTORSHIP YEAR BOOK

Handsomely Bound in Blue Cloth
Now $2 per Copy Including Postage

NOTHING LIKE IT PUBLISHED ELSEWHERE.

Copies also carried in stock at the Pacific Coast office of "Motorship," 71 Columbia St., Seattle, Wash., U. S. A.

Published by
Miller Freeman & Co.
27 Pearl Street
New York City
Publishers of
MOTORSHIP

To "MOTORSHIP,"
27 Pearl St., New York City

Send me by return mail one copy of the 1922 "*Year Book*" for which I enclose (Bill) (Check) (Money Order) (Draft) for two dollars.

Name .....
Street .....
City .....
Country .....

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Adams Diesel Engine



A simple, solidly constructed full Diesel Engine. Operates on the two stroke cycle with mechanical atomization and mechanical injection of the fuel.

Burns the standard asphalt base fuel oils of fourteen to twenty-six baume, completely and with high economy.

Simple to operate, easy to care for, it is an engine which may be depended upon for uninterrupted service.

E. T. ADAMS & SONS, LOS ANGELES, CALIF.

Mail Address Box 20, Huntington Park, Calif.

"COEN" DUPLEX STRAINER

FOR

FUEL AND LUBRICATING

OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



"At all loads for comparable sizes the Diesel Engine will produce a greater output of power per B. t. u. input than any other type of commercial heat engine known."

"WESTERN"

The selection of your power equipment has been simplified for you to this extent—that if you want efficiency, operating economy and dependable performance, you must have a Diesel plant. And if you want the maximum of these in the simplest, ***successful*** unit as yet produced, you must have a "Western" Diesel Engine.

The "Western" is a full Diesel, solid injection, heavy duty engine, built in sizes of 25 H. P. per working cylinder, in single and multiple cylinder units, both stationary and marine types.

It is the simplest engine of the full Diesel type ever built. It is not in the experimental stage, but a proven success in actual service in practically every power using country.

If you are using less efficient than Diesel equipment, get our catalogs, prices, terms, records of performance and costs, photos of installations, etc

Mention Catalog No. 507

WESTERN MACHINERY COMPANY

General Offices and Factory: 907 North Main Street, Los Angeles, California, U. S. A.
BRANCH: Rialto Building, San Francisco

"WESTERN"



View of our Main Machine Shop and Assembly floor. (Note various classes of work under construction.)

THE H. G. TROUT COMPANY

220-48 OHIO STREET

BUFFALO, N. Y.

Established 1848

TROUT
BUFFALO U.S.A.

THE VALUE OF AGE

in an Engineering works lies, not alone in the wealth of experience available in its records, but also in the spirit of its men. Most of our officials and mechanics learned their trades here. Many of them represent the second or third generation of employees. These satisfied and loyal men take pride in upholding our traditions of quality and practical design.

You receive these benefits when you deal with us.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C O MARK





4 Feed Ratchet Oiler

5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue

14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HEAVY DUTY, SPLIT FRAME, WATERTIGHT MOTORS

FOR

SHIPS' WINCHES, WINDLASSES, CAPSTANS, HOISTS, Etc.
WHERE ABSOLUTE MAINTAINED WATER TIGHTNESS IS ESSENTIAL

Important features of this motor

Absolute watertightness guaranteed. Motor may be submerged.

Bronze hand-hole covers bolted to machine surfaces, with heavy rubber gaskets.

Stuffing gland around shaft.

Water positively excluded from bearings.

Special compartment provided in lower half of frame for bringing in leads through conduit or stuffing tubes tapped into frame.

Specially impregnated windings for sea service.

All small fittings of non-corrodible material.

Extra large shaft and bearings.

Small diameter of armature to reduce inertia—starting, stopping, and reversing.

Extra heavy construction of frame and supporting feet.

DIEHL MANUFACTURING COMPANY

ELIZABETH, N. J.

Repair and Maintenance Costs Reduced to an Absolute Minimum

There are many special features that are exclusive with the Enterprise Engines that are in large measure responsible for the low cost and operating expenses and the service given.

These features are known to Enterprise Diesels only; without these exclusive features Enterprise engines would be no different from ordinary Diesels.

We shall be glad to explain to you personally the value of the many exclusive features that the Enterprise Diesels possess, if you are interested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE
ENGINE COMPANY
Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



6000 S.H.P. Single Reduction Falk Herringbone Gear Unit for Compound Turbines. Speed 1900 to 132 R.P.M. Twin Screw Passenger Ship.

FALK
HERRINGBONE GEARS

On difficult transmission installations on both turbine and Diesel driven ships Falk Herringbone Gears are giving first class service. They have proved their superior efficiency and wearing qualities on warships, passenger ships and freighters.

The smooth, continuous power impulse that Falk Herringbone Gears deliver reduces wear on machinery, and cuts power losses to the absolute minimum.

Our engineering department has made a special study of marine power transmission problems. Let us assist you on your next gear installation.

THE FALK CORPORATION

MILWAUKEE, WISCONSIN

REPRESENTATIVES:

W. O. Beyer
1007 Park Bldg., Pittsburgh, Pa.

M. P. Fillingham
50 Church St., New York City

F. W. Grimwood
Rialto Bldg., San Francisco, Cal.

Engineering Equipment Co., Ltd.
358 Beaver Hall Square, Montreal
Quebec, Canada

FOREIGN REPRESENTATIVE:
Gustav Melms, 3 Rue Taitbout, Paris

A Large Quantity of New Deck and Engine-Room Equipment and Interior Fittings

is

required

for converting 19 American Steamers to Diesel-Engine Power and for 41 new Motorships

(See page 680 September issue)

Advertise Now in

MOTORSHIP

and Secure Your Share of the Business

MARINE ENGINEER OFFICERS' MAGAZINE

Every Engineer should have his copy monthly.

Become a Subscriber now. 18/- Yearly Subscription.

Contains: Specially written articles on Marine Engineering; Personalities; and a mass of interesting reading matter.

PUBLISHERS

JAMES MUNRO & CO., Ltd.

Marine Engineering and Nautical Publishers

35 & 37 Washington Street **Glasgow**

P. O. Box 105

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Cap'n Allswell Says:

"Look for this Trade Mark When Buying a Propeller

IT guarantees that the propeller is made of Columbian Manganese Bronze, strong, sound, and clear of defects; and that the blades are true and of the pitch represented; and that the workmanship is accurate. You'll find this mark on the hub of every genuine Columbian Propeller."

Send for the Columbian Book

THE COLUMBIAN BRONZE CORPORATION
218 N. Main St., Freeport, N. Y.
For N. Y. C. Sales Only: 44 Third Ave.

TRADE MARK REGISTERED

COLUMBIAN
Bronze PROPELLERS

The East Asiatic Co., Ltd.
Aktieselskabet Det Ostasiatiske Kompagni,
COPENHAGEN

TO THE EAST:

Japan Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA, HAMBURG and ANTWERP to HONGKONG, SHANGHAI, KOBE, YOKOHAMA, DALNY and VLADIVOSTOK.

Bangkok Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA, HAMBURG, MIDDLESBROUGH and ANTWERP to PORT SAID, COLOMBO, PENANG, SINGAPORE and BANGKOK.

Java Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA and HAMBURG to BATAVIA, SAMARANG and SOERABAYA.

TO SOUTH AFRICA:
Sailings from DENMARK, NORWAY, SWEDEN and BALTIC PORTS to CAPE TOWN, ALGOA BAY, EAST LONDON, DURBAN, DELAGOA BAY and BEIRA.

TO AUSTRALIA:
Sailings from DENMARK, NORWAY, SWEDEN, ANTWERP, LISBON and GENOA to FREMANTLE, ADELAIDE, MELBOURNE, SYDNEY and BRISBANE.

TO AND FROM NORTH PACIFIC AND WEST INDIES:
Sailings between SCANDINAVIAN and BALTIC PORTS, HAMBURG and ANTWERP and ST. THOMAS (with transhipment to and from the WEST INDIES), CRISTOBAL (with transhipment to and from CENTRAL AMERICA), SAN PEDRO, SAN FRANCISCO, PORTLAND, SEATTLE, TACOMA, VANCOUVER and vice versa.

TO AND FROM SOUTH PACIFIC AND WEST INDIES:
Sailings between SCANDINAVIAN and BALTIC PORTS, HAMBURG and ANTWERP and ST. THOMAS (with transhipment to and from the WEST INDIES), CRISTOBAL (with transhipment to and from CENTRAL AMERICA), GUAYAQUIL, CALLAO, IQUIQUE, ANTOFAGASTA, VALPARAISO and TALCAHUANO.

For further particulars please apply to:
THE EAST ASIATIC CO., LTD. - - - COPENHAGEN
UNITED BALTIC CORPORATION. 158 Fenchurch St., LONDON, E. C. 3.

United States of America:
The East Asiatic Co. Inc., Whitehall Building, 17 Battery Place, N.Y.
The East Asiatic Co., Inc., 433 California St., San, Francisco, Cal.

ELECTRIC GALLEY EQUIPMENT
WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS

HIGHEST AWARD



BEST REFERENCES

VESTA Ltd.
GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee **Quick Delivery**

Send for Quotations

St. Thomas, V. I., U. S. A.
Cheapest Oil and Coal Bunkering Station in the West Indies
The Largest, Safest and Deepest Harbour in the Caribbean Sea

THE WEST INDIAN COMPANY, LTD.

About 3200 feet quay berth. Depth of water 31 feet. Large stocks of BEST AMERICAN STEAM COAL and FUEL OIL for steamers and motorships.

STEAMERS bunkered day and night by large ELECTRIC COAL CONVEYORS, coal weighed automatically by officially adjusted weighing machines, each conveyor delivering from 100 to 150 tons per hour.

FUEL OIL supplied day and night at the rate of up to 300 tons an hour.

FRESH WATER supplied at moderate cost from New Water Works with Filtering Plant.

NO PORT CHARGES

TRAN-SHIPMENT of cargo at very moderate rates to all points in the West Indies, Venezuela and Colombia by new, regular, intercolonial lines of STEAMERS and MOTORSHIPS.

For further particulars apply to:

THE WEST INDIAN CO., LTD. **St. Thomas, V. I., U. S. A.**
Telegraphic Address: OCCIDENT

FOR COAL:

THE BERWIND WHITE COAL MINING CO. **1 Broadway, N. Y.**
Telegraphic Address: BERWIND

HULL, BLYTH & CO., LTD. **1 Lloyds Avenue, London, E. C.**
Telegraphic Address: VAPOR

FOR FREIGHT, COAL AND OIL:

THE EAST ASIATIC CO., LTD. **Copenhagen**
Telegraphic Address: OCCIDENT

UNITED BALTIC CORP., LTD. **158. Fenchurch St., London, E. C.**
Telegraphic Address: ORIENTEAKO

THE EAST ASIATIC CO., INC. **60 Wall Street, New York**
Telegraphic Address: ORIENTICO

THE EAST ASIATIC CO., LTD. **310 Sansome St., San Francisco**
Telegraphic Address: JELSTRUP

WEST INDIA OIL COMPANY **26 Broadway, New York**
Telegraphic Address: "WESTOIL"

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PNEUMERCATOR TANK GAUGES

A Necessity on Any Oil Burner From Liner to Tugboat

The only *direct-reading* gauge which will give you *accurate information*, and in units of *tank depth and weight* or *volume*. For oil cargo, fuel oil settling, ballast or water tanks, or bilges—also a special type for registering ship's fore, aft and mean draft.

The instruments give you a perpetual inventory without going near the tanks. They check invoices, fillings and withdrawals and, on oil burners, the hourly or daily fuel consumption. They guard against overfilling and flooding the decks.

Allowed by American Bureau of Shipping, Lloyds, and British Board of Trade.

Bulletin No. 202 Describes Them

Pneumercator Company, Inc.

Sperry Bldg.,
40 Flatbush Ave. Extension, Brooklyn, N. Y.

P-151

Trade Mark Reg. U.S. Pat. Off.
Pneumercator Gauges
Standard for Ships' Oil, Fuel and Ballast Tanks

The

MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

Silencer in engine-room of American motorship "Cethana"

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information

THE MAXIM SILENCER COMPANY

107 Homestead Avenue
HARTFORD, CONN., U. S. A.

(107)

BRUNSWICK

REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"

Announcement

We are pleased to announce the incorporation of the

BRUNSWICK - KROESCHELL COMPANY

a consolidation of Brunswick Refrigerating Company of New Brunswick, New Jersey; Kroeschell Bros. Co. and Kroeschell Bros. Ice Machine Company of Chicago, Illinois.

The New Company will maintain the present offices and factories in New Brunswick and Chicago with the various branch offices, and will combine the facilities and personnel of the former companies so that its customers may be assured of the most efficient service.

Brunswick Refrigerating Company
Kroeschell Bros. Co.
Kroeschell Bros. Ice Machine Company

Brunswick-Kroeschell Company

Brunswick NH_3 Ice Machines
New Brunswick, N. J.

Kroeschell CO_2 Ice Machines
Chicago, Ill.



Have the Reputation of Dependability:

Those who know of the reputation of the ships built at Roach's Shipyard, say our recently constructed vessels show a continuance of the same high standards of construction and installation and the same degree of service which gained for Roach's Shipyard the enviable reputation of dependability.

We solicit the opportunity to quote upon new construction, repairs and reconditioning of all types of commercial ships.

Roach's Shipyard

Merchant Shipbuilding Corporation

Chester, Pa. or 39 Broadway, New York

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



SUN SHIPB
DIESEL

BUILDERS AND
DOXFORD
TWO-CYCLE



3000 I.H.P. at 76 R.P.M.
ON SINGLE SCREW

DOXFORD AND



MOTORSHIP "DOMINION MILLER"

PHILADELPHIA OFFICE
FINANCE BUILDING

MAIN OFFICE
CHESTER

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

UILDING CO
ENGINES



SOLE LICENSEE OF THE

OPPOSED-PISTON
OIL-ENGINE



FLOATING DRY-DOCK
10,000 TONS LIFTING CAPACITY

JUNKERS PATENTS

ND WORKS
PA. U.S.A.

NEW YORK OFFICE
CUNARD BUILDING

MOTORSHIP "YNGAREN"

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

DOXFORD

OPPOSED-PISTON TWO-STROKE

MARINE OIL ENGINE

SOLID-INJECTION PERFECT COMBUSTION WITH CRUDE-OILS

INCLUDING

MEXICAN BOILER OIL

PATENTS GRANTED



3000 H. P. SINGLE-SCREW 77 REVS.

December 24th, 1921. The Engine for Messrs. Furness Withy & Cos. Motorship DOMINION MILLER completed extensive test bed trials including 7 days run 3150 I. H. P. 76 Revs. on MEXICAN BOILER-OIL. 0.945 Specific-Gravity. Mean consumption 0.417 lb. per S. H. P. and opened out in perfect condition.

WILLIAM DOXFORD & SONS, LTD.

SHIPBUILDERS, ENGINEERS AND GOVERNMENT CONTRACTORS

TEL. ADDRESS "DOXFORD SUNDERLAND"

SUNDERLAND ENGLAND

1920 1922

TEL. NOS. 412, 413, 414, 1141

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WILLIAM DOXFORD & SONS, LIMITED



TORPEDO BOAT DESTROYERS *34 KNOTS*



GEARED TURBINES *27,000 H. P.*

1914-1919

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

HERE IS YOUR ENGI

WHERE IS YOUR SHIP ?

"NORTH EASTERN WERKS

MARINE DIESEL ENGINES



M.S. "VULCANUS".

FACTS

THIS TYPE WAS THE FIRST TO BE INSTALLED IN ANY OCEAN GOING VESSEL VIZ:- THE "VULCANUS".

◄ FIRST IN 1910. ►

FOREMOST TO-DAY WITH 100,000 H.P. TO ITS CREDIT AND INSTALLED IN OVER 50, VESSELS. BUILT UP TO POWERS OF 4,000HP

A COOL HEADED MAN

WITH A VAST EXPERIENCE IS WORTH MANY HOT HEADED MEN WITHOUT EXPERIENCE. WHY NOT APPLY THIS TO YOUR CHOICE OF ENGINE AND ORDER A NORTH EASTERN WERKSPOOR DIESEL ENGINE

ENGINES BUILT TO PURCHASERS REQUIREMENTS BLENDED WITH OUR OWN EXPERIENCE.



NOTE THE COOL HEAD

DUE TO THE AMPLE FLOW OF COOLING WATER AROUND THE HOTTEST PART OF THE CYLINDER CROWN AND VALVES.

THIS CANNOT BE ATTAINED BY ANY DESIGN WITH A DETACHABLE COVER

THE NORTH EASTERN MARINE ENGINEERING Co LTD.

TELEGRAPHIC & CABLE ADDRESS NEWS WALLSEND.

WALLSEND-ON-TYNE. ENGLAND

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Digitized by Google

Original from UNIVERSITY OF MICHIGAN



Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TWO-CYCLE DIESEL MARINE ENGINES



Smaller and medium-sized low-speed types
from 100—1000 HP for sailing ships, coasting and river service, medium-sized cargo-boats and passenger-ships, tugs, gun-boats, and yachts.

Large low-speed types
from 1000 to over 6000 HP per unit for ships with one, two or more propellers, for ocean going vessels such as cargo-boats, tankers, liners, etc.

SULZER FRÈRES, WINTERTHUR, SWITZERLAND
BUSCH-SULZER BROS.-DIESEL ENGINE CO.
ST. LOUIS, MO.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



ARRANGEMENT OF

BUSCH-SULZER DIESELS

FOR

CONVERSION OF STEAMERS

TO MOTORSHIPS

SINGLE SCREW—2650 S.H.P.—90 R.P.M.

AND IN ENGINE ROOM LENGTH OF 54'-0"

TWIN SCREW—6000 S.H.P.—102 R.P.M.

HIGHER SPEED—LESS FUEL

BUSCH-SULZER BROS.-DIESEL ENGINE CO.

ST. LOUIS, MO.

EASTERN SALES OFFICE
60 BROADWAY, NEW YORK

WESTERN SALES OFFICE
RIALTO BLDG., SAN FRANCISCO

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Announcing the New Product

THE TROUT

(LEISSNER COMBUS

Established 1848



THE PLANT BEHIND THE TROUT DIESEL ENGINE

THE VALUE OF AGE

in an Engineering works lies, not alone in the wealth of experience available in its records, but also in the spirit of its men. Most of our officials and mechanics learned their trades here. Many of them represent the second or third generation of employees. These satisfied and loyal men take pride in upholding our traditions of quality and practical design.

You receive these benefits when you deal with us.

OUR MAIN MACHINE SHOP

Write for further particulars to

H. G. TROUT COMPANY
220-226 Ohio Street
Buffalo, N. Y.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

of an Old Marine Concern

DIESEL ENGINE

TION SYSTEM)



THE TROUT DIESEL ENGINE—75 TO 500 B. H. P.
(Above view shows engine nearly finished and connected to Dynamometer, ready for exhaustive tests)

Constant and close association with the marine field has demonstrated to us the ever increasing demand for the Oil Engine.

Our wide experience in Marine Steam Engine and Propeller design and manufacture, has emphasized certain essential features, which every operator of a marine engine has found to be important.

For several years we have been searching for the best combination of these features, to enable us to develop and place upon the market, an engine which would combine simplicity, accessibility, ruggedness and operating economy. We are confident that we can now offer such an engine—heavy enough to withstand the hardest service, yet with no excessive weight—and no waste of space.

The TROUT DIESEL ENGINE will uphold our reputation for building machinery, which will give uninterrupted service under the most severe conditions.



VIEWS OF ENGINE UNDER COURSE OF CONSTRUCTION
(Port and starboard sides)

Construction Features

Two Stroke Cycle. Airless Injection. Scavenge Pump.
Forced Feed Lubrication, thru hollow crankshaft.
Cylinders lubricated by timed mechanical lubrication.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

SCHNEIDER & CIE

HEAD OFFICE
42, RUE D'ANJOU, PARIS, FRANCE

NEW YORK OFFICE
21 EAST 40th STREET



General Arrangement of the Schneider 1500 Shaft H. P. Two-Cycle Type Merchant-Marine Diesel Engine. A number of these Sets are under construction.

SUCCESS in construction of high grade machinery relies mostly on judicious selection of materials used. Schneider et Cie are foremost leaders in engineering and metallurgy.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

SCHNEIDER et Cie are the largest Engineering Concern in France, and one of the greatest in the World. Back of their Diesel Engines is the Schneider reputation one century old.

MARINE ENGINES

FOR over 15 years Schneider et Cie have been engaged in the construction of Marine Diesel Engines.

FOR a considerably greater number of years they have been builders of marine steam-engines for freighters and for warships of many Navies.

THEIR experience as shipbuilders and marine engineers has been invaluable in their development of the Diesel engine in both 4-cycle and 2-cycle types.

THEY have now adopted the 2-stroke cycle for engines of large power which have been built up to 1500 bhp, both in the slow-speed crosshead type as well as in the high-speed submarine type, and they are prepared to construct up to 3500 shaft H. P. per engine, or 7000 shaft H. P. per twin-screw set for merchant ships.

Applications for American Licenses and for quotations on Engines should be made to

FRAMERICAN INDUSTRIAL DEVELOPMENT CORPORATION

21 EAST 40th STREET, NEW YORK

Exclusive Representative

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Nichrome

TRADE MARK REG. U. S. PAT. OFF.

The Valve for Perpetual Power

Under the most severe operating conditions Nichrome Valves have been in service for more than 30,000 miles with no attention—and still going.

Nichrome has extreme strength at high temperatures, and no affinity for carbon.

Nichrome Valves do not scale, pit, harden, anneal or become distorted. These valves enable you to use low grade fuel oils.

Put Nichrome Valves in your engines and forget them—indefinitely.

Send blue prints of your requirements and get specific details—without obligation.

DRIVER-HARRIS COMPANY
HARRISON, NEW JERSEY
Chicago - Detroit - Canada - England - France

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

McINTOSH & SEYMOUR CORPORATION
DIESEL MARINE ENGINES



The illustration on the front cover of this magazine shows the Motorship "TEXACO 147" of the Texas Steamship Company of New York City. The "TEXACO 147" is 156 feet long, 24 feet beam, and 11 feet 4 inches full load draft, and has a deadweight capacity of one thousand tons.

This is a single-screw vessel, and is equipped with one of our 390 indicated horsepower Diesel marine engines illustrated above, which gives her a full-load speed at sea of about nine knots.

This vessel is a very good illustration of what can be done with a vessel of moderate capacity and with moderate draft so as to be suitable for use in a river or canal as well as for service at sea. It has been found that with this vessel, which encounters ice at times in winter, the prompt maneuvering of the Diesel engine facilitates greatly the handling of the vessel under these conditions.

Write for Bulletin No. 66, "Achievements in Motorships."

MAIN OFFICE AND WORKS

AUBURN, N. Y., U. S. A.

149 BROADWAY
New York City

815 SHELDON BLDG.
San Francisco, Calif.

412 BISBEE BLDG.
Jacksonville, Fla.

700 INTERSTATE BLDG.
Kansas City, Mo.

325 HUMBLE BLDG.
Houston, Texas

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

PERFORMANCES OF GÖTAVERKEN MOTORSHIPS

No. 4 THE M.S. "TISNAREN"

9,400 tons d. w. Owners: Transatlantic Steamship Company, Göteborg

Date of delivery	Dec. 21st, 1918
Distance travelled	abt. 190,000 naut. miles
Power	4,130 I. H. P.
Average speed	12.6 knots
Maximum speed	14.7 "
Daily fuel consumption (incl. auxil.)	13.9 tons
Cruising radius	30,000 naut. miles

REMARKS

The M.S. "Tisnaren" is a sistership to the M.S. "Bullaren," owned by the same company. The ship has been in constant service since the date of delivery, with the exception of a period of 4 to 5 months, when the ship had to undergo considerable repairs after a fire in the harbour of Surabaya. At this occasion the ship had a cargo of copra, which caught fire. To extinguish this fire the ship was sunk. In spite of this the vessel could resume her sailings a fortnight after the accident. Owing to the lack of tonnage during the war, the repairs were postponed until after the second arrival in Göteborg, about 12 months later

BUILT AND DIESEL-ENGINED BY THE GÖTAVERKEN

GÖTAVERKEN

GÖTEBORG - SWEDEN

SHIPBUILDERS AND DIESEL-ENGINE CONSTRUCTORS

LARGEST FLOATING DRY-DOCK IN SCANDINAVIA

LIFTING CAPACITY 13,000 TONS

GÖTEBORG SWEDEN GÖTAVERKEN

Generated on 2024-09-13 15:13 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

NELSECO DIESEL ENGIN



SIZES
FOR EARLY DELIVERY
120 H.P., 180 H.P.
240 H.P., 360 H.P.
480 H.P.

600-750 B.H.P., 225 R.P.M., 4 cycle, 6 cylinders
HEAVY-DUTY MARINE OR STATIONARY DIESEL ENGINE

NELSECO

New London Ship
Groton,

Digitized by Google

Original from
UNIVERSITY OF MICHIGAN

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE OLD RELIABILITY **FRISCO STANDARD** THE NEW ECONOMY

PROPELLING-POWER for small vessels
For all vessels SHIPS' AUXILIARIES

7½ to 300 H. P.
1, 2, 3, 4, and 6 Cylinders
QUICK STARTING



Two Cylinder Stationary Engine, Built in Sizes 15, 25, 35, 50, 75 and 100 Horsepower



Single Cylinder Stationary Engine, Built in Sizes 7½, 12½, 17½, 25, 37½, and 50 Horsepower

NO AIR INJECTION

NO WATER DRIP



Six Cylinder Marine Engine, Built in Sizes 55, 75, 115, 150, 225 and 300 Horsepower

The Semi-Diesel Surface Ignition Heavy Oil Engine, of which the "FRISCO STANDARD" represents the most advanced type, is indisputably the preferred power for small boats, and vessels requiring 300 horsepower, or less, in a single screw, and 600 horsepower, or less, in twin screws.

Because of their extreme simplicity of construction and operation "FRISCO STANDARD" Stationary Engines are also much preferred as ships' auxiliaries, for driving hoisting machinery, generating electricity, driving air compressors, pumps, etc.

The new improved Frisco Standard heavy oil engine is built in sizes from 7½ to 300 h.p., one to six cylinders, for both marine and stationary purposes. In every respect, the features that have characterized the Frisco Standard distillate engine for years and made it the world's leader among work boat engines, have been carried out in the design and construction of the heavy oil engine.

Frisco Standard dimensions are everywhere much larger than is ordinarily considered necessary in oil engine practice; horse power ratings are exceedingly conservative; accessibility of parts has been made one of the prime considerations and the unit system of construction, combined with the machining of all parts to jigs and gauges, assures absolute interchangeability and minimizes cost of material with little time lost in effecting replacements.

Send for Heavy Oil Engine Catalog just off the Press and name of nearest Frisco Standard Dealer

Dennison & King Streets **STANDARD GAS ENGINE CO.** Oakland, Cal., U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



COLLEEN

Length:- 110 ft. Beam:- 18ft. 2in. Draft:- 6 ft.

Owner:- Samuel A. Salvage, Port Washington, L. I.

Designer:- B. T. Dobson, New Bedford, Mass.

Builders:- George Lawley & Son Corp., Neponset, Mass.

Power Plant:- A pair of six cylinder Winton Diesel Oil Engines rated at 135 H. P. each, designed and built by the Winton Engine Works, Cleveland, Ohio



WINTON ENGINE WORKS,

***New York City*—A. G. Griese, Inc., 30 Church St.** ***Seattle*—H. W. Starrett, Sunset Engine Co.**
***Washington, D. C.*—R. L. Fryer, 817 Alboe Bldg.**

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ton ENGINES

The Power and efficiency of the Winton Diesel Type Oil Engine is recognized by marine engineers and discriminating owners the world over.



CLEVELAND, OHIO, U. S. A.

***Los Angeles, Cal.*—F. G. Bryant, 704 Delta Bldg.**

***New Orleans, La.*—A. Baldwin & Company**

Generated on 2024-09-13 15:09 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Photo. © New York Shipbuilding Corp.

NEW YORK SHIPBUILDING CORPORATION

MAIN OFFICE AND WORKS

CAMDEN, NEW JERSEY, U. S. A.

HYDE WINDLASS COMPANY - Bath, Maine

High grade marine auxiliary machinery and manganese bronze propellers



"Hydro-Electric Steering gear installed on U. S. Battleship COLORADO"

Hydro-electric Steering-gears, electric-windlasses, electric-winches, electric-capstans for motorships a specialty

When ordering specify "HYDE"

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THEY ARE LAUNCHING THEM EVERY DAY ON THE PACIFIC



LAUNCHING A NEW MOTOR HALIBUT SCHOONER FROM A BOAT YARD AT SEATTLE.

NOWHERE else are so many heavy oil engines being installed at the present time as on the Pacific Coast. Almost every day a new or an old boat is launched with either a new Diesel or a Surface Ignition engine. All of the old steam and gasoline plants are being replaced with oil engines. All the new boats are being powered with oil engines. The Pacific Coast is the world's greatest market at present for oil engines ranging in sizes from 15 to 300 h.p.

This field is covered fully, completely and exclusively by "Pacific Motor Boat" which for fourteen years has been the recognized organ of the marine internal combustion engine interests of the Pacific.

Sample copies and advertising rates sent on application

71 Columbia St., **PACIFIC MOTOR BOAT** Seattle, Wash.

"The Magazine that Covers the Pacific"

Generated on 2024-09-13 15:10 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The Advantages of Oil Engine-Electric Drive

for ship propulsion can be fully realized only when the electrical equipment is combined with oil engines possessing the *simplicity* and *high fuel economy* of the

PRICE-RATHBUN ENGINE

A line of sizes ranging from 240 to 750 BHP has been developed which gives the ship operator a wide choice in number and size of engine generator sets. These engines

Are designed for marine installation.

Have six cylinders.

Use the Price system of direct injection of fuel, eliminating the high pressure injection air compressor and thereby reducing the weight and floor space of installation.

Have automatic pressure system of lubrication.

Have a simple yet sensitive governor control which automatically proportions the fuel charge to meet load fluctuations, maintaining the constant speed essential for correct operation of electric generators and motors.

Have moderate weight per horse-power making it possible for total weight of installation to be no greater than for a direct drive installation.

Our engineers will be glad to go into full details with you with reference to marine oil engine electric drive.

INGERSOLL-RAND COMPANY, 11 Broadway, New York

PRICE-RATHBUN Engines are also built for direct drive in sizes from 220 to 750 BHP.

19-MOE

Ingersoll-Rand

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.3
Public Domain, Google-digitized / http://www.hathitrust.org/access_us
9015084660888
e#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BOLINDERS

Aux. Schooner "LARK"
1—175 B. H. P.
Bolinder

Dimensions: Length 126′
Beam 25′, Draft 13′
Speed, 9 Miles



The "LARK" is the latest addition to the Bolinder engined fishing fleet in the New England States. The owners are O'Hara Bros. of Boston, Mass., and she is their third Bolinder installation, completed during the last twelve months. O'Hara Bros. have had practical experience with most makes of medium sized Semi-Diesel as well as straight Diesel Engines and their decision to use a Bolinder also in this vessel shows their absolute confidence in this make and is another proof of its high qualities.

There is no doubt that the BOLINDER is the logical power plant for fishing vessels, tugs, barges and general work boats. The "LARK" is only one example. There are numerous others —we shall be glad to tell about them.

Write for information.

Sizes from 6 to 500 Brake Horse Power

BOLINDERS COMPANY, Inc., 30 Church St., New York City

BOLINDERS COMPANY, 411 Exchange Building, 53 State Street, BOSTON, MASS.

COMPAÑIA BOLINDER
Avenida de Mayo 560
BUENOS AIRES, ARGENTINA

ROBINSON & HAIGH
Mercaderes 10
HAVANA, CUBA

CARIB TRADING CO.
CARTAGENA, COLOMBIA

FIDANQUE BROS. & SONS
PANAMA, REP. OF PANAMA

HENRY LUND & CO.
Marine Building
SAN FRANCISCO, CAL.

LAMMERS & MAASE, LIMITED
170 McGill Street
MONTREAL, CANADA

ALEXANDER McDOUGALL
ST. JOHN'S, NEWFOUNDLAND

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

ATLAS-IMPERIAL DIESELS



THE FAMOUS ARCTIC TRADING SCHOONER "HERMAN," OWNED BY H. LIEBES & CO., OF SAN FRANCISCO

THIS vessel, powered with a 250 h. p. Atlas-Imperial Diesel engine, completed during the past summer one of the most remarkable trips ever made by a motor vessel of any kind. The story of her achievement and of her engine's unusual performance is told in the following letter:

H. LIEBES & COMPANY
Established 1864

Telephone Garfield 2460

Manufacturing Furriers
Women's and Misses' Apparel and Accessories
Grant Ave. at Post Street
San Francisco

Portland
New York

October 11th, 1922.

Mr. A. Warenskjold,
Care Atlas Imperial Engine Co.,
Oakland, California.

Dear Mr. Warenskjold:

I phoned to you the other day, but you were not there, as I wanted to tell you that we received a wire from Captain Pederson from Nome, after he had made a trip to Point Barrow and to the eastward. The Captain, in his wire, made the following mention regarding the engine:

"Our engine is certainly a wonder, we steam all the time, and have sufficient fuel left for next year."

I know you will be glad to hear this news, especially in view of the fact that the ice conditions in the Arctic this year were, by far, the worst that any of our Captains remember encountering in 20 years' experience in the Arctic, which means that there was a great deal of forwarding and backing in the ice, as well as an unusual amount of blasting to get the ship through, so all in all this year's test was considerably more severe than any preceding year, and had it not been for the reliable performance of the engine, without a doubt the Captain would have been caught in the ice, and compelled to winter in the Arctic.

The news that they have sufficient fuel for next year undoubtedly proves that the engine is more economical than we even expected.

The Captain has left Unalaska for home, and we look for his arrival here within the next 12 days, at which time you will undoubtedly have an opportunity of speaking to him personally and inspecting the engine yourself.

Trust that business conditions with you are satisfactory, and with kindest regards, I am

Sincerely yours,

ARNOLD LIEBES.

THE CRUISE OF THE "HERMAN" INTO THE ARCTIC THIS YEAR HAS PROVEN INDISPUTABLY THE SUCCESS, RELIABILITY AND ECONOMY OF THE ATLAS-IMPERIAL DIESEL ENGINE UNDER THE MOST TRYING CONDITIONS

The Atlas-Imperial is an original Mechanical Injection Full Diesel Engine
When better Diesels are shown they will bear the name ATLAS-IMPERIAL

REPRESENTATIVES

Seattle, Wash., Atlas Gas Engine Agency, 901 Western Ave.
Astoria, Ore., Atlas Imperial Engine Agency.
Honolulu, T. H., H. A. Peterson, Box 155.
Juneau, Alaska, Charles G. Warner Co.
New Orleans, La., J. G. Davis, 1324 Music St.
Nome, Alaska, Alaska Lighterage & Commercial Co.
Papeete, Tahiti, Et. Davio.
San Pedro, Calif., Garbutt & Walsh.
Suva, Fiji, Morris Hedstrom, Ltd.
Vancouver, B. C., Ferrier & Lucas.
San Diego, Cal., West Coast Gas Engine Co.

ATLAS-IMPERIAL ENGINE CO., Oakland, California, U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

QUALITY SNAP RINGS

Showing Nordberg Diesel Engine equipped with Quality Snap Rings.

"More Than a Million a Month"



THE Piston RING COMPANY

MUSKEGON, MICH.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

G-E Electric Auxiliary Equipment

For your requirements:

G-E Turbine-Electric Drive
G-E Electric Drive for Motorships
G-E Marine-Geared Turbines
G-E Electric Drive for Auxiliaries

General Electric Company

General Office
Schenectady, N.Y.

Sales Offices in all large cities

30-35

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR

E C O N O M Y



ONE OF THE 850 BHP WERKSPOOR MARINE DIESEL ENGINES INST

PACIFIC DIESEL

OAKLAND,

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

IESEL ENGINES



D IN THE STANDARD OIL CO.'S MOTOR-TANKER "H. T. HARPER."

RELIABILITY

NGINE COMPANY

ALIFORNIA

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BURMEISTER & WAIN, LIMITED

SINGLE SCREW MOTOR SHIP "LEISE MÆRSK"

ENGINEERS & SHIPBUILDERS

COPENHAGEN, DENMARK

THE LONG STROKE SLOW RUNNING ENGINE INSTALLED IN THE M/S *"LEISE MÆRSK"*



THIS TYPE OF ENGINE IS ESPECIALLY ADAPTABLE FOR SINGLE SCREW CONVERSION JOBS

UP TO JUNE, 1922 PUT IN ACTUAL SERVICE **91** MOTORSHIPS WITH ENGINES OF THE B & W TYPE TOTALLING **1,108,934** TONS DISPLACEMENT

NAME OF VESSEL	Loaded Displ.
ABA	14660
AFRIKA	19000
AMERICA	10660
ANNAM	14000
ARATOR	10400
ASIA	15000
AUSTRALIEN	14100
BALBOA	13500
BALZAC	2250
BATAVIA	2250
BAYARD	8430
BINTANG	5100
BONHEUR	15000
BORGLAND	10660
BRAZIL	6755
BUENOS-AIRES	13500
BULLAREN	13500
CALIFORNIA	12100
CANADA	13500
CANTON	14400
CHILE	14450
COLUMBIA	14450
COMETA	9780
DINTELDIJK	19100
DORSETSHIRE	15500
ELMAREN	13500
FALSTRIA	11000
FIONIA	10800
FORMOSA	15000
FRITIOF	1000
FRITZOE	1484

NAME OF VESSEL	Loaded Displ.
FRATELLI BANDIERA	10525
GEORGE WASHINGTON	15000
GLENADE	13640
GLENAMOY	13800
GLENAPP	19100
GLENARIFFE	13640
GLENARTNEY	13800
GLENAVY	11000
GLENBEG	19100
GLENGARRY	19100
GLENGYLE	13400
GLENLUCE	13640
GLENOGLE	19100
GLENTARA	13640
HEMLAND	11500
INDIEN	12180
JAVA	19000
JULIUS SCHINDLER	6200
KANGAROO	11000
KEDOE	9800
KRONPRINSESSAN MARGARETA	9700
KRONPRINS GUSTAF ADOLF	9700
KOBENHAVN	7900
LA PAZ	13640
LAPONIA	11700
LEIGHTON	15200
LEISE MÆRSK	6350
LIMA	9700
LINNELL	15200
LOBOS	13600
LOCHKATRINE	19100

NAME OF VESSEL	Loaded Displ.
LOSADA	13600
LOUISIANA	13858
MALAKKA	14100
MALAYA	19000
MISSISSIPPI	11177
OREGON	12360
OSSAG	6200
PACIFIC	9700
PANAMA	14100
PEDRO CHRISTOPHERSEN	9700
PERU	14450
POLARHAVET	10585
SAN FRANCISCO	9700
SELANDIA	10525
SIAM	14000
SOMERSETSHIRE	15780
SONGDAL	7300
SONGVAND	7300
SONGVARD	7300
STRASSA	11700
STUREHOLM	11100
SUECIA	9700
SULINA	6400
TENERIFFA	15025
THEODORE ROOSEVELT	15100
TISNAREN	13500
TONKING	14100
VALPARAISO	9700
WILLIAM PENN	17100

U. S. LICENSEE
THE WM. CRAMP & SONS CO.
PHILADELPHIA, PA., U. S. A.

U. S. REPRESENTATIVE for B. & W.
H. C. HALLINGS
27 WHITEHALL STREET, NEW YORK

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

UNDER THE B. & W. SYSTEM
THE AGGREGATE H.P. IN VESSELS
FROM 1500 TO 6600 I.H.P. AND
THE NUMBER OF SUCCESSFUL
MOTORSHIPS IN OPERATION
EXCEED ALL OTHER
SYSTEMS COMBINED
AND NO ENGINE BUILT
TO THIS SYSTEM HAS
EVER BEEN REMOVED
OR REPLACED

ACCURACY AND INTERCHANGEABILITY
ASSURED BY MODERN JIGS
AND SPECIAL TOOLS;
PROPER MATERIALS BY
CRAMPS' IRON, STEEL AND
BRASS FOUNDRIES
CONTROLLED BY A
MODERN LABORATORY

MOTORSHIPS
THAT STAY
ON THE
SEAS

DIESEL ENGINES
THAT STAY
IN THE
SHIPS



(2250 I.H.P.)
PORT ENGINE
MS "CALIFORNIAN"

STANDARD
ENGINES FOR
TWIN SCREW VESSELS

SPECIAL LONG STROKE
ENGINES FOR SINGLE SCREW SHIPS
OPERATING AT FROM 75-95 R.P.M.

THE WM. CRAMP & SONS S. & E. BLDG. CO.

PHILADELPHIA, PA., U. S. A.

BUILDERS OF COMPLETE MOTORSHIPS TO ONE STANDARD OF
WORKMANSHIP AND ONE GUARANTEE FOR PERFORMANCE
(Burmeister & Wain System)

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

OIL FUEL

THE FUEL OF THE 20th CENTURY

Efficiency ***Economy*** ***Cleanliness***



One of our Fleet of Oil-carrying Ships.

The Asiatic Petroleum Co., Ltd.

ST. HELEN'S COURT, GREAT ST. HELEN'S, LONDON, E. C. 3,

CAN ARRANGE SUPPLIES OF

OIL FUEL FOR MOTORSHIPS, STEAMERS' BUNKERS and INDUSTRIAL PURPOSES at

Adelaide
Alexandria
Amsterdam
Antwerp
Aomori
Avonmouth
Balboa (Panama Canal)
Balik Pappan
Bangkok
Barcelona
Barrow
Barton (Manchester Ship Canal)
Batavia
Bilbao
Boelebaai Ceram
Bombay
Buenos Ayres
Calcutta
Canton
Cape Town
Cebu
Christiania (Soon)
Colombo
Colon (Panama Canal)
Copenhagen
Curacao
Gemsah
Glasgow
Gothenburg
Granton
Hamburg
Hankow
Havana
Hong Kong
Hull
Hurghada
Iquique
Jarrow-on-Tyne
Karachi
La Guayra (Venezuela)
Las Palmas
Leghorn
Liverpool
Lisbon
London (Shell H'ven & Thames Haven)
Macassar
Madras
Malmo
Malta
Manila
Maracaibo (Venezuela)
Marseilles
Melbourne
Miri
Mombasa
Montevideo
Montreal
Nagasaki
New Orleans
New York
Palembang
Palermo
Pangkalan Berandan
Penang
Perim
Pernambuco
Piraeus
Portland (Oregon)
Port Said
Port Sudan
Pulo Bukom
Puloe Samboe
Rotterdam
Rouen
Rio de Janeiro
Sabang
Saigon
Saitozaki
Salina Cruz (Pacific)
San Francisco
San Pedro
Santos
Seattle (Washington)
Shanghai
Singapore
Sourabaya
Southampton
Stöckholm
Suez
Sydney
Svolvaer
Tampico
Tarakan
Trieste
Trinidad
Tuxpan
Vado
Valparaiso
Vancouver
Venice
Vera Cruz
Yokohama

And New Stations are expected to be ready shortly at

Antofagasta
Constantinople
Durban
Havre
Port St. Louis du Rhone
San Juan (Porto Rico)
St. Vincent

BUYERS desiring information regarding supplies of and price for **Oil Fuel** for use in Internal-combustion Engines or for other purposes should apply to **The Asiatic Petroleum Company, Limited,** at the above address.

THE Asiatic Petroleum Company also supply **Kerosene Oil** for use in the smaller Internal-combustion Engines and are prepared to supply **Petroleum Spirits, Lubricating Oils, Wax** and **Greases** in all Far Eastern Markets.

Generated on 2024-09-13 15:09 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

WERKSPOOR

MARINE DIESEL ENGINES

THE FIRST FULL-POWERED OCEAN-GOING MOTORSHIP
WAS DRIVEN BY WERKSPOOR DIESEL OIL-ENGINES



1100 B. H P. WERKSPOOR
MARINE DIESEL ENGINE



DURING CONSTRUCTION OF A 1600 B. H. P.
MARINE DIESEL ENGINE

SIMPLICITY—ACCESSIBILITY—RELIABILITY

50 MOTORSHIPS IN SERVICE AND ON ORDER **50**

AMERICAN LICENSEES

NEWPORT NEWS SHIPBUILDING & DRY DOCK CO.
NEW YORK SHIPBUILDING CORPORATION
PACIFIC DIESEL ENGINE COMPANY

REPRESENTATIVE FOR
U. S. A. AND CANADA:

WILLIAM BRAAT

WOOLWORTH BUILDING
NEW YORK CITY

AMSTERDAM

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

BEARDMORE-TOSI DIESEL *Marine Engine*

THE ENGINE THAT REPRESENTS THE GREATEST ADVANCE IN DESIGN AND IN MARINE PROPULSION



Engine for M.S. "Pinzon," built at Dalmuir.

Results of 100 Hours' Trial.

Average B.H.P.	1,276
Mechanical efficiency, per cent.	77
Average I.H.P.	1,646
Revolutions per minute	124
Mean pressure on B.H.P. basis, lb. per square inch	75.5
Fuel consumption, lb. per P.H.P. per hour	.42
Lubricating oil consumption, total for cylinders and loss, gallons per twenty-four hours	4.5
Exhaust temperature, average at exit from exhaust valve, deg. Fah.	550
Lubricating oil pressure, lb. per square inch	10-12
Circulating water pressure (jacket), lb. per square inch	10-15
Piston cooling water pressure, lb. per square inch	20-30
Water temperature at outlet from cylinder heads, deg. Fah., average.	125
Piston cooling water, outlet temperature, deg. Fah., average	130
Blast air pressure, lb. per square inch	1,000

Extract from THE ENGINEER, November 11th, 1921.

"One of the remarkable features of the trial was the ease with which the engine reversed from full ahead to full astern in seven to eight seconds and accelerated from a minimum speed of 28 revolutions per minute or retarded to a maximum speed of 130 revolutions per minute, without the slightest tremor or vibration."

Full particulars from the builders—

WILLIAM BEARDMORE AND COMPANY LIMITED

NAVAL CONSTRUCTION WORKS: DALMUIR, SCOTLAND.
LONDON OFFICE: 36 VICTORIA ST. S.W.1.

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google



Motorship "La Paz" of the Pacific Steam Navigation Company

De Laval Oil Purifier is saving oil and protecting engines of motorship "La Paz"

The motorship fleet of the Pacific Steam Navigation Company was planned to transport cargo at the lowest possible cost per ton mile. Few, if any, items of design or equipment which contribute to a lower operating cost for the motorship were overlooked.

On each of these motorships, as on many others, a De Laval Oil Purifier has been installed. With this machine, sludge is centrifuged out of the crank-case oil almost as fast as it is formed. As a result bearing wear is greatly reduced and the engines will, without a doubt, give more years of service with less expense for maintenance and overhauling.

By constantly removing impurities from lubricating oil, the De Laval Purifier also effects a great reduction in lubricating costs. The same oil is kept in the system indefinitely, the only replacement being that required to make up for losses by decomposition, evaporation and leakage. No oil need ever be taken out of the system.

No wonder that the Harland & Wolff Shipbuilding Company, builders of the "La Paz" and other vessels of the Pacific Steam Navigation Company's fleet, have in the past two years installed 47 De Laval Purifiers on various vessels building in their yards. The records of other British and American yards also show that De Lavals are now considered as necessary auxiliaries in the engine room of the Diesel or turbine-driven ship.

Mail the coupon for further information regarding ships of either class.

The De Laval Separator Company

New York, 165 Broadway **Chicago, 29 East Madison St.**

De Laval Pacific Co., San Francisco
Chadburn's (Ship) Telegraph Company, Ltd., Cyprus Road, Bootle, Liverpool
Turbine Equipment Company, Toronto, Ontario, Canada
The Separator Company, Ltd., Stockholm, Sweden
Europe—Asia—Africa—South America

Sooner or later you will use a

De Laval

Please send Bulletins telling how the operation of ships' engines can be improved and lower lubricating costs obtained, with particular reference to the type of engine checked.

☐ Turbine ☐ Diesel

Name.....

Company.....

Address.....

.....

M

Digitized by Google
Original from UNIVERSITY OF MICHIGAN
Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

UNITED AMERICAN LINES
INCORPORATED

Managing Agents: American-Hawaiian Steamship Co.
American Ship and Commerce Corporation
General Agents: Hamburg-American Line

Plymouth, Cherbourg, Hamburg
Joint Service with
Hamburg-American Line
Fortnightly Passenger Sailings from New York
Steamers withdrawn for winter cruises—Service resumes March 31st

Hamburg
Joint Service with
Hamburg-American Line
Weekly Passenger and Cargo Sailings from New York.
Regular Cargo Sailings from Boston, Philadelphia, Baltimore, Norfolk and New Orleans to Bremen and Hamburg.
Through bills of lading via Hamburg to all Baltic and Scandinavian Ports

Pacific Coast to Europe
Service of the
American-Hawaiian S. S. Co.
U. S. Pacific Coast Ports
to the
Principal Ports of the United Kingdom and Continent
Direct Fortnightly Sailings

Intercoastal Service
of the
American-Hawaiian S. S. Co.
New York, Boston, Philadelphia, Baltimore, Charleston, Savannah, Mobile and New Orleans to Los Angeles, San Francisco, Portland, Seattle and Tacoma
Through bills of lading, via Los Angeles to San Diego, via San Francisco, to Oakland, Stockton, Sacramento, California; and to Honolulu, Hilo, Kahului and Port Allen, Hawaiian Islands

Telephone: Whitehall 1020

General Offices: 39 BROADWAY, New York

Cable Address: "Unamline, N. Y."

BRANCH OFFICES
BALTIMORE—Maryland Casualty Tower Building
BOSTON—40 Central Street
CHICAGO—327 So. La Salle Street
ROCHESTER—Commerce Building
CLEVELAND—242 The Arcade
PHILADELPHIA—Bourse Building
PITTSBURG—Oliver Building

AGENTS
ATLANTA—John M. Born, 1108 Candler Building
CHARLESTON—Street Brothers
MOBILE—Page & Jones
NEW ORLEANS—Richard Meyer Company
SAVANNAH—M. J. Hogan & Company

General Pacific Coast Agents: Williams, Dimond & Co., 310 Sansome St., San Francisco



"EASTERN DAWN" UNDER TOW BY THE "ALA"

WORLD'S Ttowing RECORD BROKEN BY MERCHANT BUILT SHIP

The S.S. "ALA," an 8000 D.W.T. freighter built by the Merchant Shipbuilding Corporation, equipped with Westinghouse marine geared turbines towed the S.S. "Eastern Dawn" (9000 D.W.T.) 2000 miles to port through heavy seas and storms.

This towing feat is significant of the quality and dependability of Merchant built ships.

We solicit the opportunity to quote upon new construction, repairs and reconditioning of all types of ships.

MERCHANT SHIPBUILDING CORPORATION
"ROACH'S SHIPYARD"

Offices: Chester, Pa., and 39 Broadway, New York.

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Meets Your Requirements **A-E-CO** Windlass

Among the many types and sizes built by the American Engineering Company there is one that will suit your

space limitations—
ship construction—
personal preferences

Send for our Catalogs

We also build:

Steering Gears
Telemotors
Windlasses
Winches
Towing Machines
Capstans
Gypsies
Chandlery

A-E-CO. Windlass Selected for the Navy Department's Big Seagoing Tug, "Undaunted," Because it Exactly Met Their Requirements.

American Engineering Company
Philadelphia, Pa.

Offices:
New York
Boston
Philadelphia
Cleveland
San Francisco
New Orleans
Seattle
Victoria, B. C.

HARLAND & WOLFF L^TD

Shipbuilding and Engineering Works

BELFAST ◦ GLASGOW ◦ GREENOCK

M. S. "Glenogle"
Deadweight Capacity
12,300 Tons

Built for the Glen Line

Diesel Engine Works, FINNIESTON & SCOTSTOUN, GLASGOW

Repair Works, LIVERPOOL AND SOUTHAMPTON

London Office, 1a Cockspur St., S. W.

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The Adams Diesel Engine



A simple, solidly constructed full Diesel Engine. Operates on the two stroke cycle with mechanical atomization and mechanical injection of the fuel.
Burns the standard asphalt base fuel oils of fourteen to twenty-six baume, completely and with high economy.
Simple to operate, easy to care for, it is an engine which may be depended upon for uninterrupted service.

E. T. ADAMS & SONS, LOS ANGELES, CALIF.

Mail Address Box 20, Huntington Park, Calif.

"COEN" DUPLEX STRAINER

FOR
FUEL AND LUBRICATING
OILS, ETC.



DISCHARGE



SUCTION

COEN COMPANY, Inc.

OIL BURNING SPECIALISTS

EXECUTIVE OFFICES:
SAN FRANCISCO

SEATTLE OFFICE
115 Grand Trunk Dock

PORTLAND OFFICE
51 First Street

NEW YORK OFFICE
50 Church Street

PHILADELPHIA OFFICE
303 Finance Building

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

The "Western" Diesel Marine Engine 100 H. P. Four Cylinder Unit



Built in stationary types of 25 H. P. per working cylinder, single and multiple cylinder units

A MESSAGE OF IMPORTANCE

TO WORKBOAT OWNERS AND OPERATORS

The conversion of motive power for all types of work boats and fishing fleets already has begun. The perfection of the heavy oil engine in small sizes has brought about a revolutionary change in motive power equipment for small vessels which in many instances will change operating losses to gratifying profits.

In the " Western " Diesel Marine Engine you have at your disposal the highest type of power equipment for small workboat service yet produced on a commercially successful basis anywhere on earth, and yet so simple in design, construction, operation and maintenance that any engineer of average ability can operate and keep them in first class working condition.

If you now have anything less than full Diesel power equipment, you must not fail to make a complete investigation of " Western " records of performance, cost of operation and upkeep. Simply ask us to furnish you with complete data in detail. We can show you actual examples of power savings that will interest you.

Mention Catalog No. 507

WESTERN MACHINERY COMPANY

General Offices and Factory: 907 No. Main St. Los Angeles, California, U. S. A.

Branch: Rialto Building, San Francisco

Worthington Diesels on the Leviathan

The S. S. Leviathan when reconditioned will have two Worthington Diesel engines driving General Electric generators for supplying lighting current and to act as emergency units in case the main steam plant should fail.

WORTHINGTON



WORTHINGTON PUMP AND MACHINERY CORPORATION

Executive Offices: 115 Broadway, New York City. Branch Offices in 24 Large Cities

Generated on 2024-09-13 15:13 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MR. ENGINEER!

Have you ever realized that the proper operation of the engines of your vessel depends chiefly on the quality of lubricating-oil used and its ability to provide and maintain that protecting film between the metallic surfaces so essential to efficient and economic service?

The slightest breakdown in your machinery during a voyage, due to the poor quality of lubricating-oil, with resultant delays and unnecessary repairs, will many times exceed the entire annual cost of lubrication.

WICO DIESEL-ENGINE OILS

are of superior quality, provide every safeguard and guaranteed to reduce friction to a minimum.

Stocks carried at ALL West Indian, Central and South American Ports

WEST INDIA OIL COMPANY

W I C O MARK





4 Feed Ratchet Oiler 5 Feed Rotary Oiler

"Manzel" Oilers are made in sizes and styles to fit any engine.

They can be furnished with any number of feeds; with rotary, ratchet, or direct lever drive; large or small reservoirs; polished brass or painted finish.

There is a Manzel Oiler to meet your requirements no matter how large or small your engine may be.

Write for Catalogue

14 Feed Ratchet Oiler

"Manzel" Force Feed Oilers

Manzel Oilers are designed to lubricate the cylinders and bearings of Diesel and other heavy-duty engines in the most positive and economical way.

They are the result of more than twenty years experience in the manufacture of Force Feed Oilers.

Simple in design, but strong and durable, they supply the oil in just the right quantity where and when it is needed.

Each feed is regulated independently, and may be adjusted to supply the exact amount of oil required, no matter how much or little is needed.

The feed is always in sight, enabling the operator to see at all times exactly how much oil is being supplied to each cylinder or bearing.

Manzel Oilers are built in the largest plant in the world that is devoted entirely to the manufacture of Force Feed Oiling Devices. They are made by experts who have made a specialty of Force Feed Oilers since 1898, and who understand the requirements necessary for effective lubrication of heavy duty engines.

Manzel Force Feed Oilers are used as standard equipment by builders of the better engines everywhere.

Let us quote on your requirements

Manzel Brothers Company

300-302 Babcock St., Buffalo, N. Y., U.S.A.

Generated on 2024-09-13 15:00 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

"Tumble Out, Cook, and Stand by the Fore-Sheet"

He wasn't only a sea-going chef in the old square riggers, but could often be seen in his shirt sleeves and with apron flapping dodging the sprays and the wash in the lee scuppers when attending to his 'bout ship job of easing off the foresheet. Wet and cold he may have been at times, but his SHIPMATE range was there like a fond mother to alleviate his temporary discomforts.

SHIPMATES

Are Made Only By

THE STAMFORD FOUNDRY COMPANY

Established 1830 STAMFORD, CONN.

Repair and Maintenance Costs Reduced to an Absolute Minimum

There are many special features that are exclusive with the Enterprise Engines that are in large measure responsible for the low cost and operating expenses and the service given.

These features are known to Enterprise Diesels only; without these exclusive features Enterprise engines would be no different from ordinary Diesels.

We shall be glad to explain to you personally the value of the many exclusive features that the Enterprise Diesels possess, if you are nterested.



Northern Distributors:
H. G. McLAUGHLIN CO.
809 Railroad Ave.
Seattle, Washington

Southern California:
GAERTNER & KELLY
San Pedro, Cal.

ENTERPRISE ENGINE COMPANY

Eighteenth and Alabama Sts., San Francisco, Cal.

Eastern Distributors:
SEXTON MOTOR CO.
30 Church Street
New York, N. Y.

Southern Distributors:
MENGE MARINE HARDWARE & SUPPLY CO.
New Orleans, La.

British Columbia Distributors: VANCOUVER SHIPYARDS, Ltd., Vancouver, B. C.

Generated on 2024-09-13 14:58 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Cap'n Allswell Says:

"A Hard Driving Propeller is Like Lead Soles on Your Boots"

"It uses up power and hampers speed. If you want to cut down fuel costs or reduce running time, equip with perfectly balanced, easy twirling Columbians. Let me send you the Columbian Book; it's full of sound, practical propeller talk."

THE COLUMBIAN BRONZE CORPORATION
218 N. Main St., Freeport, N. Y.
For N. Y. C. Sales Only: 44 Third Ave.

TRADE MARK REGISTERED

COLUMBIAN
Bronze PROPELLERS

The East Asiatic Co., Ltd.
Aktieselskabet Det Ostasiatiske Kompagni,
COPENHAGEN

TO THE EAST:

Japan Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA, HAMBURG and ANTWERP to HONGKONG, SHANGHAI, KOBE, YOKOHAMA, DALNY and VLADIVOSTOK.

Bangkok Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA, HAMBURG, MIDDLESBROUGH and ANTWERP to PORT SAID, COLOMBO, PENANG, SINGAPORE and BANGKOK.

Java Line:
Sailings from COPENHAGEN, GOTHENBURG, CHRISTIANIA and HAMBURG to BATAVIA, SAMARANG and SOERABAYA.

TO SOUTH AFRICA:
Sailings from DENMARK, NORWAY, SWEDEN and BALTIC PORTS to CAPE TOWN, ALGOA BAY, EAST LONDON, DURBAN, DELAGOA BAY and BEIRA.

TO AUSTRALIA:
Sailings from DENMARK, NORWAY, SWEDEN, ANTWERP, LISBON and GENOA to FREMANTLE, ADELAIDE, MELBOURNE, SYDNEY and BRISBANE.

TO AND FROM NORTH PACIFIC AND WEST INDIES:
Sailings between SCANDINAVIAN and BALTIC PORTS, HAMBURG and ANTWERP and ST. THOMAS (with transhipment to and from the WEST INDIES), CRISTOBAL (with transhipment to and from CENTRAL AMERICA), SAN PEDRO, SAN FRANCISCO, PORTLAND, SEATTLE, TACOMA, VANCOUVER and vice versa.

TO AND FROM SOUTH PACIFIC AND WEST INDIES:
Sailings between SCANDINAVIAN and BALTIC PORTS, HAMBURG and ANTWERP and ST. THOMAS (with transhipment to and from the WEST INDIES), CRISTOBAL (with transhipment to and from CENTRAL AMERICA), GUAYAQUIL, CALLAO, IQUIQUE, ANTOFAGASTA, VALPARAISO and TALCAHUANO.

For further particulars please apply to:

THE EAST ASIATIC CO., LTD. - - - COPENHAGEN
UNITED BALTIC CORPORATION. 158 Fenchurch St., LONDON, E. C. 3.

United States of America:
The East Asiatic Co. Inc., Whitehall Building, 17 Battery Place, N.Y.
The East Asiatic Co., Inc., 433 California St., San, Francis

ELECTRIC GALLEY EQUIPMENT
WE SPECIALIZE IN ELECTRIC HEATING OF SHIPS



VESTA Ltd.
GL. KONGEVEJ 15, COPENHAGEN, DENMARK

Our system is most durable, practical and economical. Cost of current and any required spare parts, only amounts to

2½ Cents Per Man Per 24 Hour Day

One Year's Guarantee **Quick Delivery**

Send for Quotations

St. Thomas, V. I., U. S. A.
Cheapest Oil and Coal Bunkering Station in the West Indies
The Largest, Safest and Deepest Harbour in the Caribbean Sea

THE WEST INDIAN COMPANY, LTD.
About 3200 feet quay berth. Depth of water 31 feet. Large stocks of BEST AMERICAN STEAM COAL and FUEL OIL for steamers and motorships.

STEAMERS bunkered day and night by large ELECTRIC COAL CONVEYORS, coal weighed automatically by officially adjusted weighing machines, each conveyor delivering from 100 to 150 tons per hour.

FUEL OIL supplied day and night at the rate of up to 300 tons an hour.

FRESH WATER supplied at moderate cost from New Water Works with Filtering Plant.

NO PORT CHARGES
TRAN-SHIPMENT of cargo at very moderate rates to all points in the West Indies, Venezuela and Colombia by new, regular, intercolonial lines of STEAMERS and MOTORSHIPS.

For further particulars apply to:

THE WEST INDIAN CO., LTD. **St. Thomas, V. I., U. S. A.**
Telegraphic Address: OCCIDENT

FOR COAL:

THE BERWIND WHITE COAL MINING CO. **1 Broadway, N. Y.**
Telegraphic Address: BERWIND

HULL, BLYTH & CO., LTD. **1 Lloyds Avenue, London, E. C.**
Telegraphic Address: VAPOR

FOR FREIGHT, COAL AND OIL:

THE EAST ASIATIC CO., LTD. **Copenhagen**
Telegraphic Address: OCCIDENT

UNITED BALTIC CORP., LTD. **158. Fenchurch St., London, E. C.**
Telegraphic Address: ORIENTEAKO

THE EAST ASIATIC CO., INC. **60 Wall Street, New York**
Telegraphic Address: ORIENTICO

THE EAST ASIATIC CO., LTD. **310 Sansome St., San Francisco**
Telegraphic Address: JELSTRUP

WEST INDIA OIL COMPANY **26 Broadway, New York**
Telegraphic Address: "WESTOIL"

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



6000 S.H.P. Single Reduction Falk Herringbone Gear Unit for Compound Turbines. Speed 1900 to 132 R.P.M. Twin Screw Passenger Ship.

FALK
HERRINGBONE GEARS

On difficult transmission installations on both turbine and Diesel driven ships Falk Herringbone Gears are giving first class service. They have proved their superior efficiency and wearing qualities on warships, passenger ships and freighters.

The smooth, continuous power impulse that Falk Herringbone Gears deliver reduces wear on machinery, and cuts power losses to the absolute minimum.

Our engineering department has made a special study of marine power transmission problems. Let us assist you on your next gear installation.

THE FALK CORPORATION

MILWAUKEE, WISCONSIN

REPRESENTATIVES:

W. O. BEYER
1007 Park Bldg., Pittsburgh, Pa.

M. P. FILLINGHAM
50 Church St., New York City

F. W. GRIMWOOD
Rialto Bldg., San Francisco, Cal.

ENGINEERING EQUIPMENT CO., LTD.
358 Beaver Hall Square. Montreal
Quebec, Canada

FOREIGN REPRESENTATIVE:
Gustav Melms, 3 Rue Taitbout, Paris

MIDVALE AND CAMBRIA PRODUCTS

MIDVALE CRANK SHAFTS have been featured in these columns for many months. The long experience of the operators of the Nicetown Plant in the manufacture of steels and heavy forgings of the highest grades, special equipment for machining crank shafts 7 inches in diameter and over which insures accuracy of alignment and insures prompt delivery are all good reasons for devoting our space to a specialty which is of such great importance to the Diesel Engine and related trades.

We are not only manufacturers of crank shafts and forgings, but we make a wide range of steels and steel specialties for a great variety of uses. The best way to get acquainted with these is to send to our nearest District Office for a copy of our "List of Steels and Other Products" which itemizes nearly everything produced. It will repay your effort for it may open up to you a source of supply for specialties which you are now obtaining elsewhere.

MIDVALE STEEL AND ORDNANCE COMPANY
CAMBRIA STEEL COMPANY

General Sales Office—WIDENER BUILDING, PHILADELPHIA, PA.
District Sales Offices—Atlanta, Boston, Chicago, Cincinnati, Cleveland, Detroit, New York, Philadelphia, Washington, D. C., Pittsburgh, San Francisco, Salt Lake City, Seattle, St. Louis.

Generated on 2024-09-13 15:07 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Kahlenberg

MARINE OIL ENGINES

(HEAVY DUTY)



News of the New Kahlenberg Crude Oil Engine has spread throughout the Marine Industry. It did not take long for alert marine men in every corner of the land to learn that a radical and original engine improvement has been brought forth. Men who have seen the new type Kahlenberg in action have told others—all have agreed that no other crude oil engine has embodied the original features *conceived* and *perfected* by Kahlenberg. For this reason, we want you also to see the Kahlenberg Crude Oil Engine, note its convenience and smoothness in action, when running at any speed, no load—or full load. Note particularly that it idles all day without skipping and takes up full load without shock or jar instantly, and without special devices of any kind—"it is built that way."

Note these original features:

Patented—Governor control
Patented—Injection control
Patented—Air starting and reversing
Patented—Water cooled combustion chamber
Patented—Pressure fuel oil strainer

Every part "getatable" and removable.

Guaranteed to operate perfectly on any of the crude fuel oils or kerosene.

May we send you a catalogue?

KAHLENBERG BROS. & CO.

MANUFACTURERS

1707 12th St. Two Rivers, Wis., U. S. A.

ASPINALL'S PATENT GOVERNOR
FOR
INTERNAL-COMBUSTION OIL-ENGINES

PREVENTS RACING



SAVES FUEL

Adopted By the Leading Builders at Home and Abroad
Fitted to a large Number of Ocean Going Motor Vessels

For Full Particulars Apply to

ASPINALL'S PATENT GOVERNOR CO.

10 STRAND STREET, LIVERPOOL
Telegrams—"VELO," LIVERPOOL
Telephones—BANK { 3731 / 4484

Agents in U. S. America
PLANT RUBBER & ASBESTOS WORKS
537 Brannan Street, San Francisco

JOHN PLATT & CO.
2 Rector Street, New York

INVALUABLE TO DESIGNERS, BUILDERS, OPERATORS, AND MOTORSHIP ENGINEERS



The 1922 MOTORSHIP YEAR BOOK

Handsomely Bound in Blue Cloth
Now $2 per Copy Including Postage

NOTHING LIKE IT PUBLISHED ELSEWHERE.

Copies also carried in stock at the Pacific Coast office of "MOTORSHIP," 71 Columbia St., Seattle, Wash., U. S. A.

Published by
Miller Freeman & Co.
27 Pearl Street
New York City
Publishers of
MOTORSHIP

To "MOTORSHIP,"
27 Pearl St., New York City

Send me by return mail one copy of the 1922 "*Year Book*" for which I enclose (Bill) (Check) (Money Order) (Draft) for two dollars.

Name .....
Street .....
City .....
Country .....

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TORSIONAL VIBRATIONS OF SHAFTS

"Lock the barn door before the horse is stolen." Consult our experts before the shaft is constructed, while it is still in the state of designing.

We have been instrumental in helping a number of shaft designing engineers to eliminate this distressing condition.

Write for booklet
"Eliminating Vibrations"

WE SOLVE VIBRATION PROBLEMS

Trade Mark Registered

VIBRATION SPECIALTY CO.
N. W. Akimoff, Pres.
Harrison Building
Philadelphia, Pa. U. S. A.

Manufacturers of NWA Balancing Machines



INTERIOR OF M/S "SOLITAIRE" CABIN, SHOWING CORY TELEGRAPH AND SHAFT INDICATORS

SHIPS TELEGRAPHS
ELECTRICAL EQUIPMENTS

Telegraphs	Voice tube fittings	Oil and water indicators
Engine	Jingle bells	Electric whistle operators
Docking	Bell pulls	Shaft indicating systems
Steering	Chain, wire pulleys	Fire Alarms
Revolution	Push buttons	Radio telephone equipment
Telephones	Vibrating bells	
Loud speaking	Annunciators	
Inter-communicating		

RAMSAY ANTICIPATING MARINE GOVERNOR.
EXCLUSIVE MARINE DISTRIBUTORS AND
INSTALLATION ENGINEERS OF Foamite Firefoam IN THE UNITED STATES
WRITE FOR FURTHER PARTICULARS

CHAS. CORY & SON, Inc.

PHILADELPHIA Bourse Building
183-7 VARICK ST. NEW YORK, N. Y.
SAN FRANCISCO 11 Mission St.

TBT

THOMAS B. THRIGE
ODENSE
DENMARK

Telegrams
"THRIGE ODENSE."



ELECTRIC CARGO WINCHES

Mr. Naval Architect



1/16" = 1 Foot

You will find these Scale-O-Graphs (Drawing to Scale) of Northern Rotary Pumps helpful in your lay-out work.

We have been awarded a number of recent U. S. Navy contracts for Boiler Feed, Fuel Oil Transfer, and Fuel Oil Pressure Service. Government tests have proved that Northern Pumps are highly efficient for various types of Marine Service.



1/8" = 1 Foot

They are especially suitable for direct electric motor and steam turbine drives. They are made in sizes ranging from 5 gallons to 5000 gallons per minute.



1/4" = 1 Foot

Write for your set of Scale-O-Graph of Northern Pumps for Marine duty. There is no charge to you.

NORTHERN ROTARY PUMPS
"MORE GALLONS PER HORSE POWER"

New York City Branch, 51 East 42d Street

Generated on 2024-09-13 15:04 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE
PNEUMERCATOR TANK GAUGE
How Long—Would It Take You To Answer These Questions?



How much fuel oil aboard ship now?

How much was used in the last 24 hours?

How much was aboard when you docked at New York?

How much did you take on?

And how about your fresh water supply—and your salt water ballast?

And how accurate—would your answers be?

If your ship is equipped with Pneumercator Tank Gauges you can answer every one of the questions *accurately*, at *any time*, in *less than half the time* required by the old sounding rod method.

Ask for Bulletin No. 202

Allowed by American Bureau of Shipping, Lloyds and British Board of Trade

Pneumercator Company, Inc.
Sperry Bldg.
40 Flatbush Ave. Extension, Brooklyn, N. Y.
P-184

Trade Mark Reg. U.S. Pat. Off.
Pneumercator Gauges
Standard for Ships' Oil, Fuel and Ballast Tanks

The
MAXIM SILENCER

Can Now Be Obtained by MARINE ENGINE BUILDERS

The Maxim Silencer principle has now been developed for silencing the exhaust of large and small internal combustion engines, including for high-powered Diesel motors.

SHIPOWNERS should insist that builders fit Maxim Exhaust-Gas Silencers on all oil-engine installations. The safe navigation of motorships depends upon it. The navigation work—particularly in harbors—must not be interfered with by noisy exhausts.

OVER ONE-HUNDRED INSTALLATIONS IN SUCCESSFUL SERVICE

Write for Information



Silencer in engine-room of American motorship "Cethana"

THE MAXIM SILENCER COMPANY
107 Homestead Avenue
HARTFORD, CONN., U. S. A.
(107)

BRUNSWICK
REFRIGERATING AND ICE MAKING MACHINERY

"The standard for all marine installations"

Announcement

We are pleased to announce the incorporation of the

BRUNSWICK - KROESCHELL COMPANY

a consolidation of Brunswick Refrigerating Company of New Brunswick, New Jersey; Kroeschell Bros. Co. and Kroeschell Bros. Ice Machine Company of Chicago, Illinois.

The New Company will maintain the present offices and factories in New Brunswick and Chicago with the various branch offices, and will combine the facilities and personnel of the former companies so that its customers may be assured of the most efficient service.

Brunswick Refrigerating Company
Kroeschell Bros. Co.
Kroeschell Bros. Ice Machine Company

Brunswick-Kroeschell Company

Brunswick NH_3 Ice Machines
New Brunswick, N. J.

Kroeschell CO_2 Ice Machines
Chicago, Ill.

BULL DOG OIL ENGINES
for driving
ELECTRIC GENERATORS, AIR COMPRESSORS, ICE MACHINES, PUMPS AND WINCHES



8 K.W. Generator Set
Operates on kerosene or fuel-oils
No torch or electric ignition required

BATES AND EDMONDS MOTOR COMPANY
LANSING, MICHIGAN, U. S. A.
Engine builders since 1899

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MARINE LUBRICATION PERFECTED

BORNE SCRYMSER COMPANY MARINE W TRADE MARK TYPE NEW YORK

FOR

CYLINDERS AND BEARINGS

FROUDE DYNAMOMETERS

FOR

TESTING DIESELS



One of four Froude Dynamometers in the McIntosh & Seymour Corporation Plant at Auburn, N. Y.

This Dynamometer is Reversible and has a capacity of 3000 B.H.P.

WE FURNISH DYNAMOMETERS FOR ANY SIZE AND ALL TYPES OF PRIME MOVERS

For specifications, prices or illustrated descriptive bulletin write

C. H. WHEELER MFG. CO.

PHILADELPHIA, PA.

DIESEL ENGINES REPAIRED

OUR facilities include large Machine and Forge Shops, Foundries, Docks and all other necessary equipment to rush repairs on Diesel Engines.

A complete plant with an efficient force.

America's Leading Marine Diesel Engine Builders

THE NEW LONDON SHIP & ENGINE CO.

Plant located on New London Harbor

GROTON, CONN., U. S. A.

West Coast Representative
Mr. C. G. COKER
402 Exposition Bldg., San Francisco, California

Please Tear This Out

and mail it together with your check or money-order to our nearest office.

To the Manager of "MOTORSHIP":
Enclosed herewith is a check, money-order, draft or bills to the value* of $..... to cover cost of ..... subscription (s) for one year (twelve issues) for your monthly journal, "MOTORSHIP."

Name .....

Street .....

City .....

State .....

Country .....

*Subscription: Domestic, $3.00 per annum.
Foreign, 3.50 " "
Single copies, 25 cents each.

MOTORSHIP

Published Every Month
27 Pearl Street
NEW YORK CITY

San Francisco, Cal., office
417 Montgomery Street

Seattle, Wash., office
71 Columbia Street

Generated on 2024-09-13 15:02 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



The M.S. "POLSTJERNAN" Fitted with one 260 b.h.p. "BERGSUND" Oil-Engine

"BERGSUND"
CRUDE OIL ENGINES

FROM 5 b.h.p. UP TO 600 b.h.p.

DIRECT REVERSING

BERGSUNDS MEKANISKA VERKSTADS A.B.

Shipbuilders and Engineers

STOCKHOLM SWEDEN

Cable Address: BERGSUND, STOCKHOLM

Caulked right— they stay tight

Why Use Any But The Best?

All the Oakum used in caulking a vessel costs so little compared with the labor cost of caulking that it surely is poor economy to use a poor grade, hard to work with and wasteful.

GEO. STRATFORD OAKUM CO.

Jersey City, New Jersey

STRATFORD OAKUM

Subscribers!

WHEN YOU INTEND CHANGING YOUR ADDRESS

be sure to send us a notice, giving your old address as well as your new, THIRTY DAYS IN ADVANCE. It requires this period of time to make a change effective on our mailing list.

Just Published!

NOTES AND SKETCHES

on

Marine Diesel Oil Engines

By J. W. M. Sothern, M.I.E.S., M.I.Mar.E.

Published Price, $7.50

A Manual of Marine Oil Engine Practice contains illustrated descriptions of all modern marine type oil engines, also notes on management, faults and causes of same, etc. Indispensable to oil engineer officers of all grades as a technical reference book.

MOTOR
NORDISK MOTORTIDSKRIFT

is the only magazine of its kind published in the North, and widely spread in SWEDEN, NORWAY, DENMARK and FINLAND.

Everything concerning motors is followed with keen interest, and reports on the Swedish crude-oil and Diesel engines are always to be found in its pages.

Published Monthly

$7 per year

MOTOR NORDISK MOTORTIDSKRIFT

Vasagatan 38

STOCKHOLM, SWEDEN

MARINE ENGINEER OFFICERS' MAGAZINE

Every Engineer should have his copy monthly.

Become a Subscriber now. 18/- Yearly Subscription.

Contains: Specially written articles on Marine Engineering; Personalities; and a mass of interesting reading matter.

PUBLISHERS

JAMES MUNRO & CO., Ltd.

Marine Engineering and Nautical Publishers

35 & 37 Washington Street **Glasgow**

P. O. Box 105

Generated on 2024-09-13 15:01 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

MARINE OIL-ENGINES

Venn Severin Machine Co.
1317 West North Avenue, Chicago, Ill., U. S. A.
STATIONARY and MARINE
VENN-SEVERIN
TWO-CYCLE, SURFACE-IGNITION TYPE
10 B. H. P. TO 500 B. H .P.
OIL ENGINES

GEO. D. POGUE
EASTERN SALES REPRESENTATIVE
FOR
BUSCH-SULZER MARINE ENGINES
TWO-CYCLE DIESEL TYPE
UP TO 4,000 SHAFT HORSE POWER
ALSO STATIONARY DIESEL ENGINES
60 BROADWAY, NEW YORK CITY
U. S. A.

SEATTLE MACHINE WORKS
(INCORPORATED)
SEATTLE, WASH., U. S. A.
BUILDERS OF
THE "JOHNSON" DIESEL ENGINE
FOUR-CYCLE, TRUNK-PISTON AND CROSSHEAD TYPES
40 B. H. P. AND UP
CABLE ADDRESS "SMAWOK"

Kahlenberg
HEAVY DUTY
MARINE OIL ENGINES
15 TO 200 H. P.
KAHLENBERG BROS CO.
TWO RIVERS, WIS. U. S. A.

CAMMELL LAIRD & CO., LTD.
BIRKENHEAD, ENGLAND
BUILDERS OF THE
CAMELLAIRD-FULLAGAR
MARINE DIESEL ENGINE
For Information Regarding American Rights
communicate with S. L. G. Knox, Room 2203, 43 Exchange Place, New York City

NORDBERG MFG. CO.
NORDBERG MACHINERY
MILWAUKEE, WISCONSIN
HEAVY-DUTY, SLOW-SPEED
TWO-CYCLE
MARINE DIESEL
ENGINES
330 TO 3,000 SHAFT H. P.
NEW YORK OFFICE, 120 BROADWAY
NORDBERG MACHINERY

NORTH EASTERN MARINE ENGINEERING CO., Ltd.
WALLSEND-ON-TYNE
ENGLAND
BUILDERS OF
"NORTH EASTERN-WERKSPOOR"
MARINE OIL ENGINES
OVER 350 B. H. P.

HARLAND & WOLFF, Ltd.
SHIPBUILDERS AND ENGINEERS
DIESEL ENGINE WORKS; FINNIESTON & SCOTSTOUN, GLASGOW
REPAIR WORKS; LIVERPOOL & SOUTHAMPTON
SHIPBUILDING AND ENGINEERING WORKS
BELFAST - GLASGOW - GREENOCK
London Office, I. A., Cockspur St., S. W.

DOW PUMP & DIESEL ENGINE CO.
ALAMEDA, CALIFORNIA, U. S. A.
MECHANICAL INJECTION
MARINE DIESEL ENGINES
FOUR CYCLE TYPE
D. S. REVERSE GEAR TYPE, SIZES 75 B. H. P. TO 150 B. H. P.
DIRECT REVERSIBLE, SIZES 150 B. H. P. TO 500 B. H. P.
AGENTS
PACIFIC NET AND TWINE CO. SEATTLE, WASH., U. S. A.

BOLINDERS COMPANY
STOCKHOLM, SWEDEN
MARINE OIL ENGINES
OF THE
SURFACE-IGNITION TYPE
6 TO 500 B. H. P.
30 CHURCH STREET, NEW YORK, N. Y.
N. E. BRANCH
53 STATE STREET BOSTON, MASS.

FRICHS Ltd.
ENGINEERS,—AARHUS.—DENMARK
4-Cycle Marine Diesel-Engines
—TRUNK-PISTON and CROSSHEAD TYPES—
REPAIRS MADE TO ALL TYPES OF
STEAM-ENGINES and BOILERS
STEAM TURBINES AND DIESEL ENGINES

WESTERN DIESEL ENGINES
(STATIONARY AND MARINE TYPES)
SOLID-INJECTION
FOUR-STROKE PRINCIPLE
25 P. H. P. TO 150 B. H. P.
WESTERN MACHINERY CO.
936 NORTH MAIN STREET
LOS ANGELES, CALIFORNIA, U. S. A.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

DIRECTORY OF SHIP AND ENGINE REPAIRERS OF THE WORLD

BURMEISTER & WAIN, LTD.,
ENGINEERS AND SHIPBUILDERS, COPENHAGEN, DENMARK
4 Cycle Marine Diesel Engines
LARGEST AND QUICKEST REPAIR ESTABLISHMENT IN SCANDINAVIA
FOR MOTOR-SHIPS, TURBINE-SHIPS AND STEAM-SHIPS
FLOATING DOCK 11500 TONS CAPACITY
DRY DOCK 475 FT. LONG
100 TONS STATIONARY HAMMERHEAD CRANE
U. S. A. REPRESENTATIVE: H. C. HALLINGS, 27 WHITEHALL STREET, NEW YORK

SABANG WORKS
REPAIRING OF SHIPS, ENGINES, (STEAM AND I. C. COMBUSTION) MOTORS, DYNAMOS, Etc. — FLOATING DOCK OF 3000 TONS DISPLACEMENT
30 TONS FLOATING CRANE AND ALL MODERN EQUIPMENT AVAILABLE
SABANG BAY HARBOUR & COAL CO., LTD.
SABANG, PULO WAY, NORTH SUMATRA
OFFICES AT AMSTERDAM AND SABANG (TELEGRAMS: HARCOAL)
AGENTS: HULL BLYTH & CO., LTD., 1 LLOYD'S AVENUE, LONDON, E. C. AND THE PENNSYLVANIA COAL AND COKE CORPORATION, NEW YORK

VICKERS, LTD.
SHIPBUILDERS, ENGINEERS AND REPAIRERS
NAVAL CONSTRUCTION WORKS
AND DRY DOCKS
BARROW IN FURNESS :: :: :: ENGLAND
HEAD OFFICE
VICKERS HOUSE, BROADWAY, LONDON, S. W. I.
AMERICAN OFFICE
550 WOOLWORTH BUILDING, BROADWAY, NEW YORK CITY

NEW LONDON SHIP AND ENGINE COMPANY
GROTON, CONN.
REPAIRS AND FACILITIES INCLUDE LARGE MACHINE-SHOPS, FORGE-SHOPS, FOUNDRIES, DOCKS, AND ALL OTHER NECESSARY EQUIPMENT TO RUSH REPAIRS
PLANT LOCATED ON NEW LONDON HARBOR
DIESEL ENGINES REPAIRED

BACK NUMBERS OF
MOTORSHIP

Because of numerous requests for back numbers of MOTORSHIP, we have endeavored to collect some complete sets of old copies. We are now enabled to offer the following to our readers:

BOUND VOLUMES

Eleven Vols.	1921	8.00 each

UNBOUND VOLUMES

Two Vols	1917	5.00 each
One Vol. (Complete)	1919	6.50 each
Two Vols. (Except July, Aug. and Dec.)	1920	3.50 each

Prices per volume include domestic postage
No single copies will be sold from these sets

MOTORSHIP

Cable, Freemote, New York — 27 Pearl Street, New York City, U. S. A. — *Telephone,* Bowling Green 3420

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

TECHNICAL BOOKS

Obtainable through "MOTORSHIP" 27 Pearl St., New York

*MARINE DIESEL ENGINE AND SEMI-DIESEL ENGINE OPERATION AND MANAGEMENT

Price 80 cts. Postpaid

By Eng. Lieut. Harold Atkinson, R.N.V.R.

A pocket-size handbook for the operating engineer. Contains directions for the control and management of fuel-supply, overhauling machinery, lubrication, air-starting system, air-compressors and auxiliary machinery. 48 pages.

*MARINE DIESEL ENGINES

Price $3.00 Postage 7 cents extra

By John Lamb

Practical suggestions based on seagoing experience for the operation and maintenance of marine Diesel-engines. A valuable reference book containing complete description of Diesel-engines and auxiliaries, engine store lists, engineers' examinations, etc. 231 pages, 106 illustrations. Pocket size.

*MARINE OIL ENGINES

Price $2.50 (Including Postage)

By W. D. Martin

A valuable book for those interested in Diesel-engines, containing complete description of these engines, with description of various parts.

*STATIONARY AND MARINE DIESEL ENGINES

Price $3.00 Postage 10 cents extra

By A. H. Goldingham

A practical treatise of value to not only the consulting engineer and draughtsman, but to the erecting engineer and operator. Appendix treats of Diesel-engine castings. Very complete technical description of marine and stationary Diesel-engines, with formulæ for their design, installation and operation. 206 pages well illustrated.

*DESIGN AND CONSTRUCTION OF OIL ENGINES.

Price $4.00 Postage 20 cents extra

By A. H. Goldingham.

The fifth edition of this treatise is in two parts. Part I gives practical and reliable information on design and construction of modern high-pressure oil-engines of both two and four-cycle type. Part II is a history of the development of the surface-ignition oil-engine. This book is distinct from Mr. Goldingham's book on Diesel-engines. It is profusely illustrated and has over 400 pages.

*LAND AND MARINE DIESEL ENGINES

Price $5.50 Postage 7 cents extra

By Ing. Supino

Exceptionally comprehensive and profusely illustrated treatise on Diesel-engines which is generally considered as a standard in Europe. This book covers most completely the design and mechanical details of all types of Diesel and surface-ignition oil-engines and auxiliary equipment. Rules of classification societies are appended. Text illustrations and folded plates. 309 pages.

*THE MARINE OIL-ENGINE HANDBOOK

Price $1.00 Postage 5 cents extra

Compiled by the Staff of "The Motor Ship" and "The Motor Boat" of London, England

Contains simple language description of how motors work, fuel is vaporized, on electric ignition, exhaust systems, and description of practically every make of internal-combustion engines.

*MOTORSHIP LOG-BOOK

Price $3.75 Postage 20 cents extra

Designed by H. W. Sumner Co.

A valuable book for every operating engineer. Every motorship should be supplied with copies.

*MOTORSHIP YEAR BOOK

Price $2.00 (Including Domestic Postage)

Published by MOTORSHIP

This 128-page reference book on Diesel-engines and motorships contains accurate and valuable information which no one interested in them can afford to be without. The previous Year Book has been revised and corrected, and the new volume is handsomely bound in blue cloth. A list of contents may be found elsewhere in this issue.

*HAND BOOK OF SHIP CALCULATIONS, CONSTRUCTION AND OPERATION

Price $5.00 Postage 15 cents extra

By Charles H. Hughes

An exceptionally comprehensive reference book for naval architects, marine engineers, brokers, ships' engineers and officers, students, etc. 740 pages of data used daily.

*HOT-BULB OIL ENGINES

Price $10.00 Postage 25 cents extra

By Walter Pollock

Best work available on the surface-ignition type of oil-engine with extended discussion of various types of vessels suitable for this type. A most complete book on hot-bulb oil-engines, with data on selection, installation and operation of both propelling and auxiliary types. 449 pages, 369 illustrations.

DIESEL ENGINE DESIGN

Price $7.50 Postage 15 cents extra

By H. F. P. Purday

A book addressed particularly to designers, draughtsmen and others interested in the Diesel-engine from the standpoint of design. Complete technical description of every part of Diesel-engines well illustrated. 301 pages.

*LAND AND MARINE DIESEL ENGINES

Price $5.00 Postage 25 cents extra

By A. P. Chalkley

An introduction by the late Dr. Rudolph Diesel opens this exceedingly comprehensive treatise on the design, construction, testing and installation of the Diesel-engine by one of the best authorities on this type. All the leading makes are described in detail, the text being supplemented by folded plates and diagrams. 385 pages.

*DIESEL ENGINE DESIGN

Price $3.00 Postage 7 cents extra

By E. Mortimer Rose

A book for the designer and draughtsman dealing with the theory of design and the various parts of the Diesel-engine.

ECONOMICS OF PETROLEUM

Price $6.00 Postage 10 cents extra

By Joseph E. Pogue

This book presents the more important facts relating to petroleum resources, production, distribution and future supply and character. A serviceable book for the engineer, business man and motorship operator. A complete compendium of the oil industry well illustrated with half-tones and diagrams. 375 pages.

*FUEL AND LUBRICATING OILS FOR DIESEL ENGINES

Price $3.00 Postage 7 cents extra

By W. Schenker

This book of 114 pages contains valuable and authentic information written by an authority, who is chief engineer of the Diesel engine department of Sulzer Freres.

*NOTES AND SKETCHES ON MARINE DIESEL OIL ENGINES

Price $7.50 Postage 25 cents extra

By J. W. M. Sothern

An indispensable Manual of Marine Diesel Engine Practice containing completely illustrated descriptions of all types of Diesel engines, notes on operation, faults and remedies, technical data on oil tests, indicator cards, etc. Every engineer needs this book.

*QUESTIONS AND ANSWERS RELATING TO DIESEL, SEMI-DIESEL AND INTERNAL COMBUSTION ENGINES, ETC.

Price $2.50 Postage 12 cents extra

By John Lamb

A pocket-size book of 209 pages covering the design and operation of Diesel, Semi-Diesel and other types arranged in the form of questions and answers. A valuable work for the student or the steam-engineer who is preparing to operate Diesel-engines.

THE MARINE POWER PLANT

Price $4.00 Postage 15 cents extra

By Lawrence B. Chapman

Contains complete outline of layout and function of various pieces of marine machinery, presents the thermodynamics of various types and contains data and formulæ of value to both the student and experienced engineer.

*ELECTRIC SHIP PROPULSION

Price $6.00 Postage 10 cents extra

By Commander S. M. Robinson, U. S. N.

Chapter XVI covers Diesel-electric drive. The balance of the 275 pages is devoted to the most comprehensive treatise on turbine-electric installation by an authority on the subject.

* IN STOCK.

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

Donald MacMillan and his C~O Engine



THE MacMILLAN ARCTIC ASSOCIATION

HERBERT L. BRIDGMAN, PRESIDENT
M. J. LOOK, VICE-PRESIDENT
EDWIN W. SPARKS, VICE-PRESIDENT
GEORGE F. CARY, TREASURER
EDWARD N. GODING, SECRETARY
DONALD B. MacMILLAN, MANAGING DIRECTO

626 TREMONT BUILDING, BOSTON, MASS.

Freeport, Maine, Sept. 25, 1922.

My dear Mr. Jernberg:

The Fairbanks, Morse 45 H.P. type "C-O" engine was absolutely perfect throughout the 5000 mile Arctic cruise of the Bowdoin just finished.

Naturally following our long imprisonment of 274 days in the ice at 64 24 North Latitude, during which time the Bowdoin was frozen in the solid ice with temperature as low as 60 below zero Fahrenheit, I had grave doubts as to her starting readily when released from the pack on the first day of August. I also feared that due to such extreme cold certain parts of the mechanism might have been seriously injured through excessive contraction. We had simply drained the water off in the fall and left the engine as she was without even taking off a cylinder head.

We heated the plugs, turned on the air and she was off as quickly as if she had stopped the night before. Too much can not be said in praise of an engine which can do the work which has been done during the last fourteen months on board the Bowdoin.

Very truly yours, Donald MacMillan



Some special features of the "C-O" Marine Engine:

No Water Injection into the cylinders.

Cool operation. Cylinder, combustion chamber, and exhaust manifold are water jacketed.

Quick starting gives great advantage for intermittent as well as steady work.

Automatic Crank Case Seal prevents oil from blowing out, and insures positive lubrication.

Close speed control for all loads and any speed.

Uses low priced fuel oils.

Low maintenance cost is assured by the elimination of intake and exhaust valves and their mechanism.

Frozen In Ice for 274 Days

What has been said of the remarkable performance of Fairbanks-Morse "C-O" Marine Oil Engines is more than proved by Dr. MacMillan's experience, as shown by the facsimile of his letter above. His engine was a stock "C-O" engine. It was built by the same process as all other "C-O" engines. The service it gave Dr. MacMillan under those extreme conditions is the service a "C-O" will give under your conditions. Not only did this particular engine undergo climatic conditions of a most extreme nature, but throughout the entire trip it gave not one particle of trouble. Not a single adjustment was required. We submit this as one more item of practical proof that "C-O" engines are built to give real service.

Some of the special features of these engines are given at the left.

Further information will be cheerfully furnished upon request.

Fairbanks, Morse & Co., Manufacturers, Chicago

FAIRBANKS-MORSE
C-O MARINE OIL ENGINE

Generated on 2024-09-13 14:59 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN



Improved Yacht Construction

Sea-going yachts are undergoing a change which is bringing greater comfort and luxury to the owners.

In the modern yacht the propelling machinery is more compact and the additional space thus provided can be utilized in many ways—principally in increasing the number and size of state rooms.

The smoke nuisance is dispensed with by the use of gasoline electric propulsion and the greater cleanliness thus secured is a very desirable feature of this equipment.

None of the four units comprising gasoline electric drive are new—each has been thoroughly tried out and proved by long usage on land.

This equipment permits of greater flexibility in the arrangement of machinery and when twin engine generators are employed, greater dependability is secured.

Westinghouse engineers will be glad to consult with marine engineers and architects regarding gasoline electric drive for yachts.

Westinghouse Electric & Manufacturing Company
East Pittsburgh, Pa.

Sales Offices in All Principal American Cities
Service Stations in Principal American Ports
Hunt, Mirk & Company
Special Pacific Coast Representatives
San Francisco, California

W
WESTINGHOUSE ELECTRIC

Westinghouse

Generated on 2024-09-13 15:09 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN

THE reconditioning of the SS. PRESIDENT PIERCE by the Robins Plant of Todd Shipyards Corporation was one of the most important jobs awarded this year, including the installation of Todd Mechanical Fuel Oil Burners. Owners know that Todd service means the utmost in speed and economy, unequalled facilities, and an experience which stands second to none.

TODD SHIPYARDS CORPORATION

Main Office: 25 Broadway, New York

Ship Builders and Repairers–Engineers–Boiler Makers–Parsons Turbines–Oil Burning Equipment–Electric Drive Installations

SS. PRESIDENT PIERCE
being reconditioned
at the plant of the
Robins Dry Dock and
Repair Company

Twenty-one Floating Docks
Two Graving Docks
Twelve Shipways

◆

PLANTS

Robins Dry Dock & Repair Company
Erie Basin, Brooklyn, N. Y.

Tietjen & Lang Dry Dock Company
Hoboken, N. J.

Tebo Yacht Basin Company
Foot of 23rd Street, Brooklyn, N. Y.

Clinton Dry Docks, Inc.
Foot of Clinton Street, Brooklyn, N. Y.

White Fuel Oil Engineering Corp.
Todd Oil Burning Systems
742 East 12th Street, New York City

Todd Dry Dock & Construction Corp.
Tacoma, Washington

Todd Dry Docks, Inc.
Harbor Island, 16th Ave., S. W.
Seattle, Washington

Todd Shipbuilding & Dry Dock Co., Inc.
Mobile, Alabama

TODD
NEW YORK, U.S.A.
SHIPYARDS CORPORATION

Generated on 2024-09-13 15:08 GMT / https://hdl.handle.net/2027/mdp.39015084660888
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google
Digitized by Google
Original from UNIVERSITY OF MICHIGAN